

# Cucumber Report

May 25, 2024, 5:54:06 PM

Start : May 25, 5:54:00.629 PM

End : May 25, 5:54:05.135 PM

Duration : 4.506 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 2  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	4.506 s	2	0	2	0	6	3	2	1

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	2	0	2	0	4.506 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	1	1	1	3.779 s
2		<u>Verify if user is being successfully updated using UpdateUserByIdAPI</u>	3	2	1	0	0.580 s

## Validating User API



<b>FAILED</b>	DURATION - 4.506 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 3 Fail - 2 Skip - 1	
/ 5:54:00.629 PM // 5:54:05.135 PM /					

## Verify if user is being successfully created using CreateUserAPI

<div>FAILED</div> <div>DURATION - 3.779 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 5:54:00.634 PM // 5:54:04.413 PM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.908 s
2	When user calls "CreateUserAPI" with "post" request java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.internal.common.path.ObjectConverter.convertObjectTo(Object, java.lang.Class)" is null at io.restassured.path.json.JsonPath.getInt(JsonPath.java:245) at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:52) at ?.user calls "CreateUserAPI" with "post" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:6) * Not displayable characters are replaced by '?'.	FAILED	2.847 s
3	Then user created with status code 201	SKIPPED	0.002 s

## Verify if user is being successfully updated using UpdateUserbyIdAPI

<div>FAILED</div> <div>DURATION - 0.580 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:54:04.555 PM // 5:54:05.135 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.008 s
2	When user calls "UpdateUserByIdAPI" with "put" request	PASSED	0.560 s
3	Then the API call is success with status code 200  java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:95) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:13) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s