


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validating User API	3.982 s	5	3	2	0	15	13	2	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validating User API	Check if user able to create without mandatory fields payload
2		Check if user able to create with invalidrequestbody


FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration	
1	<u>Validating User API</u>	5	3	2	0	3.982 s	


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Check if user able to create with invalidendpoint	3	3	0	0	2.086 s
2		Check if user able to create without mandatory fields payload	3	2	1	0	0.449 s
3		Check if user able to create with invalidmethod	3	3	0	0	0.447 s
4		Check if user able to create with invalidrequestbody	3	2	1	0	0.415 s
5		Check if user able to update with invalidendpoint	3	3	0	0	0.462 s

DETAILED SECTION

## **Validating User API**




### Check if user able to create with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.473 s
2	When user send post Request and request Body with invalidendpoint	PASSED	1.205 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.399 s

## Check if user able to create without mandatory fields payload




#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.010 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.401 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	FAILED	0.035 s
	org.junit.ComparisonFailure: expected:<40[9 CONFLIC]T> but was:<40[0 BAD_REQUES]T>     at org.junit.Assert.assertEquals(Assert.java:117)     at org.junit.Assert.assertEquals(Assert.java:146)     at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196)     at ?.user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:61) * Not displayable characters are replaced by '?'.		

#### Check if user able to create with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.004 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.426 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.015 s

## Check if user able to create with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.003 s
2	When user send post Request and request Body with invalid data	PASSED	0.381 s
3	Then user receives "409 CONFLICT" with message "User already exist with same email id"	FAILED	0.029 s
	org.junit.ComparisonFailure: expected: <ady [contact="" exist="" number]="" same="" with=""> but was:<ady [email="" exist="" id]="" same="" with=""> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:197) at ?.user receives "409 CONFLICT" with message "User already exist with same email id"(file:///C:/Users/rajas/git/repository/ UserBDD_Bootcamp/src/test/resources/features/User.feature:71)  * Not displayable characters are replaced by '?'.</ady></ady>		

# Check if user able to update with invalidendpoint



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.435 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.024 s