

Cucumber Report

May 23, 2024, 1:13:08 PM

Start : May 23, 1:13:04.653 PM

End : May 23, 1:13:08.282 PM

Duration : 3.629 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0

PASSED - 8
FAILED - 3
SKIPPED - 1




| Feature | | Scenario | | | | Step | | | |
|----------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Validating User API</u> | 3.629 s | 4 | 1 | 3 | 0 | 12 | 8 | 3 | 1 |

| # | Feature Name | Scenario Name |
|---|----------------------------|--|
| 1 | <u>Validating User API</u> | <u>Check if user able to update with already existing phonenumber</u> |
| 2 | | <u>Check if user able to update with invalidrequestbody</u> |
| 3 | | <u>Check if user able to update with missing values in the requestbody</u> |





| # | Feature Name | T | P | F | S | Duration |
|---|----------------------------|---|---|---|---|----------|
| 1 | <u>Validating User API</u> | 4 | 1 | 3 | 0 | 3.629 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------|--|---|---|---|---|----------|
| 1 | <u>Validating User API</u> | <u>Check if user able to create with invalidrequestbody</u> | 3 | 3 | 0 | 0 | 2.187 s |
| 2 | | <u>Check if user able to update with already existing phonenumber</u> | 3 | 2 | 1 | 0 | 0.450 s |
| 3 | | <u>Check if user able to update with invalidrequestbody</u> | 3 | 2 | 1 | 0 | 0.450 s |
| 4 | | <u>Check if user able to update with missing values in the requestbody</u> | 3 | 1 | 1 | 1 | 0.435 s |

Validating User API



| | | | | | |
|--------------------------------------|--------------------|-----------|---|------------|---|
| FAILED | DURATION - 3.629 s | Scenarios |  | Steps |  |
| / 1:13:04.653 PM // 1:13:08.282 PM / | | Total - 4 | | Total - 12 | |
| | | Pass - 1 | | Pass - 8 | |
| | | Fail - 3 | | Fail - 3 | |
| | | Skip - 0 | | Skip - 1 | |

Check if user able to create with invalidrequestbody

| | | | | |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 2.187 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 1:13:04.656 PM // 1:13:06.843 PM /</div> | | | | |
| <div>Validating User API</div> | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with Invalid request body | PASSED | 0.526 s |
| 2 | When user send post Request and request Body with invalid data | PASSED | 1.209 s |
| 3 | Then user receives "409 CONFLICT" with message "User already exist with same email id" | PASSED | 0.437 s |

Check if user able to update with already existing phonenumber

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.450 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 1:13:06.920 PM // 1:13:07.370 PM / | | | | |
| Validating User API | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with existing phonenummer | PASSED | 0.001 s |
| 2 | When user send HTTPS Request and request Body with existing phonenummer | PASSED | 0.412 s |
| 3 | Then user receives "404 NOT_FOUND" with message "User not found with id: 8174" | FAILED | 0.034 s |
| | org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:89) * Not displayable characters are replaced by '?'. | | |

Check if user able to update with invalidrequestbody

| | | | | | | |
|--------------------------------------|--|--------------------|--|--|---|---|
| FAILED | | DURATION - 0.450 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 1:13:07.387 PM // 1:13:07.837 PM / | | | | | | |
| Validating User API | | | | | | |
| | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with Invalid payload | PASSED | 0.002 s |
| 2 | When user send HTTPS Request and request Body with invalid data | PASSED | 0.425 s |
| 3 | Then user receives "404 NOT_FOUND" with message "User not found with id: 8174" | FAILED | 0.021 s |
| | org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99) * Not displayable characters are replaced by '?'. | | |

Check if user able to update with missing values in the requestbody

| | | | | |
|--------------------------------------|--------------------|--|---|--|
| FAILED | DURATION - 0.435 s | | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 | |
| / 1:13:07.847 PM // 1:13:08.282 PM / | | | | |
| Validating User API | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user with missing payload | PASSED | 0.001 s |
| 2 | When user send HTTPS Request and request Body with missing data org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'. | FAILED | 0.428 s |
| 3 | Then user receives "404 NOT_FOUND" with message "User not found with id: 8174" | SKIPPED | 0.000 s |