Cucumber Report

May 26, 2024, 11:07:44 AM

| Start : May 26, 11:07:26.593 AM	End : May 26, 11:07:42.856 AM	Duration : 16.263 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 4 SKIPPED - 0	PASSED - 54 FAILED - 4 SKIPPED - 2

Features: 1

Scenarios: 20

Steps: 60

Pass % — 0 %

Pass % — 80 %

Pass % — 90 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	16.263 s	20	16	4	0	60	54	4	2

#	Feature Name	Scenario Name
1	*Validating User API*	*Verify if user is being successfully retrieved using GetUserbyNameAPI*
2		*Verify if user is being successfully deleted using DeleteUserbyNameAPI*
3		*Check if user able to create without mandatory fields payload*
4		*Check if user able to update with already existing phonenumber*

| #	Feature Name	T	P	F	S	Duration
1	Validating User API	20	16	4	0	16.263 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	3	0	0	3.058 s
2		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	3	0	0	0.740 s
3		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	2.207 s
4		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.415 s
5		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.491 s
6		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	2	1	0	0.509 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	2	1	0	0.447 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		*Check if user able to create with invalidendpoint*	3	3	0	0	1.206 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	*Validating User API*	*Check if user able to create without mandatory fields payload*	3	2	1	0	0.496 s
10		*Check if user able to create with invalidmethod*	3	3	0	0	0.581 s
11		*Check if user able to create with invalidrequestbody*	3	3	0	0	0.539 s
12		*Check if user able to update with invalidendpoint*	3	3	0	0	0.641 s
13		*Check if user able to update with already existing phonenumber*	3	0	1	2	0.012 s
14		*Check if user able to update with invalidmethod*	3	3	0	0	0.516 s
15		*Check if user able to update with invalidrequestbody*	3	3	0	0	0.494 s
16		*Check if user able to update with missing values in the requestbody*	3	3	0	0	0.585 s
17		*Check if user able to get with invaliduserId*	3	3	0	0	0.465 s
18		*Check if user able to get with invaliduserName*	3	3	0	0	0.495 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19	*Validating User API*	*Check if user able to delete with invaliduserId*	3	3	0	0	0.906 s
20		*Check if user able to get with invaliduserName*	3	3	0	0	0.908 s

Validating User API

FAILED	DURATION - 16.263 s			Scenarios		Steps	
/ 11:07:26.593 AM // 11:07:42.856 AM /				Total - 20		Total - 60	
				Pass - 16		Pass - 54	
				Fail - 4		Fail - 4	
				Skip - 0		Skip - 2	

Verify if user is being successfully created using CreateUserAPI

PASSED	DURATION - 3.058 s		Steps
/ 11:07:26.600 AM // 11:07:29.658 AM /			Total - 3
Validating User API			Pass - 3
			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.707 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	2.326 s
3	Then user created with status code 201	PASSED	0.006 s

Verify if user is being successfully updated using UpdateUserbyIdAPI

PASSED	DURATION - 0.740 s		Steps
/ 11:07:29.802 AM // 11:07:30.542 AM /			Total - 3
Validating User API			Pass - 3
			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.004 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.730 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetallUsersAPI

PASSED   DURATION - 2.207 s

/ 11:07:30.564 AM // 11:07:32.771 AM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	2.200 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully retrieved using GetUserbyIdAPI

PASSED   DURATION - 0.415 s

/ 11:07:32.786 AM // 11:07:33.201 AM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.408 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully deleted using DeleteUserbyIdAPI

PASSED	DURATION - 0.491 s		Steps
/ 11:07:33.220 AM // 11:07:33.711 AM /			Total - 3
			Pass - 3
Validating User API			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.003 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.483 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully retrieved using GetUserbyNameAPI

| FAILED	DURATION - 0.509 s		Steps
/ 11:07:33.733 AM // 11:07:34.242 AM /			Total - 3
			Pass - 2
Validating User API			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.005 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.480 s
3	Then the API call is success with status code 200	FAILED	0.017 s

	java.lang.AssertionError: expected:<404> but was:<200>
	    at org.junit.Assert.fail(Assert.java:89)
	    at org.junit.Assert.failNotEquals(Assert.java:835)
	    at org.junit.Assert.assertEquals(Assert.java:647)
	    at org.junit.Assert.assertEquals(Assert.java:633)
	    at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:106)
	    at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.		

#	Step / Hook Details	Status	Duration
	feature:37) * Not displayable characters are replaced by '?'.		

Verify if user is being successfully deleted using DeleteUserbyNameAPI

FAILED	DURATION - 0.447 s		Steps
/ 11:07:34.290 AM // 11:07:34.737 AM /			Total - 3
			Pass - 2
Validating User API			Fail - 1
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.004 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.436 s
3	Then the API call is success with status code 200	FAILED	0.004 s

	java.lang.AssertionError: expected:<404> but was:<200>
	    at org.junit.Assert.fail(Assert.java:89)
	    at org.junit.Assert.failNotEquals(Assert.java:835)
	    at org.junit.Assert.assertEquals(Assert.java:647)
	    at org.junit.Assert.assertEquals(Assert.java:633)
	    at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:106)
	    at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:43)
	* Not displayable characters are replaced by '?'.		

Check if user able to create with invalidendpoint

PASSED	DURATION - 1.206 s		Steps
/ 11:07:34.755 AM // 11:07:35.961 AM /			Total - 3
			Pass - 3
Validating User API			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.005 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.486 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.712 s

Check if user able to create without mandatory fields payload

FAILED	DURATION - 0.496 s		Steps	
/ 11:07:35.978 AM // 11:07:36.474 AM /			Total - 3	
			Pass - 2	
Validating User API			Fail - 1	3
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.003 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.414 s
3	Then user got "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	FAILED	0.075 s
	org.junit.ComparisonFailure: expected:<40[9 CONFLIC]T> but was:<40[0 BAD_REQUES]T> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_got_with_message(UserSteps.java:311) at ?.user got "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"(file:///C:/Users/rajas/ git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:61) * Not displayable characters are replaced by '?'.		

Check if user able to create with invalidmethod

PASSED	DURATION - 0.581 s		Steps	
/ 11:07:36.503 AM // 11:07:37.084 AM /			Total - 3	
			Pass - 3	
Validating User API			Fail - 0	3
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.007 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.523 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.046 s

Check if user able to create with invalidrequestbody

PASSED	DURATION - 0.539 s
/ 11:07:37.101 AM // 11:07:37.640 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.005 s
2	When user send post Request and request Body with invalid data	PASSED	0.493 s
3	Then user receives "409 CONFLICT" with message "User already exist with same contact number"	PASSED	0.037 s

Check if user able to update with invalidendpoint

PASSED	DURATION - 0.641 s
/ 11:07:37.655 AM // 11:07:38.296 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.004 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.598 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.036 s

Check if user able to update with already existing phonenumber

FAILED	DURATION - 0.012 s
/ 11:07:38.370 AM // 11:07:38.382 AM /	
Validating User API	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given user update with existing phonenumber	FAILED	0.007 s
	Step undefined		
2	When user send HTTPS Request and request Body with existing phonenumber	SKIPPED	0.002 s
3	Then user receives "400 BAD_REQUEST" with message	SKIPPED	0.001 s

Check if user able to update with invalidmethod

PASSED	DURATION - 0.516 s
/ 11:07:38.400 AM // 11:07:38.916 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.474 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.037 s

Check if user able to update with invalidrequestbody

PASSED	DURATION - 0.494 s
/ 11:07:38.932 AM // 11:07:39.426 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.451 s
3	Then user receives "400 BAD_REQUEST" with message "Contact number is already in use by another user"	PASSED	0.037 s

### Check if user able to update with missing values in the requestbody

PASSED	DURATION - 0.585 s
/ 11:07:39.440 AM // 11:07:40.025 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.006 s
2	When user send HTTPS Request and request Body with missing data	PASSED	0.538 s
3	Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	PASSED	0.034 s

Check if user able to get with invaliduserId

PASSED	DURATION - 0.465 s
/ 11:07:40.045 AM // 11:07:40.510 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.007 s
2	When user send "get" Request with invaliduserId	PASSED	0.422 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.033 s

Check if user able to get with invaliduserName

PASSED	DURATION - 0.495 s
/ 11:07:40.523 AM // 11:07:41.018 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.002 s
2	When user send "get" Request with invaliduserName	PASSED	0.453 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.037 s

Check if user able to delete with invaliduserId

PASSED	DURATION - 0.906 s
/ 11:07:41.029 AM // 11:07:41.935 AM /	
Validating User API	

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.417 s
2	When user send "delete" Request with invaliduserId	PASSED	0.452 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.034 s

Check if user able to get with invaliduserName

PASSED	DURATION - 0.908 s
/ 11:07:41.948 AM // 11:07:42.856 AM /	
Validating User API	

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.463 s
2	When user send "delete" Request with invaliduserName	PASSED	0.408 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.033 s