

Cucumber Report

May 23, 2024, 3:04:45 PM

Start : May 23, 3:04:32.888 PM

End : May 23, 3:04:44.619 PM

Duration : 11.731 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 16
FAILED - 3
SKIPPED - 0

PASSED - 53
FAILED - 3
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	11.731 s	19	16	3	0	57	53	3	1

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Check if user able to create with invalidrequestbody</u>
2		<u>Check if user able to update with invalidrequestbody</u>
3		<u>Check if user able to update with missing values in the requestbody</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	19	16	3	0	11.731 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	3	0	0	2.092 s
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	3	0	0	0.425 s
3		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.658 s
4		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.383 s
5		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.384 s
6		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	3	0	0	0.404 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	3	0	0	0.409 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.467 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.427 s
10		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.422 s
11		<u>Check if user able to create with invalidrequestbody</u>	3	2	1	0	0.403 s
12		<u>Check if user able to update with invalidendpoint</u>	3	3	0	0	0.413 s
13		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.422 s
14		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.415 s
15		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.417 s
16		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.416 s
17		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.400 s
18		<u>Check if user able to delete with invaliduserId</u>	3	3	0	0	0.781 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Validating User API</u>	<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.755 s

Validating User API



FAILED	DURATION - 11.731 s	Scenarios		Steps	
/ 3:04:32.888 PM // 3:04:44.619 PM /		Total - 19		Total - 57	
		Pass - 16		Pass - 53	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	

Verify if user is being successfully created using CreateUserAPI

<div>PASSED</div>	<div>DURATION - 2.092 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 3:04:32.892 PM // 3:04:34.984 PM /</div>			<div>Total - 3</div>	
<div>Validating User API</div>			<div>Pass - 3</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.507 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.569 s
3	Then user created with status code 201	PASSED	0.003 s

Verify if user is being successfully updated using UpdateUserbyIdAPI

PASSED	DURATION - 0.425 s		Steps	
/ 3:04:35.055 PM // 3:04:35.480 PM /			Total - 3	
Validating User API			Pass - 3	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.002 s
2	When user calls "UpdateUserByIdAPI" with "put" request	PASSED	0.420 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetAllUsersAPI

PASSED	DURATION - 1.658 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:04:35.496 PM // 3:04:37.154 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.654 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserByIdAPI

PASSED	DURATION - 0.383 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:04:37.165 PM // 3:04:37.548 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.001 s
2	When user calls "GetUserByIdAPI" with "getbyuserId" request	PASSED	0.380 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully deleted using DeleteUserbyIdAPI

PASSED	DURATION - 0.384 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 3:04:37.563 PM // 3:04:37.947 PM /							
Validating User API							


#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.376 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully retrieved using GetUserbyNameAPI

<div>PASSED</div>	<div>DURATION - 0.404 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:04:37.967 PM // 3:04:38.371 PM /</div>				
<div>Validating User API</div>				


#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.396 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully deleted using DeleteUserbyNameAPI




#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.002 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.403 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Check if user able to create with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.002 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.434 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.028 s

Check if user able to create without mandatory fields payload



#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.001 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.390 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.033 s

Check if user able to create with invalidmethod



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.401 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.019 s

Check if user able to create with invalidrequestbody

FAILED	DURATION - 0.403 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:04:40.145 PM // 3:04:40.548 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.002 s
2	When user send post Request and request Body with invalid data	PASSED	0.375 s
3	Then user receives "409 CONFLICT" with message "User already exist with same email id"	FAILED	0.025 s
	java.lang.NullPointerException: Cannot invoke "Object.toString()" because the return value of "io.restassured.path.json.JsonPath.get(String)" is null at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?user receives "409 CONFLICT" with message "User already exist with same email id"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:71) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidendpoint

PASSED	DURATION - 0.413 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:04:40.562 PM // 3:04:40.975 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.393 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.016 s

Check if user able to update with invalidmethod

<div>PASSED</div>	<div>DURATION - 0.422 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:04:40.979 PM // 3:04:41.401 PM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.000 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.405 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.014 s

Check if user able to update with invalidrequestbody

<div>FAILED</div> <div>DURATION - 0.415 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:04:41.407 PM // 3:04:41.822 PM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.397 s
3	Then user receives "400 BAD_REQUEST" with message "User email Id is required" org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "400 BAD_REQUEST" with message "User email Id is required"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.016 s

Check if user able to update with missing values in the requestbody


FAILED	DURATION - 0.417 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:04:41.827 PM // 3:04:42.244 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with missing data org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:243) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'. 	FAILED	0.411 s
3	Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	SKIPPED	0.001 s


Check if user able to get with invaliduserId

PASSED	DURATION - 0.416 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:04:42.250 PM // 3:04:42.666 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.004 s
2	When user send "get" Request with invaliduserId	PASSED	0.385 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.024 s


Check if user able to get with invaliduserName

#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.373 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.024 s

Check if user able to delete with invaliduserId

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.363 s
2	When user send "delete" Request with invaliduserId	PASSED	0.385 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.028 s

Check if user able to get with invaliduserName



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.368 s
2	When user send "delete" Request with invaliduserName	PASSED	0.369 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.017 s