


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validating User API	10.892 s	12	7	5	0	36	30	5	1	
Validating negative scenarios for user	3.348 s	6	6	0	0	18	18	0	0	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Validating User API	Verify if user is being successfully retrieved using GetUserbyNameAPI
2		Verify if user is being successfully deleted using DeleteUserbyNameAPI
3		Check if user able to update with already existing userId
4		Check if user able to update with invalidrequestbody
5		Check if user able to update with missing values in the requestbody

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Validating User API	12	7	5	0	10.892 s
2	Validating negative scenarios for user	6	6	0	0	3.348 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	Т	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using  CreateUserAPI	3	3	0	0	3.403 s
2		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	3	0	0	0.472 s
3		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	2.014 s
4		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.415 s
5		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.565 s
6		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	2	1	0	0.521 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	2	1	0	0.534 s


# Feature N	Name	Scenario Name	T	P	F	S	Duration
8		Check if user able to update with invalidendpoint	3	3	0	0	0.513 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Validating User API	Check if user able to update with already existing userId	3	2	1	0	0.556 s
10		Check if user able to update with invalidmethod	3	3	0	0	0.610 s
11		Check if user able to update with invalidrequestbody	3	2	1	0	0.495 s
12		Check if user able to update with missing values in the requestbody	3	1	1	1	0.469 s
13	Validating negative scenarios for user	Check if user able to create with invalidendpoint	3	3	0	0	0.548 s
14		Check if user able to create without mandatory fields payload	3	3	0	0	0.519 s
15		Check if user able to create with invalidmethod	3	3	0	0	0.604 s
16		Check if user able to create with invalidrequestbody	3	3	0	0	0.472 s
17		Check if user able to get with invaliduserId	3	3	0	0	0.505 s
18		Check if user able to get with invaliduserName	3	3	0	0	0.608 s

#### **Validating User API**




# Verify if user is being successfully created using CreateUserAPI




#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.734 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	2.647 s
3	Then user created with status code 201	PASSED	0.004 s

#### Verify if user is being successfully updated using UpdateUserbyldAPI




#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.003 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.464 s
3	Then the API call is success with status code 200	PASSED	0.002 s

### Verify if user is being successfully retrieved using GetallUsersAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	2.006 s
3	Then the API call is success with status code 200	PASSED	0.002 s


# Verify if user is being successfully retrieved using GetUserbyldAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.408 s
3	Then the API call is success with status code 200	PASSED	0.002 s


DETAILED SECTION -- 10 --

# Verify if user is being successfully deleted using DeleteUserbyIdAPI



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.005 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.556 s
3	Then the API call is success with status code 200	PASSED	0.001 s


# Verify if user is being successfully retrieved using GetUserbyNameAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.491 s
3	Then the API call is success with status code 200	FAILED	0.021 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:93) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.		


#	Step / Hook Details	Status	Duration
	feature:37)		
	* Not displayable characters are replaced by '?'.		

# Verify if user is being successfully deleted using DeleteUserbyNameAPI




#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.005 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.521 s
3	Then the API call is success with status code 200	FAILED	0.002 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:93) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User. feature:43) * Not displayable characters are replaced by '?'.		

#### Check if user able to update with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.005 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.485 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.021 s

#### Check if user able to update with already existing userld




#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.481 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.071 s
	org.junit.ComparisonFailure: expected: <ot 81[81]="" found="" id:="" with=""> but was:<ot 81[74]="" found="" id:="" with=""> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:60) * Not displayable characters are replaced by '?'.</ot></ot>		

#### Check if user able to update with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.005 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.570 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.031 s

### Check if user able to update with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.459 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.031 s
	org.junit.ComparisonFailure: expected: <ot 81[81]="" found="" id:="" with=""> but was:<ot 81[74]="" found="" id:="" with=""> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:70)  * Not displayable characters are replaced by '?'.</ot></ot>		

#### Check if user able to update with missing values in the requestbody




DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.458 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:74) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.005 s

### Validating negative scenarios for user


PASSED	DURATION - 3.348 s	Scenarios		Steps	
		Total - 6		Total - 18	
/ 9:10:24.173 AM	// 9:10:27.521 AM /	Pass - 6	6	Pass - 18	18
		Fail - 0	~ ~ <b>/</b>	Fail - 0	10
		Skip - 0		Skip - 0	

#### Check if user able to create with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.503 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.037 s

DETAILED SECTION -- 15 --



#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.004 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.455 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.058 s


#### Check if user able to create with invalidmethod



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.005 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.560 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.036 s


**Check if user able to create with invalidrequestbody** 

DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.008 s
2	When user send post Request and request Body with invalid data	PASSED	0.433 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values	PASSED	0.026 s
	only"		


# Check if user able to get with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.002 s
2	When user send "get" Request with invaliduserId	PASSED	0.444 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.055 s

#### Check if user able to get with invaliduserName

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.003 s
2	When user send "get" Request with invaliduserName	PASSED	0.523 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.071 s