

Cucumber Report

May 23, 2024, 1:14:56 PM

Start : May 23, 1:14:52.477 PM

End : May 23, 1:14:56.051 PM

Duration : 3.574 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0

PASSED - 8
FAILED - 3
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	3.574 s	4	1	3	0	12	8	3	1

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Check if user able to update with already existing phonenumber</u>
2		<u>Check if user able to update with invalidrequestbody</u>
3		<u>Check if user able to update with missing values in the requestbody</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	4	1	3	0	3.574 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	2.171 s
2		<u>Check if user able to update with already existing phonenumber</u>	3	2	1	0	0.454 s
3		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.422 s
4		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.432 s

Validating User API



FAILED	DURATION - 3.574 s	Scenarios		Steps	
/ 1:14:52.477 PM // 1:14:56.051 PM /		Total - 4		Total - 12	
		Pass - 1		Pass - 8	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	

Check if user able to create with invalidrequestbody

PASSED	DURATION - 2.171 s		Steps	
/ 1:14:52.483 PM // 1:14:54.654 PM /			Total - 3	
Validating User API			Pass - 3	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.512 s
2	When user send post Request and request Body with invalid data	PASSED	1.219 s
3	Then user receives "409 CONFLICT" with message "User already exist with same email id"	PASSED	0.428 s

Check if user able to update with already existing phonenumber

FAILED	DURATION - 0.454 s		Steps	
/ 1:14:54.722 PM // 1:14:55.176 PM /			Total - 3	
Validating User API			Pass - 2	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user with existing phonenummer	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing phonenummer	PASSED	0.411 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.039 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:89) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidrequestbody

FAILED		DURATION - 0.422 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:14:55.189 PM // 1:14:55.611 PM /						
Validating User API						

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.403 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.016 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99) * Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody

FAILED	DURATION - 0.432 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:14:55.619 PM // 1:14:56.051 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with missing data org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'.	FAILED	0.428 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.000 s