

Cucumber Report

May 23, 2024, 1:25:51 PM

Start : May 23, 1:25:47.440 PM

End : May 23, 1:25:51.152 PM

Duration : 3.712 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0

PASSED - 8
FAILED - 3
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	3.712 s	4	1	3	0	12	8	3	1

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Check if user able to update with already existing phonenumber</u>
2		<u>Check if user able to update with invalidrequestbody</u>
3		<u>Check if user able to update with missing values in the requestbody</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	4	1	3	0	3.712 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	2.223 s
2		<u>Check if user able to update with already existing phonenumber</u>	3	2	1	0	0.453 s
3		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.464 s
4		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.465 s

Validating User API



<div>FAILED</div> <div>DURATION - 3.712 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 3</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 12</div> <div>Pass - 8</div> <div>Fail - 3</div> <div>Skip - 1</div>		<div></div>	
/ 1:25:47.440 PM // 1:25:51.152 PM /									

Check if user able to create with invalidrequestbody

<div>PASSED</div>	<div>DURATION - 2.223 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:25:47.443 PM // 1:25:49.666 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.514 s
2	When user send post Request and request Body with invalid data	PASSED	1.255 s
3	Then user receives "409 CONFLICT" with message "User already exist with same email id"	PASSED	0.441 s

Check if user able to update with already existing phonenumber

<div>FAILED</div> <div>DURATION - 0.453 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:25:49.743 PM // 1:25:50.196 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user update with existing phonenumber	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing phonenumber	PASSED	0.422 s
3	Then user receives "400 BAD_REQUEST" with message org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:295) at ?.user receives "400 BAD_REQUEST" with message(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:89) * Not displayable characters are replaced by '?'. 	FAILED	0.026 s

Check if user able to update with invalidrequestbody

FAILED		DURATION - 0.464 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0			
/ 1:25:50.212 PM // 1:25:50.676 PM /								
Validating User API								

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.440 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174" org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99) * Not displayable characters are replaced by '?'. 	FAILED	0.021 s

Check if user able to update with missing values in the requestbody

FAILED	DURATION - 0.465 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:25:50.687 PM // 1:25:51.152 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.004 s
2	When user send HTTPS Request and request Body with missing data org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:242) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'.	FAILED	0.459 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.001 s