


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	8.099 s	12	8	4	0	36	31	4	1
Validating negative scenarios for user	4.536 s	8	8	0	0	24	24	0	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name				
1	/alidating User API Verify if user is being successfully updated using UpdateUse					
2		Check if user able to update with already existing userId				
3		Check if user able to update with invalidrequestbody				
4		Check if user able to update with missing values in the requestbody				

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Validating User API	12	8	4	0	8.099 s
2	Validating negative scenarios for user	8	8	0	0	4.536 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	3	0	0	2.029 s
2		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	1.452 s
3		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.403 s
4		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	3	0	0	0.400 s
5		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	2	1	0	0.403 s
6		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.398 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	3	0	0	0.400 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if user able to update with invalidendpoint	3	3	0	0	0.486 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Validating User API	Check if user able to update with already existing userId	3	2	1	0	0.546 s
10		Check if user able to update with invalidmethod	3	3	0	0	0.441 s
11		Check if user able to update with invalidrequestbody	3	2	1	0	0.541 s
12		Check if user able to update with missing values in the requestbody	3	1	1	1	0.418 s
13	Validating negative scenarios for user	Check if user able to create with invalidendpoint	3	3	0	0	0.497 s
14		Check if user able to create without mandatory fields payload	3	3	0	0	0.517 s
15		Check if user able to create with invalidmethod	3	3	0	0	0.561 s
16		Check if user able to create with invalidrequestbody	3	3	0	0	0.438 s
17		Check if user able to get with invaliduserId	3	3	0	0	0.497 s
18		Check if user able to get with invaliduserName	3	3	0	0	0.403 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	Validating negative scenarios for user	Check if user able to delete with invaliduserId	3	3	0	0	0.800 s
20		Check if user able to get with invaliduserName	3	3	0	0	0.775 s

Validating User API




Verify if user is being successfully created using CreateUserAPI




#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.455 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.549 s
3	Then user created with status code 201	PASSED	0.002 s

Verify if user is being successfully retrieved using GetallUsersAPI




#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.447 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully retrieved using GetUserbyldAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.004 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.397 s
3	Then the API call is success with status code 200	PASSED	0.000 s


Verify if user is being successfully retrieved using GetUserbyNameAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.393 s
3	Then the API call is success with status code 200	PASSED	0.002 s


DETAILED SECTION -- 11 --

Verify if user is being successfully updated using UpdateUserbyIdAPI



#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.002 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.390 s
3	Then the API call is success with status code 200	FAILED	0.008 s
	java.lang.AssertionError: expected:<500> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:89) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User. feature:29) * Not displayable characters are replaced by '?'.		

Verify if user is being successfully deleted using DeleteUserbyldAPI




#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s

DETAILED SECTION -- 12 --


#	Step / Hook Details	Status	Duration
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.390 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully deleted using DeleteUserbyNameAPI



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.394 s
3	Then the API call is success with status code 404	PASSED	0.002 s


Check if user able to update with invalidendpoint



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.463 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.018 s


Check if user able to update with already existing userld

DETAILED SECTION -- 13 --



#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.001 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.514 s
3	Then user receives "404" with message "Not Found"	FAILED	0.029 s
	org.junit.ComparisonFailure: expected:<404[NOT_FOUND]> but was:<404[]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:189) at ?.user receives "404" with message "Not Found"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User. feature:56) * Not displayable characters are replaced by '?'.		


Check if user able to update with invalidmethod



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.414 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.023 s


DETAILED SECTION -- 14 --

Check if user able to update with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.514 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values	FAILED	0.024 s
	only"		
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]>		
	at org.junit.Assert.assertEquals(Assert.java:117)		
	at org.junit.Assert.assertEquals(Assert.java:146)		
	at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:189)		
	at ?.user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values		
	only"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:66)		
	* Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody



#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.414 s


DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:236) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:70) * Not displayable characters are replaced by '?'.		
3	Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	SKIPPED	0.001 s

Validating negative scenarios for user

Scenarios		Steps	
Total - 8		Total - 24	
Pass - 8	8	Pass - 24	24
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 8 Pass - 8 Fail - 0	Total - 8 Pass - 8 Fall - 0	Total - 8 Pass - 8 Fail - 0 Total - 24 Pass - 24 Fail - 0


Check if user able to create with invalidendpoint



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.000 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.469 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.025 s


Check if user able to create without mandatory fields payload

DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.001 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.485 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.029 s


Check if user able to create with invalidmethod



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.003 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.540 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.018 s


Check if user able to create with invalidrequestbody

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send post Request and request Body with invalid data	PASSED	0.406 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values	PASSED	0.025 s
	only"		


Check if user able to get with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.001 s
2	When user send "get" Request with invaliduserId	PASSED	0.471 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.023 s


Check if user able to get with invaliduserName

DETAILED SECTION -- 18 --



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.380 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.022 s


Check if user able to delete with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.386 s
2	When user send "delete" Request with invaliduserId	PASSED	0.384 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.026 s

Check if user able to get with invaliduserName

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.376 s
2	When user send "delete" Request with invaliduserName	PASSED	0.375 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.023 s