

Cucumber Report

May 22, 2024, 3:37:27 PM

Start : May 22, 3:37:16.389 PM

End : May 22, 3:37:27.028 PM

Duration : 10.639 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 15
FAILED - 3
SKIPPED - 0

PASSED - 50
FAILED - 3
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	8.127 s	12	9	3	0	36	32	3	1
<u>Validating negative scenarios for user</u>	2.497 s	6	6	0	0	18	18	0	0

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>
2		<u>Check if user able to update with invalidrequestbody</u>
3		<u>Check if user able to update with missing values in the requestbody</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	12	9	3	0	8.127 s
2	<u>Validating negative scenarios for user</u>	6	6	0	0	2.497 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	3	0	0	2.382 s
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	3	0	0	0.426 s
3		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.357 s
4		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.401 s
5		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.398 s
6		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	3	0	0	0.392 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	3	0	0	0.379 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to update with invalid endpoint</u>	3	3	0	0	0.474 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>	3	2	1	0	0.429 s
10		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.421 s
11		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.446 s
12		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.410 s
13	<u>Validating negative scenarios for user</u>	<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.410 s
14		<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.398 s
15		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.419 s
16		<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	0.426 s
17		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.414 s
18		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.395 s

Validating User API



FAILED	DURATION - 8.127 s	Scenarios		Steps	
/ 3:37:16.389 PM // 3:37:24.516 PM /		Total - 12		Total - 36	
		Pass - 9		Pass - 32	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	

Verify if user is being successfully created using CreateUserAPI

<div>PASSED</div> <div>DURATION - 2.382 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:37:16.395 PM // 3:37:18.777 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.518 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.839 s
3	Then user created with status code 201	PASSED	0.004 s

Verify if user is being successfully updated using UpdateUserbyIdAPI

<div>PASSED</div> <div>DURATION - 0.426 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:37:18.851 PM // 3:37:19.277 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.002 s
2	When user calls "UpdateUserByIdAPI" with "put" request	PASSED	0.418 s
3	Then the API call is success with status code 200	PASSED	0.003 s

Verify if user is being successfully retrieved using GetAllUsersAPI

PASSED	DURATION - 1.357 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:37:19.296 PM // 3:37:20.653 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.001 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.352 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully retrieved using GetUserByIdAPI

PASSED	DURATION - 0.401 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:37:20.668 PM // 3:37:21.069 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.001 s
2	When user calls "GetUserByIdAPI" with "getbyuserId" request	PASSED	0.395 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully deleted using DeleteUserbyIdAPI

<div>PASSED</div> <div>DURATION - 0.398 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:37:21.085 PM // 3:37:21.483 PM /</div>			
<div>Validating User API</div>			


#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.001 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.392 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserbyNameAPI

<div>PASSED</div>	<div>DURATION - 0.392 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:37:21.504 PM // 3:37:21.896 PM /				
Validating User API				


#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.384 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully deleted using DeleteUserbyNameAPI





#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.002 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.376 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Check if user able to update with invalidendpoint





#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.449 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.021 s

Check if user able to update with already existing userId

<div>FAILED</div> <div>DURATION - 0.429 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:37:22.784 PM // 3:37:23.213 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.001 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.390 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174" org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:60) * Not displayable characters are replaced by '?'.	FAILED	0.037 s

Check if user able to update with invalidmethod

<div>PASSED</div>	<div>DURATION - 0.421 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 3:37:23.227 PM // 3:37:23.648 PM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.401 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.018 s

Check if user able to update with invalidrequestbody

<div>FAILED</div> <div>DURATION - 0.446 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:37:23.653 PM // 3:37:24.099 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.422 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.021 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:70) * Not displayable characters are replaced by '?'.		



Check if user able to update with missing values in the requestbody

<div>FAILED</div> <div>DURATION - 0.410 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:37:24.106 PM // 3:37:24.516 PM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.406 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]>		

#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:242) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:74) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.000 s

Validating negative scenarios for user


PASSED	DURATION - 2.497 s	Scenarios		Steps	
/ 3:37:24.531 PM // 3:37:27.028 PM /		Total - 6		Total - 18	
		Pass - 6		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to create with invalidendpoint

PASSED	DURATION - 0.410 s		Steps	
/ 3:37:24.531 PM // 3:37:24.941 PM /			Total - 3	
Validating negative scenarios for user			Pass - 3	
			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.001 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.382 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.026 s

Check if user able to create without mandatory fields payload




#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.001 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.377 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.018 s

Check if user able to create with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.399 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.017 s

Check if user able to create with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send post Request and request Body with invalid data	PASSED	0.395 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.025 s

Check if user able to get with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.001 s
2	When user send "get" Request with invaliduserId	PASSED	0.383 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.029 s


Check if user able to get with invaliduserName

PASSED

DURATION - 0.395 s

/ 3:37:26.633 PM // 3:37:27.028 PM /

Validating negative scenarios for user




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.000 s
2	When user send "get" Request with invaliduserName	PASSED	0.363 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.029 s