Cucumber Report

Start : May 26, 6:12:22.422 PM

End : May 26, 6:12:35.957 PM

Duration : 13.535 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 22	PASSED - 68
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

1

23

69

Pass % — 0 %

Pass % — 95 %

Pass % — 98 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Validating User API	*13.535 s*	*23*	*22*	*1*	*0*	*69*	*68*	*1*	*0*

#	Feature Name	Scenario Name
1	*Validating User API*	*Check if user able to create without mandatory fields payload*

#	Feature Name	T	P	F	S	Duration
1	*Validating User API*	23	22	1	0	13.535 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	3	0	0	2.763 s
2		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	3	0	0	0.453 s
3		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	1.541 s
4		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.399 s
5		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.385 s
6		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	3	0	0	0.391 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	3	0	0	0.407 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		*Check if user able to create with invalidendpoint*	3	3	0	0	1.105 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Validating User API	Check if user able to create without mandatory fields payload	3	2	1	0	0.449 s
10		Check if user able to create with invalidmethod	3	3	0	0	0.439 s
11		Check if user able to create with invalidrequestbody	3	3	0	0	0.407 s
12		Check if user able to update with invalidendpoint	3	3	0	0	0.416 s
13		Check if user able to update with invalidmethod	3	3	0	0	0.402 s
14		Check if user able to update with invalidrequestbody	3	3	0	0	0.426 s
15		Check if user able to update with missing values in the requestbody	3	3	0	0	0.438 s
16		Check if user able to get with invaliduserId	3	3	0	0	0.430 s
17		Check if user able to get with invaliduserName	3	3	0	0	0.405 s
18		Check if user able to delete with invaliduserId	3	3	0	0	0.771 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19	Validating User API	Check if user able to get with invaliduserName	3	3	0	0	0.792 s
20		Check if user able to create with validendpoint and requestbody without Authorization	3	3	0	0	0.098 s
21		Check if user able to update with validendpoint and requestbody without Authorization	3	3	0	0	0.111 s
22		Check if user able to get with validendpoint without Authorization	3	3	0	0	0.119 s
23		Check if user able to delete with invalidendpoint without Authorization	3	3	0	0	0.101 s

Validating User API

| FAILED	DURATION - 13.535 s		Scenarios Total - 23 Pass - 22 Fail - 1 Skip - 0		Steps Total - 69 Pass - 68 Fail - 1 Skip - 0	
/ 6:12:22.422 PM // 6:12:35.957 PM /						

Verify if user is being successfully created using CreateUserAPI

PASSED	DURATION - 2.763 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 6:12:22.426 PM // 6:12:25.189 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.793 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.947 s
3	Then user created with status code 201	PASSED	0.003 s

Verify if user is being successfully updated using UpdateUserbyIdAPI

PASSED	DURATION - 0.453 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 6:12:25.274 PM // 6:12:25.727 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.004 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.446 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetallUsersAPI

PASSED	DURATION - 1.541 s		Steps	
/ 6:12:25.739 PM // 6:12:27.280 PM /			Total - 3	
			Pass - 3	
Validating User API			Fail - 0	3
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.538 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully retrieved using GetUserbyIdAPI

PASSED	DURATION - 0.399 s		Steps	
/ 6:12:27.300 PM // 6:12:27.699 PM /			Total - 3	
			Pass - 3	
Validating User API			Fail - 0	3
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.394 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully deleted using DeleteUserbyIdAPI

PASSED	DURATION - 0.385 s		
/ 6:12:27.709 PM // 6:12:28.094 PM /		Steps	
Validating User API		Total - 3 Pass - 3 Fail - 0 Skip - 0	3

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.382 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserbyNameAPI

PASSED	DURATION - 0.391 s		
/ 6:12:28.106 PM // 6:12:28.497 PM /		Steps	
Validating User API		Total - 3 Pass - 3 Fail - 0 Skip - 0	3

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.383 s
3	Then the API call is success with status code 200	PASSED	0.000 s

### Verify if user is being successfully deleted using DeleteUserbyNameAPI

PASSED	DURATION - 0.407 s

/ 6:12:28.511 PM // 6:12:28.918 PM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.403 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Check if user able to create with invalidendpoint

PASSED	DURATION - 1.105 s

/ 6:12:28.927 PM // 6:12:30.032 PM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.002 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.458 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.642 s

Check if user able to create without mandatory fields payload

FAILED	DURATION - 0.449 s
/ 6:12:30.044 PM // 6:12:30.493 PM /	
Validating User API	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.005 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.401 s
3	Then user got "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	FAILED	0.039 s

	java.lang.AssertionError: expected:<null> but was:<400 BAD_REQUEST>
	    at org.junit.Assert.fail(Assert.java:89)
	    at org.junit.Assert.failNotEquals(Assert.java:835)
	    at org.junit.Assert.assertEquals(Assert.java:120)
	    at org.junit.Assert.assertEquals(Assert.java:146)
	    at stepDefinition.UserSteps.user_got_with_message(UserSteps.java:311)
	    at ?.user got "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:58)
	* Not displayable characters are replaced by '?'.		

Check if user able to create with invalidmethod

PASSED	DURATION - 0.439 s
/ 6:12:30.508 PM // 6:12:30.947 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.406 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.029 s

Check if user able to create with invalidrequestbody

PASSED	DURATION - 0.407 s
/ 6:12:30.956 PM // 6:12:31.363 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.003 s
2	When user send post Request and request Body with invalid data	PASSED	0.384 s
3	Then user receives "409 CONFLICT" with message "User already exist with same contact number"	PASSED	0.019 s

Check if user able to update with invalidendpoint

PASSED	DURATION - 0.416 s
/ 6:12:31.371 PM // 6:12:31.787 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.395 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.017 s

Check if user able to update with invalidmethod

PASSED	DURATION - 0.402 s
/ 6:12:31.793 PM // 6:12:32.195 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.382 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.018 s

Check if user able to update with invalidrequestbody

PASSED	DURATION - 0.426 s
/ 6:12:32.201 PM // 6:12:32.627 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.406 s
3	Then user receives "400 BAD_REQUEST" with message "Contact number is already in use by another user"	PASSED	0.017 s

Check if user able to update with missing values in the requestbody

PASSED	*DURATION - 0.438 s*		Steps
/ 6:12:32.636 PM // 6:12:33.074 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Validating User API			

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with missing data	PASSED	0.412 s
3	Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	PASSED	0.022 s

Check if user able to get with invaliduserId

PASSED	*DURATION - 0.430 s*		Steps
/ 6:12:33.082 PM // 6:12:33.512 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Validating User API			

#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.004 s
2	When user send "get" Request with invaliduserId	PASSED	0.406 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.015 s

Check if user able to get with invaliduserName

PASSED	DURATION - 0.405 s
/ 6:12:33.521 PM // 6:12:33.926 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.002 s
2	When user send "get" Request with invaliduserName	PASSED	0.387 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.015 s

Check if user able to delete with invaliduserId

PASSED	DURATION - 0.771 s
/ 6:12:33.933 PM // 6:12:34.704 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.369 s
2	When user send "delete" Request with invaliduserId	PASSED	0.384 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.017 s

### Check if user able to get with invaliduserName

PASSED	*DURATION - 0.792 s*

/ 6:12:34.709 PM // 6:12:35.501 PM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.390 s
2	When user send "delete" Request with invaliduserName	PASSED	0.381 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.018 s

### Check if user able to create with validendpoint and requestbody without Authorization

PASSED	*DURATION - 0.098 s*

/ 6:12:35.506 PM // 6:12:35.604 PM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given create user with valid payload without authorization	PASSED	0.001 s
2	When user send HTTPS Request and request Body with endpoint	PASSED	0.076 s
3	Then user receives "401" with error message "Unauthorized"	PASSED	0.020 s

Check if user able to update with validendpoint and requestbody without Authorization

PASSED	DURATION - 0.111 s

/ 6:12:35.612 PM // 6:12:35.723 PM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload without authorization	PASSED	0.003 s
2	When user send HTTPS Request and request Body with endpoint	PASSED	0.087 s
3	Then user receives "401" with error message "Unauthorized"	PASSED	0.020 s

Check if user able to get with validendpoint without Authorization

PASSED	DURATION - 0.119 s

/ 6:12:35.731 PM // 6:12:35.850 PM /

Validating User API

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given get users without authorization	PASSED	0.002 s
2	When user send "get" Request with validendpoint	PASSED	0.091 s
3	Then user receives "401" with error message "Unauthorized"	PASSED	0.024 s

Check if user able to delete with invalidendpoint without Authorization

PASSED	DURATION - 0.101 s
/ 6:12:35.856 PM // 6:12:35.957 PM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given delete users without authorization	PASSED	0.003 s
2	When user send "delete" Request with validendpoint	PASSED	0.073 s
3	Then user receives "401" with error message "Unauthorized"	PASSED	0.024 s