


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validating User API	3.209 s	4	1	3	0	12	7	3	2	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name					
1	Validating User API	Check if user able to update with already existing phonenumber					
2	Check if user able to update with invalidrequestbody						
3		Check if user able to update with missing values in the requestbody					

FEATURES SUMMARY




#		T	P	F	S	Duration
1	Validating User API	4	1	3	0	3.209 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Check if user able to create with invalidrequestbody	3	3	0	0	2.157 s
2		Check if user able to update with already existing phonenumber	3	1	1	1	0.018 s
3		Check if user able to update with invalidrequestbody	3	2	1	0	0.486 s
4	4	Check if user able to update with missing values in the requestbody	3	1	1	1	0.450 s

DETAILED SECTION -- 6 --

## **Validating User API**




## Check if user able to create with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.474 s
2	When user send post Request and request Body with invalid data	PASSED	1.217 s
3	Then user receives "409 CONFLICT" with message "User already exist with same email id"	PASSED	0.454 s


## Check if user able to update with already existing phonenumber



DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
1	Given user update with existing phonenumber	PASSED	0.004 s
2	When user send HTTPS Request and request Body with existing phonenumber	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "String.trim()" because the return value of "java.util.Properties.getProperty(String)" is null at utilities.PropertiesFile.getProperty(PropertiesFile.java:34) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_existing_phonenumber(UserSteps.java:167) at ?.user send HTTPS Request and request Body with existing phonenumber(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:88) * Not displayable characters are replaced by '?'.		
3	Then user receives "400 BAD_REQUEST" with message	SKIPPED	0.001 s


## Check if user able to update with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.464 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.019 s
	org.junit.ComparisonFailure: expected: <ot 81[81]="" found="" id:="" with=""> but was:<ot 81[74]="" found="" id:="" with=""> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:197) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99)  * Not displayable characters are replaced by '?'.</ot></ot>		

Check if user able to update with missing values in the requestbody

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.445 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:243) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.001 s