


Feature			Scenario Step						
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	8.078 s	12	7	5	0	36	30	5	1
Validating negative scenarios for user	4.233 s	8	8	0	0	24	24	0	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Validating User API	Verify if user is being successfully retrieved using GetUserbyNameAPI
2		Verify if user is being successfully deleted using DeleteUserbyNameAPI
3		Check if user able to update with already existing userId
4		Check if user able to update with invalidrequestbody
5		Check if user able to update with missing values in the requestbody

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Validating User API	12	7	5	0	8.078 s
2	Validating negative scenarios for user	8	8	0	0	4.233 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	3	0	0	2.198 s
2		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	3	0	0	0.457 s
3		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	1.268 s
4		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.405 s
5		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.394 s
6		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	2	1	0	0.415 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	2	1	0	0.393 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if user able to update with invalidendpoint	3	3	0	0	0.501 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Validating User API	Check if user able to update with already existing userId	3	2	1	0	0.410 s
10		Check if user able to update with invalidmethod	3	3	0	0	0.492 s
11		Check if user able to update with invalidrequestbody	3	2	1	0	0.440 s
12		Check if user able to update with missing values in the requestbody	3	1	1	1	0.514 s
13	Validating negative scenarios for user	Check if user able to create with invalidendpoint	3	3	0	0	0.420 s
14		Check if user able to create without mandatory fields payload	3	3	0	0	0.418 s
15		Check if user able to create with invalidmethod	3	3	0	0	0.428 s
16		Check if user able to create with invalidrequestbody	3	3	0	0	0.445 s
17		Check if user able to get with invaliduserId	3	3	0	0	0.384 s
18		Check if user able to get with invaliduserName	3	3	0	0	0.426 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	Validating negative scenarios for user	Check if user able to delete with invaliduserId	3	3	0	0	0.872 s
20		Check if user able to get with invaliduserName	3	3	0	0	0.786 s

Validating User API




Verify if user is being successfully created using CreateUserAPI



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.536 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.646 s
3	Then user created with status code 201	PASSED	0.003 s


Verify if user is being successfully updated using UpdateUserbyldAPI



DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.004 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.447 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully retrieved using GetallUsersAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.265 s
3	Then the API call is success with status code 200	PASSED	0.001 s


Verify if user is being successfully retrieved using GetUserbyldAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.399 s
3	Then the API call is success with status code 200	PASSED	0.002 s


DETAILED SECTION -- 11 --

Verify if user is being successfully deleted using DeleteUserbyIdAPI



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.389 s
3	Then the API call is success with status code 200	PASSED	0.001 s


Verify if user is being successfully retrieved using GetUserbyNameAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.392 s
3	Then the API call is success with status code 200	FAILED	0.015 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:89) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.		


#	Step / Hook Details	Status	Duration
	feature:37)		
	* Not displayable characters are replaced by '?'.		

Verify if user is being successfully deleted using DeleteUserbyNameAPI




#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.389 s
3	Then the API call is success with status code 404	FAILED	0.003 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:89) at ?.the API call is success with status code 404(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User. feature:43) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.473 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.023 s

Check if user able to update with already existing userld




#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.377 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: "	FAILED	0.030 s
	org.junit.ComparisonFailure: expected:< not found with id: [6359]> but was:< not found with id: []> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:190) at ?.user receives "404 NOT_FOUND" with message "User not found with id: "(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:58) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.470 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.019 s

Check if user able to update with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.415 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: "	FAILED	0.022 s
	org.junit.ComparisonFailure: expected:< not found with id: [6359]> but was:< not found with id: []> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:190) at ?.user receives "404 NOT_FOUND" with message "User not found with id: "(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:68) * Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody




DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.510 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:236) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:72) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: "	SKIPPED	0.001 s

Validating negative scenarios for user


PASSED	DURATION - 4.233 s	Scenarios		Steps	
		Total - 8		Total - 24	
/ 10:22:43.289 AM /	// 10:22:47.522 AM /	Pass - 8	8	Pass - 24	24
		Fail - 0	Ĭ	Fail - 0	~.
		Skip - 0		Skip - 0	

Check if user able to create with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.001 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.385 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.030 s

DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.001 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.384 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.031 s


Check if user able to create with invalidmethod



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.407 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.018 s


Check if user able to create with invalidrequestbody

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.004 s
2	When user send post Request and request Body with invalid data	PASSED	0.411 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values	PASSED	0.027 s
	only"		


Check if user able to get with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.002 s
2	When user send "get" Request with invaliduserId	PASSED	0.362 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.019 s


Check if user able to get with invaliduserName

DETAILED SECTION -- 18 --



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.401 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.024 s


Check if user able to delete with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.466 s
2	When user send "delete" Request with invaliduserId	PASSED	0.384 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.021 s

Check if user able to get with invaliduserName

DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.383 s
2	When user send "delete" Request with invaliduserName	PASSED	0.376 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.026 s