

Cucumber Report

May 22, 2024, 2:50:29 PM

Start : May 22, 2:50:16.802 PM

End : May 22, 2:50:28.995 PM

Duration : 12.193 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 13
FAILED - 7
SKIPPED - 0

PASSED - 50
FAILED - 7
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	8.089 s	12	5	7	0	36	26	7	3
<u>Validating negative scenarios for user</u>	4.091 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>
3		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>
4		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>
5		<u>Check if user able to update with already existing userId</u>
6		<u>Check if user able to update with invalidrequestbody</u>
7		<u>Check if user able to update with missing values in the requestbody</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	12	5	7	0	8.089 s
2	<u>Validating negative scenarios for user</u>	8	8	0	0	4.091 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	1	1	1	2.251 s
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	1	1	1	0.467 s
3		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.380 s
4		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.406 s
5		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.390 s
6		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	2	1	0	0.403 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	2	1	0	0.397 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to update with invalid endpoint</u>	3	3	0	0	0.475 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>	3	2	1	0	0.435 s
10		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.454 s
11		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.421 s
12		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.409 s
13	<u>Validating negative scenarios for user</u>	<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.411 s
14		<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.406 s
15		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.413 s
16		<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	0.403 s
17		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.389 s
18		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.407 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Validating negative scenarios for user</u>	<u>Check if user able to delete with invaliduserId</u>	3	3	0	0	0.772 s
20		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.841 s

Validating User API



FAILED	DURATION - 8.089 s	Scenarios		Steps	
/ 2:50:16.802 PM // 2:50:24.891 PM /		Total - 12		Total - 36	
		Pass - 5		Pass - 26	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 3	

Verify if user is being successfully created using CreateUserAPI

<div>FAILED</div> <div>DURATION - 2.251 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:50:16.807 PM // 2:50:19.058 PM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.540 s
2	When user calls "CreateUserAPI" with "post" request java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:56) at ?.user calls "CreateUserAPI" with "post" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:6) * Not displayable characters are replaced by '?'.	FAILED	1.686 s
3	Then user created with status code 201	SKIPPED	0.003 s

Verify if user is being successfully updated using UpdateUserByIdAPI

<div>FAILED</div> <div>DURATION - 0.467 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:50:19.147 PM // 2:50:19.614 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.003 s
2	When user calls "UpdateUserByIdAPI" with "put" request java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:70) at ?.user calls "UpdateUserByIdAPI" with "put" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.458 s
3	Then the API call is success with status code 200	SKIPPED	0.002 s



Verify if user is being successfully retrieved using GetAllUsersAPI

PASSED		DURATION - 1.380 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:50:19.629 PM // 2:50:21.009 PM /						
Validating User API						

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.373 s



#	Step / Hook Details	Status	Duration
3	Then the API call is success with status code 200	PASSED	0.003 s

Verify if user is being successfully retrieved using GetUserByIdAPI

PASSED	DURATION - 0.406 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 2:50:21.019 PM // 2:50:21.425 PM /							
Validating User API							



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserByIdAPI" with "getbyuserId" request	PASSED	0.399 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully deleted using DeleteUserByIdAPI

PASSED	DURATION - 0.390 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:50:21.438 PM // 2:50:21.828 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.001 s
2	When user calls "DeleteUserByIdAPI" with "deletebyuserId" request	PASSED	0.384 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully retrieved using GetUserByNameAPI

FAILED	DURATION - 0.403 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:50:21.847 PM // 2:50:22.250 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.393 s
3	Then the API call is success with status code 200 java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:95) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:37) * Not displayable characters are replaced by '?'. 	FAILED	0.004 s



Verify if user is being successfully deleted using DeleteUserbyNameAPI

FAILED	DURATION - 0.397 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:50:22.266 PM // 2:50:22.663 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.394 s
3	Then the API call is success with status code 200	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:95) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:43) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to update with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.475 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:50:22.672 PM // 2:50:23.147 PM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid endpoint	PASSED	0.456 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.017 s

Check if user able to update with already existing userId

<div>FAILED</div> <div>DURATION - 0.435 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:50:23.155 PM // 2:50:23.590 PM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.393 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.038 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:60) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidmethod

PASSED	DURATION - 0.454 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:50:23.596 PM // 2:50:24.050 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.430 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.019 s

Check if user able to update with invalidrequestbody

FAILED	DURATION - 0.421 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:50:24.056 PM // 2:50:24.477 PM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.396 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.018 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:196) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:70) * Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody



FAILED		DURATION - 0.409 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 2:50:24.482 PM // 2:50:24.891 PM /								
Validating User API								

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.406 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:242) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:74) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.000 s

Validating negative scenarios for user



PASSED	DURATION - 4.091 s	Scenarios		Steps	
/ 2:50:24.904 PM // 2:50:28.995 PM /		Total - 8		Total - 24	
		Pass - 8		Pass - 24	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to create with invalid endpoint

PASSED	DURATION - 0.411 s		Steps	
/ 2:50:24.904 PM // 2:50:25.315 PM /			Total - 3	
Validating negative scenarios for user			Pass - 3	
			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.001 s
2	When user send post Request and request Body with invalid endpoint	PASSED	0.376 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.031 s



Check if user able to create without mandatory fields payload

PASSED	DURATION - 0.406 s		Steps	
/ 2:50:25.325 PM // 2:50:25.731 PM /			Total - 3	
Validating negative scenarios for user			Pass - 3	
			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.001 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.377 s



#	Step / Hook Details	Status	Duration
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.025 s

Check if user able to create with invalidmethod

PASSED	DURATION - 0.413 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:50:25.737 PM // 2:50:26.150 PM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.393 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.018 s

Check if user able to create with invalidrequestbody

PASSED	DURATION - 0.403 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:50:26.157 PM // 2:50:26.560 PM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send post Request and request Body with invalid data	PASSED	0.379 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.018 s

Check if user able to get with invaliduserId





#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.002 s
2	When user send "get" Request with invaliduserId	PASSED	0.369 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.017 s

Check if user able to get with invaliduserName





#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.380 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.025 s

Check if user able to delete with invaliduserId

PASSED	DURATION - 0.772 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:50:27.376 PM // 2:50:28.148 PM /				
Validating negative scenarios for user				

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.359 s
2	When user send "delete" Request with invaliduserId	PASSED	0.386 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.024 s

Check if user able to get with invaliduserName

PASSED	DURATION - 0.841 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:50:28.154 PM // 2:50:28.995 PM /				
Validating negative scenarios for user				

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.391 s
2	When user send "delete" Request with invaliduserName	PASSED	0.425 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.024 s