

# Cucumber Report

May 23, 2024, 9:06:48 AM

Start : May 23, 9:06:33.590 AM

End : May 23, 9:06:47.607 AM

Duration : 14.017 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0


PASSED - 13  
FAILED - 5  
SKIPPED - 0

PASSED - 48  
FAILED - 5  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	10.784 s	12	7	5	0	36	30	5	1
<u>Validating negative scenarios for user</u>	3.177 s	6	6	0	0	18	18	0	0

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>
2		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>
3		<u>Check if user able to update with already existing userId</u>
4		<u>Check if user able to update with invalidrequestbody</u>
5		<u>Check if user able to update with missing values in the requestbody</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	12	7	5	0	10.784 s
2	<u>Validating negative scenarios for user</u>	6	6	0	0	3.177 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	3	0	0	3.425 s
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	3	0	0	0.527 s
3		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.972 s
4		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.451 s
5		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.472 s
6		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	2	1	0	0.542 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	2	1	0	0.449 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to update with invalid endpoint</u>	3	3	0	0	0.545 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>	3	2	1	0	0.477 s
10		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.478 s
11		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.541 s
12		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.549 s
13	<u>Validating negative scenarios for user</u>	<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.467 s
14		<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.579 s
15		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.482 s
16		<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	0.466 s
17		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.627 s
18		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.453 s

## Validating User API



<div>FAILED</div> <div>DURATION - 10.784 s</div>		<div>Scenarios</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 5</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 36</div> <div>Pass - 30</div> <div>Fail - 5</div> <div>Skip - 1</div>		<div></div>	
/ 9:06:33.590 AM // 9:06:44.374 AM /									

## Verify if user is being successfully created using CreateUserAPI

<div>PASSED</div> <div>DURATION - 3.425 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:06:33.595 AM // 9:06:37.020 AM /</div>			
<div>Validating User API</div>			

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.831 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	2.569 s
3	Then user created with status code 201	PASSED	0.005 s



## Verify if user is being successfully updated using UpdateUserbyIdAPI

<div>PASSED</div>	<div>DURATION - 0.527 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:06:37.139 AM // 9:06:37.666 AM /</div>				
<div>Validating User API</div>				





#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.014 s
2	When user calls "UpdateUserByIdAPI" with "put" request	PASSED	0.508 s
3	Then the API call is success with status code 200	PASSED	0.002 s

### Verify if user is being successfully retrieved using GetAllUsersAPI

PASSED	DURATION - 1.972 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 9:06:37.686 AM // 9:06:39.658 AM /							
Validating User API							



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.964 s
3	Then the API call is success with status code 200	PASSED	0.002 s

### Verify if user is being successfully retrieved using GetUserByIdAPI

PASSED	DURATION - 0.451 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 9:06:39.672 AM // 9:06:40.123 AM /							
Validating User API							



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.001 s
2	When user calls "GetUserByIdAPI" with "getbyuserId" request	PASSED	0.444 s
3	Then the API call is success with status code 200	PASSED	0.002 s

### Verify if user is being successfully deleted using DeleteUserbyIdAPI

<div>PASSED</div>	<div>DURATION - 0.472 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:06:40.157 AM // 9:06:40.629 AM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.003 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.464 s
3	Then the API call is success with status code 200	PASSED	0.001 s



### Verify if user is being successfully retrieved using GetUserbyNameAPI

<div>FAILED</div> <div>DURATION - 0.542 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:06:40.643 AM // 9:06:41.185 AM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.004 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.493 s
3	Then the API call is success with status code 200 java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:93) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.	FAILED	0.039 s



#	Step / Hook Details	Status	Duration
	feature:37) * Not displayable characters are replaced by '?'.  		

### Verify if user is being successfully deleted using DeleteUserbyNameAPI

<div>FAILED</div> <div>DURATION - 0.449 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 9:06:41.240 AM // 9:06:41.689 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.008 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.431 s
3	Then the API call is success with status code 200  java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:93) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:43) * Not displayable characters are replaced by '?'.	FAILED	0.005 s

### Check if user able to update with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.545 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:06:41.719 AM // 9:06:42.264 AM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.006 s
2	When user send HTTPS Request and request Body with invalid endpoint	PASSED	0.511 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.023 s

### Check if user able to update with already existing userId

<div>FAILED</div> <div>DURATION - 0.477 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:06:42.273 AM // 9:06:42.750 AM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.395 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.077 s
org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:60) * Not displayable characters are replaced by '?'.			

### Check if user able to update with invalid method

PASSED		DURATION - 0.478 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:06:42.777 AM // 9:06:43.255 AM /						
Validating User API						

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.005 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.442 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.026 s



### Check if user able to update with invalidrequestbody

<div>FAILED</div> <div>DURATION - 0.541 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 9:06:43.265 AM // 9:06:43.806 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.481 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.053 s



org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]>  
 at org.junit.Assert.assertEquals(Assert.java:117)  
 at org.junit.Assert.assertEquals(Assert.java:146)  
 at stepDefinition.UserSteps.user\_receives\_with\_message(UserSteps.java:194)  
 at ?.user receives "404 NOT\_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD\_Bootcamp/src/test/resources/features/User.feature:70)  
 \* Not displayable characters are replaced by '?'.

### Check if user able to update with missing values in the requestbody



FAILED	DURATION - 0.549 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:06:43.825 AM // 9:06:44.374 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.004 s
2	When user send HTTPS Request and request Body with missing data org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:74) * Not displayable characters are replaced by '?'. 	FAILED	0.537 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.002 s

### Validating negative scenarios for user


PASSED	DURATION - 3.177 s	Scenarios		Steps	
/ 9:06:44.430 AM // 9:06:47.607 AM /		Total - 6		Total - 18	
		Pass - 6		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### Check if user able to create with invalidendpoint

PASSED	DURATION - 0.467 s		Steps	
/ 9:06:44.431 AM // 9:06:44.898 AM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.411 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.050 s

### Check if user able to create without mandatory fields payload




#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.007 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.512 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.057 s

### Check if user able to create with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.006 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.450 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.024 s

### Check if user able to create with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.008 s
2	When user send post Request and request Body with invalid data	PASSED	0.407 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.047 s


### Check if user able to get with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.002 s
2	When user send "get" Request with invaliduserId	PASSED	0.570 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.051 s

### Check if user able to get with invaliduserName





#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.003 s
2	When user send "get" Request with invaliduserName	PASSED	0.425 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.022 s