

Cucumber Report

May 22, 2024, 10:34:49 AM

Start : May 22, 10:34:31.061 AM

End : May 22, 10:34:48.600 AM

Duration : 17.539 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 15
FAILED - 5
SKIPPED - 0

PASSED - 54
FAILED - 5
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	11.382 s	12	7	5	0	36	30	5	1
<u>Validating negative scenarios for user</u>	6.082 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>
2		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>
3		<u>Check if user able to update with already existing userId</u>
4		<u>Check if user able to update with invalidrequestbody</u>
5		<u>Check if user able to update with missing values in the requestbody</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	12	7	5	0	11.382 s
2	<u>Validating negative scenarios for user</u>	8	8	0	0	6.082 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	3	0	0	3.348 s
2		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	3	0	0	0.605 s
3		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.819 s
4		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.443 s
5		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.524 s
6		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	2	1	0	0.506 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	2	1	0	0.537 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to update with invalid endpoint</u>	3	3	0	0	0.730 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>	3	2	1	0	0.634 s
10		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.605 s
11		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.654 s
12		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.567 s
13	<u>Validating negative scenarios for user</u>	<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.759 s
14		<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.600 s
15		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.731 s
16		<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	0.625 s
17		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.578 s
18		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.583 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Validating negative scenarios for user</u>	<u>Check if user able to delete with invaliduserId</u>	3	3	0	0	1.080 s
20		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.933 s

Validating User API



FAILED	DURATION - 11.382 s	Scenarios Total - 12 Pass - 7 Fail - 5 Skip - 0		Steps Total - 36 Pass - 30 Fail - 5 Skip - 1	
/ 10:34:31.061 AM // 10:34:42.443 AM /					

Verify if user is being successfully created using CreateUserAPI

<div>PASSED</div>	<div>DURATION - 3.348 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:34:31.066 AM // 10:34:34.414 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.906 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	2.412 s
3	Then user created with status code 201	PASSED	0.003 s

Verify if user is being successfully updated using UpdateUserbyIdAPI

<div>PASSED</div>	<div>DURATION - 0.605 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:34:34.519 AM // 10:34:35.124 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.003 s
2	When user calls "UpdateUserByIdAPI" with "put" request	PASSED	0.595 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetAllUsersAPI

PASSED	DURATION - 1.819 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:34:35.161 AM // 10:34:36.980 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.005 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.810 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserByIdAPI

PASSED	DURATION - 0.443 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 10:34:36.992 AM // 10:34:37.435 AM /							
Validating User API							



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.001 s
2	When user calls "GetUserByIdAPI" with "getbyuserId" request	PASSED	0.437 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully deleted using DeleteUserbyIdAPI

<div>PASSED</div>	<div>DURATION - 0.524 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:34:37.461 AM // 10:34:37.985 AM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.004 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.512 s
3	Then the API call is success with status code 200	PASSED	0.001 s



Verify if user is being successfully retrieved using GetUserbyNameAPI

<div>FAILED</div> <div>DURATION - 0.506 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:34:38.014 AM // 10:34:38.520 AM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.005 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.473 s
3	Then the API call is success with status code 200 <pre> java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:89) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User. </pre>	FAILED	0.022 s



#	Step / Hook Details	Status	Duration
	feature:37) * Not displayable characters are replaced by '?'. 		

Verify if user is being successfully deleted using DeleteUserbyNameAPI

<div>FAILED</div> <div>DURATION - 0.537 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:34:38.577 AM // 10:34:39.114 AM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.005 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.523 s
3	Then the API call is success with status code 200 java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:89) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:43) * Not displayable characters are replaced by '?'.	FAILED	0.004 s

Check if user able to update with invalid endpoint

PASSED		DURATION - 0.730 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:34:39.140 AM // 10:34:39.870 AM /						
Validating User API						



#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.008 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.648 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.069 s

Check if user able to update with already existing userId

FAILED	DURATION - 0.634 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:34:39.898 AM // 10:34:40.532 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.005 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.535 s
3	Then user receives "404 NOT_FOUND" with message org.junit.ComparisonFailure: expected:<[User not found with id: 8174]> but was:<[user FirstName is mandatory and should contains alphabets only]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:290) at ?.user receives "404 NOT_FOUND" with message(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:58) * Not displayable characters are replaced by '?'.	FAILED	0.090 s

Check if user able to update with invalidmethod

<div>PASSED</div>	<div>DURATION - 0.605 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:34:40.564 AM // 10:34:41.169 AM /</div>				
<div>Validating User API</div>				



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.006 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.521 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.075 s

Check if user able to update with invalidrequestbody

<div>FAILED</div> <div>DURATION - 0.654 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:34:41.196 AM // 10:34:41.850 AM /</div>				
<div>Validating User API</div>				

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.006 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.559 s
3	Then user receives "404 NOT_FOUND" with message <pre>org.junit.ComparisonFailure: expected:<[User not found with id: 8174]> but was:<[user FirstName is mandatory and should contains alphabets only]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:290) at ?.user receives "404 NOT_FOUND" with message(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:68) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.084 s

Check if user able to update with missing values in the requestbody


<div>FAILED</div> <div>DURATION - 0.567 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:34:41.876 AM // 10:34:42.443 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with missing data <pre>org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:236) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:72) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.556 s
3	Then user receives "404 NOT_FOUND" with message	SKIPPED	0.004 s

Validating negative scenarios for user


<div>PASSED</div>	<div>DURATION - 6.082 s</div>	<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>8</div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>24</div></div>
/ 10:34:42.518 AM // 10:34:48.600 AM /					

Check if user able to create with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.004 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.685 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.066 s

Check if user able to create without mandatory fields payload




#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.006 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.506 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.082 s

Check if user able to create with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.006 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.659 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.063 s

Check if user able to create with invalidrequestbody




#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.016 s
2	When user send post Request and request Body with invalid data	PASSED	0.543 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.058 s

Check if user able to get with invaliduserId




#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.004 s
2	When user send "get" Request with invaliduserId	PASSED	0.509 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.062 s

Check if user able to get with invaliduserName




#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.004 s
2	When user send "get" Request with invaliduserName	PASSED	0.497 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.076 s

Check if user able to delete with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.591 s
2	When user send "delete" Request with invaliduserId	PASSED	0.428 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.058 s

Check if user able to get with invaliduserName



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.450 s
2	When user send "delete" Request with invaliduserName	PASSED	0.415 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.063 s