

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	8.332 s	12	7	5	0	36	30	5	1
Validating negative scenarios for user	2.431 s	6	6	0	0	18	18	0	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Validating User API	Verify if user is being successfully retrieved using GetUserbyNameAPI
2		Verify if user is being successfully deleted using DeleteUserbyNameAPI
3		Check if user able to update with already existing userId
4		Check if user able to update with invalidrequestbody
5		Check if user able to update with missing values in the requestbody

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Validating User API	12	7	5	0	8.332 s
2	Validating negative scenarios for user	6	6	0	0	2.431 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	3	0	0	2.144 s
2		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	3	0	0	0.409 s
3		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	1.912 s
4		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.416 s
5		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.372 s
6		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	2	1	0	0.394 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	2	1	0	0.375 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if user able to update with invalidendpoint	3	3	0	0	0.471 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Validating User API	Check if user able to update with already existing userId	3	2	1	0	0.413 s
10		Check if user able to update with invalidmethod	3	3	0	0	0.411 s
11		Check if user able to update with invalidrequestbody	3	2	1	0	0.420 s
12		Check if user able to update with missing values in the requestbody	3	1	1	1	0.394 s
13	Validating negative scenarios for user	Check if user able to create with invalidendpoint	3	3	0	0	0.393 s
14		Check if user able to create without mandatory fields payload	3	3	0	0	0.408 s
15		Check if user able to create with invalidmethod	3	3	0	0	0.401 s
16		Check if user able to create with invalidrequestbody	3	3	0	0	0.398 s
17		Check if user able to get with invaliduserId	3	3	0	0	0.401 s
18		Check if user able to get with invaliduserName	3	3	0	0	0.392 s

Validating User API




Verify if user is being successfully created using CreateUserAPI



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.496 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.632 s
3	Then user created with status code 201	PASSED	0.004 s


Verify if user is being successfully updated using UpdateUserbyldAPI



#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.003 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.403 s
3	Then the API call is success with status code 200	PASSED	0.000 s


-- 9 --

Verify if user is being successfully retrieved using GetallUsersAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.906 s
3	Then the API call is success with status code 200	PASSED	0.001 s


Verify if user is being successfully retrieved using GetUserbyldAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.411 s
3	Then the API call is success with status code 200	PASSED	0.001 s


DETAILED SECTION -- 10 --

Verify if user is being successfully deleted using DeleteUserbyIdAPI



#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.368 s
3	Then the API call is success with status code 200	PASSED	0.001 s


Verify if user is being successfully retrieved using GetUserbyNameAPI



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.374 s
3	Then the API call is success with status code 200	FAILED	0.014 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:93) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.		


#	Step / Hook Details	Status	Duration
	feature:37)		
	* Not displayable characters are replaced by '?'.		

Verify if user is being successfully deleted using DeleteUserbyNameAPI




#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.369 s
3	Then the API call is success with status code 200	FAILED	0.004 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:93) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User. feature:43) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.005 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.447 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.017 s

Check if user able to update with already existing userld




#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.001 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.388 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.022 s
	org.junit.ComparisonFailure: expected: <ot 81[81]="" found="" id:="" with=""> but was:<ot 81[74]="" found="" id:="" with=""> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:60) * Not displayable characters are replaced by '?'.</ot></ot>		

Check if user able to update with invalidmethod




#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.394 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.014 s

Check if user able to update with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.401 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.016 s
	org.junit.ComparisonFailure: expected: <ot 81[81]="" found="" id:="" with=""> but was:<ot 81[74]="" found="" id:="" with=""> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:70) * Not displayable characters are replaced by '?'.</ot></ot>		

Check if user able to update with missing values in the requestbody




DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.390 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:74) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.001 s

Validating negative scenarios for user


PASSED	DURATION - 2.431 s	Scenarios			S	teps			
		Total - 6			Т	otal - 18			
/ 11:38:59.958 AM //	11:39:02.389 AM /	Pass - 6		6	Pa	ass - 18		18	
		Fail - 0	-	ŭ	Fa				
		Skip - 0	■ 🔻		SI	kip - 0	.		7
							(

Check if user able to create with invalidendpoint




#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.002 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.366 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.024 s

DETAILED SECTION -- 15 --



#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.002 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.381 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.022 s


Check if user able to create with invalidmethod



#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.005 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.381 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.015 s


Check if user able to create with invalidrequestbody

DETAILED SECTION -- 16 --




#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.004 s
2	When user send post Request and request Body with invalid data	PASSED	0.376 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values	PASSED	0.014 s
	only"		

Check if user able to get with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.001 s
2	When user send "get" Request with invaliduserId	PASSED	0.367 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.031 s

Check if user able to get with invaliduserName



#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.376 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.015 s