Cucumber Report

Start : May 23, 1:34:22.443 PM

End : May 23, 1:34:26.010 PM

Duration : 3.567 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 1	PASSED - 8
FAILED - 1	FAILED - 3	FAILED - 3
SKIPPED - 0	SKIPPED - 0	SKIPPED - 1

1

4

12

0 %

25 %

66 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	*3.567 s*	*4*	*1*	*3*	*0*	*12*	*8*	*3*	*1*

| #	Feature Name	Scenario Name
1	*Validating User API*	*Check if user able to update with already existing phonenumber*
2		*Check if user able to update with invalidrequestbody*
3		*Check if user able to update with missing values in the requestbody*

#	Feature Name	T	P	F	S	Duration
1	Validating User API	4	1	3	0	3.567 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Check if user able to create with invalidrequestbody	3	3	0	0	2.164 s
2		Check if user able to update with already existing phonenumber	3	2	1	0	0.423 s
3		Check if user able to update with invalidrequestbody	3	2	1	0	0.444 s
4		Check if user able to update with missing values in the requestbody	3	1	1	1	0.434 s

Validating User API

FAILED	DURATION - 3.567 s		Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 12 Pass - 8 Fail - 3 Skip - 1	
/ 1:34:22.443 PM // 1:34:26.010 PM /						

Check if user able to create with invalidrequestbody

PASSED	DURATION - 2.164 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:22.449 PM // 1:34:24.613 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.506 s
2	When user send post Request and request Body with invalid data	PASSED	1.206 s
3	Then user receives "409 CONFLICT" with message "User already exist with same email id"	PASSED	0.436 s

Check if user able to update with already existing phonenumber

FAILED	DURATION - 0.423 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 1:34:24.683 PM // 1:34:25.106 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user update with existing phonenumber	PASSED	0.002 s
2	When user send HTTPS Request and request Body with existing phonenumber	PASSED	0.388 s
3	Then user receives "400 BAD_REQUEST" with message	FAILED	0.031 s

	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]>
	   at org.junit.Assert.assertEquals(Assert.java:117)
	   at org.junit.Assert.assertEquals(Assert.java:146)
	   at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:296)
	   at ?.user receives "400 BAD_REQUEST" with message(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:89)
	 * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidrequestbody

FAILED	DURATION - 0.444 s
/ 1:34:25.124 PM // 1:34:25.568 PM /	
Validating User API	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.420 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.020 s

	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]>
	   at org.junit.Assert.assertEquals(Assert.java:117)
	   at org.junit.Assert.assertEquals(Assert.java:146)
	   at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:197)
	   at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99)
	 * Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody

FAILED	**DURATION - 0.434 s**
/ 1:34:25.576 PM // 1:34:26.010 PM /	
Validating User API	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.001 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.429 s

	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]>
	    at org.junit.Assert.assertEquals(Assert.java:117)
	    at org.junit.Assert.assertEquals(Assert.java:146)
	    at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:243)
	    at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103)
	 * Not displayable characters are replaced by '?'.		

3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.001 s