

Cucumber Report

May 22, 2024, 10:04:35 AM

Start : May 22, 10:04:21.920 AM

End : May 22, 10:04:34.670 AM

Duration : 12.750 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 18
FAILED - 2
SKIPPED - 0

PASSED - 58
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	8.061 s	12	10	2	0	36	34	2	0
<u>Validating negative scenarios for user</u>	4.675 s	8	8	0	0	24	24	0	0

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>
2		<u>Check if user able to update with already existing userId</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	12	10	2	0	8.061 s
2	<u>Validating negative scenarios for user</u>	8	8	0	0	4.675 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	3	0	0	2.149 s
2		<u>Verify if user is being successfully retrieved using GetAllUsersAPI</u>	3	3	0	0	1.418 s
3		<u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u>	3	3	0	0	0.415 s
4		<u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u>	3	3	0	0	0.419 s
5		<u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u>	3	2	1	0	0.417 s
6		<u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u>	3	3	0	0	0.389 s
7		<u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u>	3	3	0	0	0.409 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if user able to update with invalid endpoint</u>	3	3	0	0	0.504 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Validating User API</u>	<u>Check if user able to update with already existing userId</u>	3	2	1	0	0.423 s
10		<u>Check if user able to update with invalidmethod</u>	3	3	0	0	0.430 s
11		<u>Check if user able to update with invalidrequestbody</u>	3	3	0	0	0.452 s
12		<u>Check if user able to update with missing values in the requestbody</u>	3	3	0	0	0.452 s
13	<u>Validating negative scenarios for user</u>	<u>Check if user able to create with invalidendpoint</u>	3	3	0	0	0.439 s
14		<u>Check if user able to create without mandatory fields payload</u>	3	3	0	0	0.485 s
15		<u>Check if user able to create with invalidmethod</u>	3	3	0	0	0.667 s
16		<u>Check if user able to create with invalidrequestbody</u>	3	3	0	0	0.457 s
17		<u>Check if user able to get with invaliduserId</u>	3	3	0	0	0.441 s
18		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.425 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Validating negative scenarios for user</u>	<u>Check if user able to delete with invaliduserId</u>	3	3	0	0	0.917 s
20		<u>Check if user able to get with invaliduserName</u>	3	3	0	0	0.787 s

Validating User API



<div>FAILED</div> <div>DURATION - 8.061 s</div>		Scenarios	<div><div></div></div>	Steps	<div><div></div></div>
<div>/ 10:04:21.920 AM // 10:04:29.981 AM /</div>		Total - 12	12	Total - 36	36
		Pass - 10		Pass - 34	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Verify if user is being successfully created using CreateUserAPI

<div>PASSED</div> <div>DURATION - 2.149 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:04:21.923 AM // 10:04:24.072 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.447 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.683 s
3	Then user created with status code 201	PASSED	0.004 s

Verify if user is being successfully retrieved using GetAllUsersAPI

PASSED	DURATION - 1.418 s		Steps	
/ 10:04:24.143 AM // 10:04:25.561 AM /			Total - 3	
Validating User API			Pass - 3	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.412 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserbyIdAPI

PASSED	DURATION - 0.415 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>				
/ 10:04:25.571 AM // 10:04:25.986 AM /							
Validating User API							



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserbyIdAPI" with "getuserId" request	PASSED	0.408 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserbyNameAPI

PASSED	DURATION - 0.419 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:04:26.001 AM // 10:04:26.420 AM /				
Validating User API				



#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.412 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully updated using UpdateUserByIdAPI

<div>FAILED</div> <div>DURATION - 0.417 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:04:26.436 AM // 10:04:26.853 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.002 s
2	When user calls "UpdateUserByIdAPI" with "put" request	PASSED	0.400 s
3	Then the API call is success with status code 200 java.lang.AssertionError: expected:<500> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:89) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:29) * Not displayable characters are replaced by '?'. 	FAILED	0.011 s



Verify if user is being successfully deleted using DeleteUserByIdAPI

PASSED	DURATION - 0.389 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:04:26.873 AM // 10:04:27.262 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s



#	Step / Hook Details	Status	Duration
2	When user calls "DeleteUserByIdAPI" with "deletebyuserId" request	PASSED	0.384 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully deleted using DeleteUserByNameAPI

PASSED	DURATION - 0.409 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:04:27.272 AM // 10:04:27.681 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserByNameAPI" with "deletebyusername" request	PASSED	0.403 s
3	Then the API call is success with status code 404	PASSED	0.003 s

Check if user able to update with invalidendpoint

PASSED	DURATION - 0.504 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:04:27.696 AM // 10:04:28.200 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.480 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.018 s

Check if user able to update with already existing userId

FAILED	DURATION - 0.423 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:04:28.206 AM // 10:04:28.629 AM /				
Validating User API				


#	Step / Hook Details	Status	Duration
1	Given user with existing userId	PASSED	0.001 s
2	When user send HTTPS Request and request Body with existing userId	PASSED	0.396 s
3	Then user receives "404" with message "Not Found"	FAILED	0.023 s
	java.lang.NullPointerException: Cannot invoke "Object.toString()" because the return value of "io.restassured.path.json.JsonPath.get(String)" is null at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:187) at ?.user receives "404" with message "Not Found"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:56) * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidmethod

PASSED	DURATION - 0.430 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:04:28.636 AM // 10:04:29.066 AM /				
Validating User API				


#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.000 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.409 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.017 s

Check if user able to update with invalidrequestbody





#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.431 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.018 s

Check if user able to update with missing values in the requestbody





#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with missing data	PASSED	0.433 s
3	Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"	PASSED	0.016 s

Validating negative scenarios for user



PASSED	DURATION - 4.675 s	Scenarios		Steps	
/ 10:04:29.995 AM // 10:04:34.670 AM /		Total - 8		Total - 24	
		Pass - 8		Pass - 24	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to create with invalid endpoint

PASSED	DURATION - 0.439 s		Steps	
/ 10:04:29.995 AM // 10:04:30.434 AM /			Total - 3	
Validating negative scenarios for user			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.003 s
2	When user send post Request and request Body with invalid endpoint	PASSED	0.411 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.024 s



Check if user able to create without mandatory fields payload

PASSED	DURATION - 0.485 s		Steps	
/ 10:04:30.443 AM // 10:04:30.928 AM /			Total - 3	
Validating negative scenarios for user			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.003 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.455 s



#	Step / Hook Details	Status	Duration
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.026 s

Check if user able to create with invalidmethod

PASSED	DURATION - 0.667 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:04:30.935 AM // 10:04:31.602 AM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.002 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.647 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.016 s

Check if user able to create with invalidrequestbody

PASSED	DURATION - 0.457 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:04:31.612 AM // 10:04:32.069 AM /				
Validating negative scenarios for user				


#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.003 s
2	When user send post Request and request Body with invalid data	PASSED	0.427 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	PASSED	0.023 s

Check if user able to get with invaliduserId




#	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.000 s
2	When user send "get" Request with invaliduserId	PASSED	0.413 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.025 s

Check if user able to get with invaliduserName




#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s
2	When user send "get" Request with invaliduserName	PASSED	0.391 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.031 s

Check if user able to delete with invaliduserId



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.496 s
2	When user send "delete" Request with invaliduserId	PASSED	0.395 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.024 s

Check if user able to get with invaliduserName



#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.380 s
2	When user send "delete" Request with invaliduserName	PASSED	0.386 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.020 s