Cucumber Report

Start : May 23, 2:58:04.968 PM	End : May 23, 2:58:07.045 PM	Duration : 2.077 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 3

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 33 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	*2.077 s*	*1*	*0*	*1*	*0*	*3*	*1*	*1*	*1*

#	Feature Name	Scenario Name
1	*Validating User API*	*Verify if user is being successfully created using CreateUserAPI*

#	Feature Name	T	P	F	S	Duration
1	Validating User API	1	0	1	0	2.077 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	1	1	1	2.073 s

Validating User API

FAILED	DURATION - 2.077 s			Scenarios		Steps	
				Total - 1		Total - 3	
/ 2:58:04.968 PM // 2:58:07.045 PM /				Pass - 0		Pass - 1	
				Fail - 1		Fail - 1	
				Skip - 0		Skip - 1	

Verify if user is being successfully created using CreateUserAPI

FAILED	DURATION - 2.073 s		Steps	
			Total - 3	
/ 2:58:04.972 PM // 2:58:07.045 PM /			Pass - 1	
			Fail - 1	
Validating User API			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.466 s
2	When user calls "CreateUserAPI" with "post" request	FAILED	1.590 s

	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.internal.common.path.ObjectConverter.convertObjectTo(Object, java.lang.Class)" is null
	   at io.restassured.path.json.JsonPath.getInt(JsonPath.java:245)
	   at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:52)
	   at ?.user calls "CreateUserAPI" with "post" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/post.feature:6)
	* Not displayable characters are replaced by '?'.		

3	Then user created with status code 201	SKIPPED	0.002 s