

# Cucumber Report

May 25, 2024, 11:03:55 PM

Start : May 25, 11:03:51.012 PM

End : May 25, 11:03:54.202 PM

Duration : 3.190 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	3.190 s	1	0	1	0	3	1	1	1

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	1	0	1	0	3.190 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Verify if user is being successfully created using CreateUserAPI</u>	3	1	1	1	3.183 s

## Validating User API

<b>FAILED</b>	DURATION - 3.190 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:03:51.012 PM // 11:03:54.202 PM /					

## Verify if user is being successfully created using CreateUserAPI

<div>FAILED</div> <div>DURATION - 3.183 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:03:51.019 PM // 11:03:54.202 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.907 s
2	When user calls "CreateUserAPI" with "post" request  java.lang.NullPointerException: Cannot invoke "pojos.UserPojo.getUser_id()" because "this.pojo" is null at stepDefinition.UserSteps.user_calls_with_request(UserSteps.java:66) at ?.user calls "CreateUserAPI" with "post" request(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	2.247 s
3	Then user created with status code 201	SKIPPED	0.001 s