

Cucumber Report

May 23, 2024, 1:11:52 PM

Start : May 23, 1:11:48.131 PM

End : May 23, 1:11:51.763 PM

Duration : 3.632 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 7
FAILED - 4
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating User API</u>	3.632 s	4	0	4	0	12	7	4	1

#	Feature Name	Scenario Name
1	<u>Validating User API</u>	<u>Check if user able to create with invalidrequestbody</u>
2		<u>Check if user able to update with already existing phonenummer</u>
3		<u>Check if user able to update with invalidrequestbody</u>
4		<u>Check if user able to update with missing values in the requestbody</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Validating User API</u>	4	0	4	0	3.632 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating User API</u>	<u>Check if user able to create with invalidrequestbody</u>	3	2	1	0	2.147 s
2		<u>Check if user able to update with already existing phonenumber</u>	3	2	1	0	0.452 s
3		<u>Check if user able to update with invalidrequestbody</u>	3	2	1	0	0.447 s
4		<u>Check if user able to update with missing values in the requestbody</u>	3	1	1	1	0.442 s

Validating User API


FAILED	DURATION - 3.632 s	Scenarios		Steps	
/ 1:11:48.131 PM // 1:11:51.763 PM /		Total - 4		Total - 12	
		Pass - 0		Pass - 7	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 1	

Check if user able to create with invalidrequestbody

<div>FAILED</div> <div>DURATION - 2.147 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:11:48.135 PM // 1:11:50.282 PM /				
Validating User API				


#	Step / Hook Details	Status	Duration
1	Given user with Invalid request body	PASSED	0.474 s
2	When user send post Request and request Body with invalid data	PASSED	1.217 s
3	Then user receives "409 CONFLICT" with message org.junit.ComparisonFailure: expected:<[User already exist with same email id]> but was:<[user FirstName is mandatory and should contains alphabets only]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:294) at ?.user receives "409 CONFLICT" with message(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:71) * Not displayable characters are replaced by '?'.	FAILED	0.444 s

Check if user able to update with already existing phonenumber



#	Step / Hook Details	Status	Duration
1	Given user with existing phonenumber	PASSED	0.003 s
2	When user send HTTPS Request and request Body with existing phonenumber	PASSED	0.420 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.028 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:89) * Not displayable characters are replaced by '?'.		



Check if user able to update with invalidrequestbody



#	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.005 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.412 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.028 s
	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]>		

#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194) at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99) * Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody

FAILED	DURATION - 0.442 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:11:51.321 PM // 1:11:51.763 PM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.004 s
2	When user send HTTPS Request and request Body with missing data org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'.	FAILED	0.436 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.001 s