

Cucumber Report

May 26, 2024, 11:03:19 AM

Start : May 26, 11:03:01.926 AM

End : May 26, 11:03:18.547 AM

Duration : 16.621 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 13
FAILED - 7
SKIPPED - 0

PASSED - 51
FAILED - 7
SKIPPED - 2




| Feature | | Scenario | | | | Step | | | |
|----------------------------|----------|----------|----|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Validating User API</u> | 16.621 s | 20 | 13 | 7 | 0 | 60 | 51 | 7 | 2 |

| # | Feature Name | Scenario Name |
|---|----------------------------|---|
| 1 | <u>Validating User API</u> | <u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u> |
| 2 | | <u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u> |
| 3 | | <u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u> |
| 4 | | <u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u> |
| 5 | | <u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u> |
| 6 | | <u>Check if user able to create without mandatory fields payload</u> |
| 7 | | <u>Check if user able to update with already existing phonenumber</u> |




| # | Feature Name | T | P | F | S | Duration |
|---|----------------------------|----|----|---|---|----------|
| 1 | <u>Validating User API</u> | 20 | 13 | 7 | 0 | 16.621 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------|---|---|---|---|---|----------|
| 1 | <u>Validating User API</u> | <u>Verify if user is being successfully created using CreateUserAPI</u> | 3 | 3 | 0 | 0 | 3.100 s |
| 2 | | <u>Verify if user is being successfully updated using UpdateUserbyIdAPI</u> | 3 | 2 | 1 | 0 | 0.458 s |
| 3 | | <u>Verify if user is being successfully retrieved using GetAllUsersAPI</u> | 3 | 3 | 0 | 0 | 2.311 s |
| 4 | | <u>Verify if user is being successfully retrieved using GetUserbyIdAPI</u> | 3 | 2 | 1 | 0 | 0.481 s |
| 5 | | <u>Verify if user is being successfully deleted using DeleteUserbyIdAPI</u> | 3 | 2 | 1 | 0 | 0.512 s |
| 6 | | <u>Verify if user is being successfully retrieved using GetUserbyNameAPI</u> | 3 | 2 | 1 | 0 | 0.485 s |
| 7 | | <u>Verify if user is being successfully deleted using DeleteUserbyNameAPI</u> | 3 | 2 | 1 | 0 | 0.484 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 8 | | <u>Check if user able to create with invalid endpoint</u> | 3 | 3 | 0 | 0 | 1.317 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------|--|---|---|---|---|----------|
| 9 | <u>Validating User API</u> | <u>Check if user able to create without mandatory fields payload</u> | 3 | 2 | 1 | 0 | 0.485 s |
| 10 | | <u>Check if user able to create with invalidmethod</u> | 3 | 3 | 0 | 0 | 0.599 s |
| 11 | | <u>Check if user able to create with invalidrequestbody</u> | 3 | 3 | 0 | 0 | 0.462 s |
| 12 | | <u>Check if user able to update with invalidendpoint</u> | 3 | 3 | 0 | 0 | 0.619 s |
| 13 | | <u>Check if user able to update with already existing phonenummer</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 14 | | <u>Check if user able to update with invalidmethod</u> | 3 | 3 | 0 | 0 | 0.503 s |
| 15 | | <u>Check if user able to update with invalidrequestbody</u> | 3 | 3 | 0 | 0 | 0.807 s |
| 16 | | <u>Check if user able to update with missing values in the requestbody</u> | 3 | 3 | 0 | 0 | 0.505 s |
| 17 | | <u>Check if user able to get with invaliduserId</u> | 3 | 3 | 0 | 0 | 0.492 s |
| 18 | | <u>Check if user able to get with invaliduserName</u> | 3 | 3 | 0 | 0 | 0.646 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------|--|---|---|---|---|----------|
| 19 | <u>Validating User API</u> | <u>Check if user able to delete with invaliduserId</u> | 3 | 3 | 0 | 0 | 0.850 s |
| 20 | | <u>Check if user able to get with invaliduserName</u> | 3 | 3 | 0 | 0 | 0.957 s |

Validating User API



| | | | | | | | |
|--|--|---|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 16.621 s</div> | | <div>Scenarios</div> <div>Total - 20</div> <div>Pass - 13</div> <div>Fail - 7</div> <div>Skip - 0</div> | | <div></div> | <div>Steps</div> <div>Total - 60</div> <div>Pass - 51</div> <div>Fail - 7</div> <div>Skip - 2</div> | | <div></div> |
| / 11:03:01.926 AM // 11:03:18.547 AM / | | | | | | | |
| | | | | | | | |

Verify if user is being successfully created using CreateUserAPI

| | | | | |
|---|--|--|---|---|
| PASSED <i>DURATION - 3.100 s</i> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <i>/ 11:03:01.932 AM // 11:03:05.032 AM /</i> | | | | |
| <i>Validating User API</i> | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Create user with valid payload | PASSED | 0.732 s |
| 2 | When user calls "CreateUserAPI" with "post" request | PASSED | 2.341 s |
| 3 | Then user created with status code 201 | PASSED | 0.006 s |

Verify if user is being successfully updated using UpdateUserbyIdAPI

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.458 s</div> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 11:03:05.181 AM // 11:03:05.639 AM / | | | | |
| Validating User API | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Update user with valid payload | PASSED | 0.004 s |
| 2 | When user calls "UpdateUserByIdAPI" with "put" request | PASSED | 0.438 s |
| 3 | Then the API call is success with status code 200 | FAILED | 0.012 s |
| | <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:112) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:13) * Not displayable characters are replaced by '?'. </pre> | | |

Verify if user is being successfully retrieved using GetAllUsersAPI

| | | | | |
|--|--------------------|--|---|---|
| PASSED | DURATION - 2.311 s |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 11:03:05.670 AM // 11:03:07.981 AM / | | | | |
| Validating User API | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Get user with valid data | PASSED | 0.004 s |
| 2 | When user calls "GetallUsersAPI" with "getusers" request | PASSED | 2.302 s |
| 3 | Then the API call is success with status code 200 | PASSED | 0.001 s |

Verify if user is being successfully retrieved using GetUserByIdAPI

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.481 s</div> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 11:03:07.997 AM // 11:03:08.478 AM / | | | | |
| Validating User API | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Get user with valid data | PASSED | 0.004 s |
| 2 | When user calls "GetUserByIdAPI" with "getbyuserId" request | PASSED | 0.470 s |
| 3 | Then the API call is success with status code 200 java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:112) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:25) * Not displayable characters are replaced by '?'. | FAILED | 0.004 s |



Verify if user is being successfully deleted using DeleteUserByIdAPI

| | | | | |
|---|--|--|---|--|
| <div>FAILED</div> <div>DURATION - 0.512 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:03:08.499 AM // 11:03:09.011 AM /</div> | | | | |
| <div>Validating User API</div> | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Delete user with valid userId | PASSED | 0.002 s |
| 2 | When user calls "DeleteUserByIdAPI" with "deletebyuserId" request | PASSED | 0.503 s |
| 3 | Then the API call is success with status code 200 | FAILED | 0.003 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:112) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:31) * Not displayable characters are replaced by '?'. </pre> | | |

Verify if user is being successfully retrieved using GetUserbyNameAPI

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.485 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:03:09.034 AM // 11:03:09.519 AM /</div> | | | | |
| <div>Validating User API</div> | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Get user with valid data | PASSED | 0.004 s |
| 2 | When user calls "GetUserbyNameAPI" with "getbyusername" request | PASSED | 0.470 s |
| 3 | Then the API call is success with status code 200 | FAILED | 0.004 s |
| | <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:112) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:37) * Not displayable characters are replaced by '?'. </pre> | | |

Verify if user is being successfully deleted using DeleteUserbyNameAPI

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.484 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:03:09.545 AM // 11:03:10.029 AM /</div> | | | | |
| <div>Validating User API</div> | | | | |
| | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Delete user with valid userName | PASSED | 0.003 s |
| 2 | When user calls "DeleteUserbyNameAPI" with "deletebyusername" request | PASSED | 0.473 s |
| 3 | Then the API call is success with status code 200 java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinition.UserSteps.the_api_call_is_success_with_status_code(UserSteps.java:112) at ?.the API call is success with status code 200(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:43) * Not displayable characters are replaced by '?'. | FAILED | 0.004 s |

Check if user able to create with invalidendpoint

| | | | | |
|--|-------------------------------|---|---|---|
| <div>PASSED</div> | <div>DURATION - 1.317 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 11:03:10.045 AM // 11:03:11.362 AM / | | | | |
| Validating User API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user with an invalid endpoint | PASSED | 0.006 s |
| 2 | When user send post Request and request Body with invalidendpoint | PASSED | 0.485 s |
| 3 | Then user receives "404" with error message "Not Found" | PASSED | 0.823 s |

Check if user able to create without mandatory fields payload





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user without mandatory fields | PASSED | 0.004 s |
| 2 | When user send post Request and request Body without mandatory fields | PASSED | 0.431 s |
| 3 | Then user got "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only" | FAILED | 0.048 s |
| | org.junit.ComparisonFailure: expected:<40[9 CONFLICT]> but was:<40[0 BAD_REQUEST]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_got_with_message(UserSteps.java:317) at ?.user got "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:61) * Not displayable characters are replaced by '?'. | | |

Check if user able to create with invalidmethod





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with invalidmethod | PASSED | 0.002 s |
| 2 | When user send post Request and request Body with invalidmethod | PASSED | 0.543 s |
| 3 | Then user receives "405" with error message "Method Not Allowed" | PASSED | 0.049 s |

Check if user able to create with invalidrequestbody

| | | | | |
|--|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 0.462 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 11:03:12.497 AM // 11:03:12.959 AM / | | | | |
| Validating User API | | | | |
| | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with Invalid request body | PASSED | 0.004 s |
| 2 | When user send post Request and request Body with invalid data | PASSED | 0.419 s |
| 3 | Then user receives "409 CONFLICT" with message "User already exist with same contact number" | PASSED | 0.036 s |

Check if user able to update with invalidendpoint

| | | | | |
|--|-------------------------------|---|---|---|
| <div>PASSED</div> | <div>DURATION - 0.619 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 11:03:12.973 AM // 11:03:13.592 AM / | | | | |
| Validating User API | | | | |
| | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with an invalid endpoint | PASSED | 0.003 s |
| 2 | When user send HTTPS Request and request Body with invalidendpoint | PASSED | 0.569 s |
| 3 | Then user receives "404" with error message "Not Found" | PASSED | 0.044 s |

Check if user able to update with already existing phonenumber




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user update with existing phonenumber | FAILED | 0.005 s |
| | Step undefined | | |
| 2 | When user send HTTPS Request and request Body with existing phonenumber | SKIPPED | 0.002 s |
| 3 | Then user receives "400 BAD_REQUEST" with message | SKIPPED | 0.000 s |

Check if user able to update with invalidmethod




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with invalidmethod | PASSED | 0.002 s |
| 2 | When user send HTTPS Request and request Body with invalidmethod | PASSED | 0.462 s |
| 3 | Then user receives "405" with error message "Method Not Allowed" | PASSED | 0.037 s |

Check if user able to update with invalidrequestbody




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user with Invalid payload | PASSED | 0.003 s |
| 2 | When user send HTTPS Request and request Body with invalid data | PASSED | 0.760 s |
| 3 | Then user receives "400 BAD_REQUEST" with message "Contact number is already in use by another user" | PASSED | 0.040 s |

Check if user able to update with missing values in the requestbody




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user with missing payload | PASSED | 0.006 s |
| 2 | When user send HTTPS Request and request Body with missing data | PASSED | 0.449 s |
| 3 | Then user receives "400 BAD_REQUEST" with message "User First Name is mandatory and should contains alphabets only" | PASSED | 0.044 s |

Check if user able to get with invaliduserId




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given get with Invalid userId | PASSED | 0.007 s |
| 2 | When user send "get" Request with invaliduserId | PASSED | 0.440 s |
| 3 | Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!" | PASSED | 0.043 s |

Check if user able to get with invaliduserName




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given get with Invalid userName | PASSED | 0.005 s |
| 2 | When user send "get" Request with invaliduserName | PASSED | 0.606 s |
| 3 | Then user receives "400" with error message "Bad Request" | PASSED | 0.033 s |

Check if user able to delete with invaliduserId



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given delete with Invalid userId | PASSED | 0.401 s |
| 2 | When user send "delete" Request with invaliduserId | PASSED | 0.405 s |
| 3 | Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!" | PASSED | 0.040 s |

Check if user able to get with invaliduserName



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given delete with Invalid userName | PASSED | 0.420 s |
| 2 | When user send "delete" Request with invaliduserName | PASSED | 0.510 s |
| 3 | Then user receives "400" with error message "Bad Request" | PASSED | 0.024 s |