Cucumber Report

| Start : May 23, 11:56:49.166 AM	End : May 23, 11:57:01.658 AM	Duration : 12.492 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 4 SKIPPED - 0	PASSED - 55 FAILED - 4 SKIPPED - 1

Features: 1

Scenarios: 20

Steps: 60

Features Pass %: 0 %

Scenarios Pass %: 80 %

Steps Pass %: 91 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating User API	12.492 s	20	16	4	0	60	55	4	1

#	*Feature Name*	*Scenario Name*
1	*Validating User API*	*Check if user able to create with invalidrequestbody*
2		*Check if user able to update with already existing phonenumber*
3		*Check if user able to update with invalidrequestbody*
4		*Check if user able to update with missing values in the requestbody*

| #	Feature Name	T	P	F	S	Duration
1	*Validating User API*	20	16	4	0	12.492 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating User API	Verify if user is being successfully created using CreateUserAPI	3	3	0	0	2.214 s
2		Verify if user is being successfully updated using UpdateUserbyIdAPI	3	3	0	0	0.440 s
3		Verify if user is being successfully retrieved using GetallUsersAPI	3	3	0	0	1.725 s
4		Verify if user is being successfully retrieved using GetUserbyIdAPI	3	3	0	0	0.399 s
5		Verify if user is being successfully deleted using DeleteUserbyIdAPI	3	3	0	0	0.401 s
6		Verify if user is being successfully retrieved using GetUserbyNameAPI	3	3	0	0	0.400 s
7		Verify if user is being successfully deleted using DeleteUserbyNameAPI	3	3	0	0	0.410 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		*Check if user able to create with invalidendpoint*	3	3	0	0	0.495 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	*Validating User API*	Check if user able to create without mandatory fields payload	3	3	0	0	0.407 s
10		Check if user able to create with invalidmethod	3	3	0	0	0.406 s
11		Check if user able to create with invalidrequestbody	3	2	1	0	0.423 s
12		Check if user able to update with invalidendpoint	3	3	0	0	0.428 s
13		Check if user able to update with already existing phonenumber	3	2	1	0	0.405 s
14		Check if user able to update with invalidmethod	3	3	0	0	0.437 s
15		Check if user able to update with invalidrequestbody	3	2	1	0	0.426 s
16		Check if user able to update with missing values in the requestbody	3	1	1	1	0.431 s
17		Check if user able to get with invaliduserId	3	3	0	0	0.404 s
18		Check if user able to get with invaliduserName	3	3	0	0	0.398 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19	*Validating User API*	*Check if user able to delete with invaliduserId*	3	3	0	0	0.798 s
20		*Check if user able to get with invaliduserName*	3	3	0	0	0.782 s

Validating User API

| FAILED	DURATION - 12.492 s	Scenarios Total - 20 Pass - 16 Fail - 4 Skip - 0		Steps Total - 60 Pass - 55 Fail - 4 Skip - 1	
/ 11:56:49.166 AM // 11:57:01.658 AM /					

Verify if user is being successfully created using CreateUserAPI

PASSED	DURATION - 2.214 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:56:49.169 AM // 11:56:51.383 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Create user with valid payload	PASSED	0.509 s
2	When user calls "CreateUserAPI" with "post" request	PASSED	1.691 s
3	Then user created with status code 201	PASSED	0.002 s

Verify if user is being successfully updated using UpdateUserbyIdAPI

PASSED	DURATION - 0.440 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:56:51.469 AM // 11:56:51.909 AM /				
Validating User API				

#	Step / Hook Details	Status	Duration
1	Given Update user with valid payload	PASSED	0.003 s
2	When user calls "UpdateUserbyIdAPI" with "put" request	PASSED	0.433 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully retrieved using GetallUsersAPI

PASSED	DURATION - 1.725 s		Steps	
/ 11:56:51.924 AM // 11:56:53.649 AM /			Total - 3	
			Pass - 3	
Validating User API			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetallUsersAPI" with "getusers" request	PASSED	1.719 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserbyIdAPI

PASSED	DURATION - 0.399 s		Steps	
/ 11:56:53.659 AM // 11:56:54.058 AM /			Total - 3	
			Pass - 3	
Validating User API			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.002 s
2	When user calls "GetUserbyIdAPI" with "getbyuserId" request	PASSED	0.394 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Verify if user is being successfully deleted using DeleteUserbyIdAPI

PASSED	DURATION - 0.401 s
/ 11:56:54.072 AM // 11:56:54.473 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Delete user with valid userId	PASSED	0.002 s
2	When user calls "DeleteUserbyIdAPI" with "deletebyuserId" request	PASSED	0.396 s
3	Then the API call is success with status code 200	PASSED	0.001 s

Verify if user is being successfully retrieved using GetUserbyNameAPI

PASSED	DURATION - 0.400 s
/ 11:56:54.495 AM // 11:56:54.895 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Get user with valid data	PASSED	0.003 s
2	When user calls "GetUserbyNameAPI" with "getbyusername" request	PASSED	0.393 s
3	Then the API call is success with status code 200	PASSED	0.000 s

Verify if user is being successfully deleted using DeleteUserbyNameAPI

PASSED	DURATION - 0.410 s
/ 11:56:54.908 AM // 11:56:55.318 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Delete user with valid userName	PASSED	0.001 s
2	When user calls "DeleteUserbyNameAPI" with "deletebyusername" request	PASSED	0.405 s
3	Then the API call is success with status code 200	PASSED	0.002 s

Check if user able to create with invalidendpoint

PASSED	DURATION - 0.495 s
/ 11:56:55.334 AM // 11:56:55.829 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.004 s
2	When user send post Request and request Body with invalidendpoint	PASSED	0.456 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.032 s

### Check if user able to create without mandatory fields payload

PASSED	*DURATION - 0.407 s*		Steps
/ 11:56:55.838 AM // 11:56:56.245 AM /			Total - 3
			Pass - 3
Validating User API			Fail - 0
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user without mandatory fields	PASSED	0.002 s
2	When user send post Request and request Body without mandatory fields	PASSED	0.378 s
3	Then user receives "400 BAD_REQUEST" with message "user FirstName is mandatory and should contains alphabets only"	PASSED	0.025 s

Check if user able to create with invalidmethod

PASSED	*DURATION - 0.406 s*		Steps
/ 11:56:56.252 AM // 11:56:56.658 AM /			Total - 3
			Pass - 3
Validating User API			Fail - 0
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send post Request and request Body with invalidmethod	PASSED	0.388 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.016 s

Check if user able to create with invalidrequestbody

FAILED	DURATION - 0.423 s
/ 11:56:56.664 AM // 11:56:57.087 AM /	
Validating User API	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.001 s
2	When user send post Request and request Body with invalid data	PASSED	0.382 s
3	Then user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"	FAILED	0.038 s

	org.junit.ComparisonFailure: expected:<[User email Id is required and should be in proper email format]> but was:<[Phone Number is required and should contains 10 numeric values only]>
	    at org.junit.Assert.assertEquals(Assert.java:117)
	    at org.junit.Assert.assertEquals(Assert.java:146)
	    at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194)
	    at ?.user receives "400 BAD_REQUEST" with message "Phone Number is required and should contains 10 numeric values only"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:71)
	 * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidendpoint

PASSED	DURATION - 0.428 s
/ 11:56:57.099 AM // 11:56:57.527 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with an invalid endpoint	PASSED	0.000 s
2	When user send HTTPS Request and request Body with invalidendpoint	PASSED	0.407 s
3	Then user receives "404" with error message "Not Found"	PASSED	0.019 s

Check if user able to update with already existing phonenumber

FAILED	DURATION - 0.405 s
/ 11:56:57.532 AM // 11:56:57.937 AM /	
Validating User API	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with existing phonenumber	PASSED	0.001 s
2	When user send HTTPS Request and request Body with existing phonenumber	PASSED	0.385 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.019 s

	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]>
	    at org.junit.Assert.assertEquals(Assert.java:117)
	    at org.junit.Assert.assertEquals(Assert.java:146)
	    at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194)
	    at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/ src/test/resources/features/User.feature:89)
	 * Not displayable characters are replaced by '?'.		

Check if user able to update with invalidmethod

PASSED	DURATION - 0.437 s
/ 11:56:57.943 AM // 11:56:58.380 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user with invalidmethod	PASSED	0.001 s
2	When user send HTTPS Request and request Body with invalidmethod	PASSED	0.419 s
3	Then user receives "405" with error message "Method Not Allowed"	PASSED	0.017 s

Check if user able to update with invalidrequestbody

FAILED	DURATION - 0.426 s
/ 11:56:58.385 AM // 11:56:58.811 AM /	
Validating User API	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user with Invalid payload	PASSED	0.002 s
2	When user send HTTPS Request and request Body with invalid data	PASSED	0.407 s
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	FAILED	0.016 s

	org.junit.ComparisonFailure: expected:<...ot found with id: 81[81]> but was:<...ot found with id: 81[74]>
	    at org.junit.Assert.assertEquals(Assert.java:117)
	    at org.junit.Assert.assertEquals(Assert.java:146)
	    at stepDefinition.UserSteps.user_receives_with_message(UserSteps.java:194)
	    at ?.user receives "404 NOT_FOUND" with message "User not found with id: 8174"(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:99)
	* Not displayable characters are replaced by '?'.		

Check if user able to update with missing values in the requestbody

FAILED	DURATION - 0.431 s
/ 11:56:58.817 AM // 11:56:59.248 AM /	
Validating User API	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given user with missing payload	PASSED	0.003 s
2	When user send HTTPS Request and request Body with missing data	FAILED	0.424 s
	org.junit.ComparisonFailure: expected:<40[4 NOT_FOUND]> but was:<40[0 BAD_REQUEST]>		

#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinition.UserSteps.user_send_https_request_and_request_body_with_missing_data(UserSteps.java:240) at ?.user send HTTPS Request and request Body with missing data(file:///C:/Users/rajas/git/repository/UserBDD_Bootcamp/src/test/resources/features/User.feature:103) * Not displayable characters are replaced by '?'.		
3	Then user receives "404 NOT_FOUND" with message "User not found with id: 8174"	SKIPPED	0.001 s

Check if user able to get with invaliduserId

PASSED	DURATION - 0.404 s
/ 11:56:59.259 AM // 11:56:59.663 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given get with Invalid userId	PASSED	0.001 s
2	When user send "get" Request with invaliduserId	PASSED	0.381 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.021 s

Check if user able to get with invaliduserName

PASSED	DURATION - 0.398 s
/ 11:56:59.669 AM // 11:57:00.067 AM /	
Validating User API	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given get with Invalid userName	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	When user send "get" Request with invaliduserName	PASSED	0.371 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.024 s

Check if user able to delete with invaliduserId

PASSED	DURATION - 0.798 s		
/ 11:57:00.072 AM // 11:57:00.870 AM /			
Validating User API			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userId	PASSED	0.396 s
2	When user send "delete" Request with invaliduserId	PASSED	0.383 s
3	Then user receives "404 NOT_FOUND" with message "User with userId 1233444 not found!"	PASSED	0.018 s

Check if user able to get with invaliduserName

PASSED	DURATION - 0.782 s		
/ 11:57:00.876 AM // 11:57:01.658 AM /			
Validating User API			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given delete with Invalid userName	PASSED	0.365 s
2	When user send "delete" Request with invaliduserName	PASSED	0.390 s
3	Then user receives "400" with error message "Bad Request"	PASSED	0.026 s