

Pandas-high performance,cleaning,eda,handle the big data,analyze the data

series - for the single line data(1d) dataframe - for the mupli-line data(2d or 3d)

label index or array - custom index

```
In [7]: import pandas as pd
a=pd.Series([1,2,3])
print(a)
print(a.values)
print(a.index)
print(a.dtype)
```

```
0    1
1    2
2    3
dtype: int64
[1 2 3]
RangeIndex(start=0, stop=3, step=1)
int64
```

iloc-based on postion and condition also able to use in it loc- index

```
In [8]: a=pd.Series(['a','b','c','d','e','f'])
print(a[0])
print(a.iloc[0])
print(a[1:3])
print(a.loc[1:3])
print(a.iloc[1:3])
```

```
a
a
1    b
2    c
dtype: object
1    b
2    c
3    d
dtype: object
1    b
2    c
dtype: object
```

custom index

```
In [9]: a=pd.Series(['1','b','c','d','e','f'],index=['1','b','c','d','e','f'])
print(a)
print(a['e'])
```

```
1    1
b    b
c    c
d    d
e    e
f    f
dtype: object
e
```

Statistical operation-we can able to use the all function use in numpy

```
In [10]: a=pd.Series([1,2,3,4,5,6])
print(a.sum())
print(a.min())
print(a.median())
print(a.std())
print(a.mean())
print(a.var())
print(a.max())
print(a[a>3])
print(len(a))
print(a.value_counts())
```

```
21
1
3.5
1.8708286933869707
3.5
3.5
6
3    4
4    5
5    6
dtype: int64
6
1    1
2    1
3    1
4    1
5    1
6    1
Name: count, dtype: int64

string
```

```
In [11]: a=pd.Series(['b','c','d','e','f'])
b=pd.Series(['l','a','c','d','e','f'],index=['l','a','c','d','e','f'])
print(a.str.upper())
print(a.str.lower())
print(a.str.len())
print(b[['a','c','d']])
```

```

0    B
1    C
2    D
3    E
4    F
dtype: object
0    b
1    c
2    d
3    e
4    f
dtype: object
0    1
1    1
2    1
3    1
4    1
dtype: int64
a    a
c    c
d    d
dtype: object

```

```

In [12]: s1=pd.Series([10,20,30],index=['a','b','c'])
s2=pd.Series([1,2,3],index=['b','c','d'])
print(s1+s2)
s=pd.Series([1,2,3,444,444,4,5])
print(s.count())
print(s.unique())
print(s.nunique())

```

```

a    NaN
b    21.0
c    32.0
d    NaN
dtype: float64
7
[ 1  2  3 444  4  5]
6

```

Dataframe

use the dictionary mupli-line operation 2d or 3d or more

dictionary

```

In [13]: import pandas as pd
d={'name':['a','b','c'],'roll':[1,2,3],'age':[19,29,21]}
df=pd.DataFrame(d)
print(df)

```

```

   name  roll  age
0    a     1   19
1    b     2   29
2    c     3   21

```

series

```
In [14]: s1=pd.Series([1,2,3,4])
s2=pd.Series(['a','b','c','d'])
s3=pd.Series([5,6,7,8])
df=pd.DataFrame({'no':s1,'name':s2,'age':s3})
print(df)
```

	no:	name:	age:
0	1	a	5
1	2	b	6
2	3	c	7
3	4	d	8

list

```
In [15]: d=[['a',23,34],['b',45,56],['c',67,78]]
df=pd.DataFrame(d,columns=["name","age","m"])
print(df)
```

	name	age	m
0	a	23	34
1	b	45	56
2	c	67	78

list of dictionary

```
In [16]: d={'no':1,'name':'a','age':23},{'no':2,'name':'b','age':22},{'no':3,'name':'c','age':21}
df=pd.DataFrame(d,index=['a1','a2','a3'])
print(df)
df['mark']=[98,87,76]
print(df)
```

	no	name	age
a1	1	a	23
a2	2	b	22
a3	3	c	21

	no	name	age	mark
a1	1	a	23	98
a2	2	b	22	87
a3	3	c	21	76

```
In [17]: d = [{'no':1,'name':'a','age':23},{'no':2,'name':'b','age':22},{'no':3,'name':'c','age':21}]
df = pd.DataFrame(d, index=['a1','a2','a3'])
df['mark'] = [98,87,76]
print(df)
a4 = pd.DataFrame({'no':[4], 'name':['d'], 'age':[23], 'mark':[90]},index=['a4'])
df = pd.concat([df, a4])
print(df)
print(df['name'])
```

	no	name	age	mark
a1	1	a	23	98
a2	2	b	22	87
a3	3	c	21	76

	no	name	age	mark
a1	1	a	23	98
a2	2	b	22	87
a3	3	c	21	76
a4	4	d	23	90

a1	a
a2	b
a3	c
a4	d

Name: name, dtype: object

Shape

```
In [18]: print(df.shape)
print(df.shape[0])
print(df.shape[1])
```

(4, 4)

4

4

dataset details

```
In [19]: print(df.info())
print(df.describe())
```

```
<class 'pandas.core.frame.DataFrame'>
Index: 4 entries, a1 to a4
Data columns (total 4 columns):
 #   Column  Non-Null Count  Dtype
---  -
 0    no      4 non-null       int64
 1   name      4 non-null       object
 2    age      4 non-null       int64
 3   mark      4 non-null       int64
dtypes: int64(3), object(1)
memory usage: 160.0+ bytes
None
```

	no	age	mark
count	4.000000	4.000000	4.000000
mean	2.500000	22.250000	87.750000
std	1.290994	0.957427	9.105859
min	1.000000	21.000000	76.000000
25%	1.750000	21.750000	84.250000
50%	2.500000	22.500000	88.500000
75%	3.250000	23.000000	92.000000
max	4.000000	23.000000	98.000000

```
In [25]: print(df)
print(df.columns.tolist())
print(df.index.tolist())
```

	no	name	age	mark
a1	1	a	23	98
a2	2	b	22	87
a3	3	c	21	76
a4	4	d	23	90

```
['no', 'name', 'age', 'mark']
['a1', 'a2', 'a3', 'a4']
```

```
In [26]: print(df.loc['a1', 'mark'])
df.drop('no', axis=1, inplace=True)
print(df)
df.drop('a4', inplace=True)
print(df)
```

```
98
```

	name	age	mark
a1	a	23	98
a2	b	22	87
a3	c	21	76
a4	d	23	90

	name	age	mark
a1	a	23	98
a2	b	22	87
a3	c	21	76

```
In [27]: print(df.sort_values(by='mark', ascending=True))
```

	name	age	mark
a3	c	21	76
a2	b	22	87
a1	a	23	98

```
In [28]: print(df.sort_values(by='mark', ascending=False))
```

	name	age	mark
a1	a	23	98
a2	b	22	87
a3	c	21	76

```
In [29]: import pandas as pd
df = pd.read_csv("C:/Users/mahim/Downloads/Mental Health.csv")
print(df.head())
print(df.tail())
print(df.info())
print(df.shape)
print(df.columns)
print(df.dtypes)
print(df.isnull().sum())
print(df.describe(include='all'))
print(df.sort_values(by='Country'))
print(df.sort_values(by='Country', ascending=False))
print(df.sort_values(by=['Country', 'Gender'], ascending=[True, False]))
print(df[['Gender', 'Country', 'Occupation']])
female_data = df[df['Gender'] == 'Female']
print(female_data)
male_data = df[df['Gender'] == 'Male']
print(male_data)
df1 = df.drop('Status', axis=1)
print(df1.head())
print(df.sample(10))
print(df.nunique())
```

	Timestamp	Gender	Country	Occupation	self_employed	\
0	8/27/2014 11:29	Female	United States	Corporate	NaN	
1	8/27/2014 11:31	Female	United States	Corporate	NaN	
2	8/27/2014 11:32	Female	United States	Corporate	NaN	
3	8/27/2014 11:37	Female	United States	Corporate	No	
4	8/27/2014 11:43	Female	United States	Corporate	No	

	family_history	treatment	Days_Indoors	Growing_Stress	Changes_Habits	\
0	No	Yes	1-14 days	Yes	No	
1	Yes	Yes	1-14 days	Yes	No	
2	Yes	Yes	1-14 days	Yes	No	
3	Yes	Yes	1-14 days	Yes	No	
4	Yes	Yes	1-14 days	Yes	No	

	Mental_Health_History	Mood_Swings	Coping_Struggles	Work_Interest	\
0	Yes	Medium	No	No	
1	Yes	Medium	No	No	
2	Yes	Medium	No	No	
3	Yes	Medium	No	No	
4	Yes	Medium	No	No	

	Social_Weakness	mental_health_interview	care_options
0	Yes	No	Not sure
1	Yes	No	No
2	Yes	No	Yes
3	Yes	Maybe	Yes
4	Yes	No	Yes

	Timestamp	Gender	Country	Occupation	self_employed	\
292359	7/27/2015 23:25	Male	United States	Business	Yes	
292360	8/17/2015 9:38	Male	South Africa	Business	No	
292361	8/25/2015 19:59	Male	United States	Business	No	
292362	9/26/2015 1:07	Male	United States	Business	No	
292363	2/1/2016 23:04	Male	United States	Business	No	

	family_history	treatment	Days_Indoors	Growing_Stress	Changes_Habits	\
292359	Yes	Yes	15-30 days	No	Maybe	
292360	Yes	Yes	15-30 days	No	Maybe	
292361	Yes	No	15-30 days	No	Maybe	
292362	Yes	Yes	15-30 days	No	Maybe	
292363	Yes	Yes	15-30 days	No	Maybe	

	Mental_Health_History	Mood_Swings	Coping_Struggles	Work_Interest	\
292359	No	Low	Yes	No	
292360	No	Low	Yes	No	
292361	No	Low	Yes	No	
292362	No	Low	Yes	No	
292363	No	Low	Yes	No	

	Social_Weakness	mental_health_interview	care_options
292359	Maybe	Maybe	Not sure
292360	Maybe	No	Yes
292361	Maybe	No	No
292362	Maybe	No	Yes
292363	Maybe	No	Yes

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 292364 entries, 0 to 292363

Data columns (total 17 columns):

#	Column	Non-Null Count	Dtype
---	-----	-----	-----

```

0   Timestamp                292364 non-null object
1   Gender                   292364 non-null object
2   Country                  292364 non-null object
3   Occupation               292364 non-null object
4   self_employed            287162 non-null object
5   family_history           292364 non-null object
6   treatment                292364 non-null object
7   Days_Indoors             292364 non-null object
8   Growing_Stress          292364 non-null object
9   Changes_Habits           292364 non-null object
10  Mental_Health_History     292364 non-null object
11  Mood_Swings              292364 non-null object
12  Coping_Struggles          292364 non-null object
13  Work_Interest             292364 non-null object
14  Social_Weakness           292364 non-null object
15  mental_health_interview   292364 non-null object
16  care_options              292364 non-null object
dtypes: object(17)
memory usage: 37.9+ MB
None
(292364, 17)
Index(['Timestamp', 'Gender', 'Country', 'Occupation', 'self_employed',
      'family_history', 'treatment', 'Days_Indoors', 'Growing_Stress',
      'Changes_Habits', 'Mental_Health_History', 'Mood_Swings',
      'Coping_Struggles', 'Work_Interest', 'Social_Weakness',
      'mental_health_interview', 'care_options'],
      dtype='object')
Timestamp                object
Gender                   object
Country                  object
Occupation               object
self_employed            object
family_history           object
treatment                object
Days_Indoors             object
Growing_Stress           object
Changes_Habits           object
Mental_Health_History    object
Mood_Swings              object
Coping_Struggles         object
Work_Interest            object
Social_Weakness          object
mental_health_interview  object
care_options             object
dtype: object
Timestamp                0
Gender                   0
Country                  0
Occupation               0
self_employed            5202
family_history           0
treatment                0
Days_Indoors             0
Growing_Stress           0
Changes_Habits           0
Mental_Health_History    0
Mood_Swings              0
Coping_Struggles         0
Work_Interest            0
Social_Weakness          0

```



```

mental_health_interview      0
care_options                  0
dtype: int64

```

```

      Timestamp  Gender      Country Occupation self_employed \
count      292364  292364      292364      292364      287162
unique         580         2         35         5         2
top    8/27/2014 11:43    Male  United States  Housewife         No
freq         2384  239850      171308      66351      257994

```

```

      family_history treatment Days_Indoors Growing_Stress Changes_Habits
\
count      292364      292364      292364      292364      292364
unique         2         2         5         3         3
top           No         Yes    1-14 days      Maybe         Yes
freq      176832     147606      63548      99985     109523

```

```

      Mental_Health_History Mood_Swings Coping_Struggles Work_Interest \
count      292364      292364      292364      292364
unique         3         3         2         3
top           No      Medium         No         No
freq     104018     101064      154328     105843

```

```

      Social_Weakness mental_health_interview care_options
count      292364      292364      292364
unique         3         3         3
top         Maybe         No         No
freq     103393      232166     118886

```

```

      Timestamp  Gender      Country Occupation self_employed \
91478    8/27/2014 15:40    Male    Australia  Housewife         No
219765    2/21/2015  4:55    Male    Australia  Business         No
170250    8/27/2014 19:27    Male    Australia  Housewife         No
269894    8/27/2014 21:54    Male    Australia  Student          No
33160     8/27/2014 11:51  Female    Australia  Housewife         No
...
118517    8/27/2014 15:24    Male  United States  Corporate         No
118519    8/27/2014 15:25    Male  United States  Corporate         No
118522    8/27/2014 15:26    Male  United States  Corporate         No
118524    8/27/2014 15:27    Male  United States  Corporate         No
292363    2/1/2016 23:04    Male  United States  Business         No

```

```

      family_history treatment      Days_Indoors Growing_Stress \
91478         No         No  More than 2 months         Yes
219765         No         Yes    Go out Every day         Yes
170250         No         No    Go out Every day         Yes
269894         No         Yes      1-14 days         No
33160         Yes         Yes     15-30 days         No
...
118517         No         No    Go out Every day         Yes
118519         No         No    Go out Every day         Yes
118522         Yes         Yes    Go out Every day         Yes
118524         Yes         No    Go out Every day         Yes
292363         Yes         Yes     15-30 days         No

```

```

      Changes_Habits Mental_Health_History Mood_Swings Coping_Struggles
\
91478         Maybe         Yes      Medium         Yes
219765         Yes         Yes      High         Yes
170250         Yes         No       Low         Yes
269894         Maybe         Yes      High         Yes
33160         Yes         Maybe     Medium         No

```

...	...	...	...	...
118517	No	Yes	Medium	No
118519	No	Yes	Medium	No
118522	No	Yes	Medium	No
118524	No	Yes	Medium	No
292363	Maybe	No	Low	Yes

	Work_Interest	Social_Weakness	mental_health_interview	care_options
91478	Maybe	Yes	No	Not sure
219765	Yes	Yes	No	Yes
170250	No	No	Maybe	Not sure
269894	Maybe	No	No	No
33160	No	No	No	Not sure
...	...	...	...	...
118517	No	Maybe	No	No
118519	No	Maybe	No	Not sure
118522	No	Maybe	No	Yes
118524	No	Maybe	Maybe	Yes
292363	No	Maybe	No	Yes

[292364 rows x 17 columns]

	Timestamp	Gender	Country	Occupation	self_employed \
0	8/27/2014 11:29	Female	United States	Corporate	NaN
167908	8/28/2014 12:23	Male	United States	Housewife	No
167880	8/28/2014 10:35	Male	United States	Housewife	No
167884	8/28/2014 10:52	Male	United States	Housewife	No
167886	8/28/2014 11:04	Male	United States	Housewife	No
...	...	...	...	...	...
23282	8/27/2014 17:48	Female	Australia	Business	No
17124	8/28/2014 3:29	Female	Australia	Business	No
2954	8/27/2014 17:48	Female	Australia	Business	No
110595	8/27/2014 19:27	Male	Australia	Corporate	No
56489	8/27/2014 21:54	Male	Australia	Others	No

	family_history	treatment	Days_Indoors	Growing_Stress \
0	No	Yes	1-14 days	Yes
167908	No	No	Go out Every day	Yes
167880	No	No	Go out Every day	Yes
167884	Yes	Yes	Go out Every day	Yes
167886	Yes	Yes	Go out Every day	Yes
...	...	...	...	...
23282	Yes	Yes	31-60 days	Yes
17124	Yes	Yes	Go out Every day	No
2954	Yes	Yes	31-60 days	No
110595	No	No	1-14 days	Yes
56489	No	Yes	15-30 days	Maybe

	Changes_Habits	Mental_Health_History	Mood_Swings	Coping_Struggles
0	No	Yes	Medium	No
167908	Maybe	Yes	Low	No
167880	Maybe	Yes	Low	No
167884	Maybe	Yes	Low	No
167886	Maybe	Yes	Low	No
...	...	...	...	...
23282	Yes	Maybe	High	No
17124	Maybe	Maybe	High	Yes
2954	Maybe	No	Low	Yes
110595	No	Maybe	High	Yes
56489	No	Yes	Medium	No

	Work_Interest	Social_Weakness	mental_health_interview	care_options
0	No	Yes	No	Not sure
167908	Yes	Yes	No	No
167880	Yes	Yes	No	Not sure
167884	Yes	Yes	No	No
167886	Yes	Yes	Maybe	Yes
...	...	...	...	...
23282	Yes	No	No	Yes
17124	Maybe	No	No	Yes
2954	No	Maybe	No	Yes
110595	Yes	Maybe	Maybe	Not sure
56489	Maybe	No	No	No

[292364 rows x 17 columns]

	Timestamp	Gender	Country	Occupation	self_employed	\
52629	8/27/2014 13:19	Male	Australia	Others	Yes	
52650	8/27/2014 13:49	Male	Australia	Others	No	
52662	8/27/2014 14:03	Male	Australia	Others	Yes	
52733	8/27/2014 15:40	Male	Australia	Others	No	
52775	8/27/2014 17:41	Male	Australia	Others	No	
...	...	...	...	...	...	...
52504	9/8/2014 21:30	Female	United States	Others	No	
52505	9/20/2014 13:51	Female	United States	Others	No	
52506	10/2/2014 21:25	Female	United States	Others	No	
52509	2/21/2015 5:11	Female	United States	Others	No	
52513	6/25/2015 12:24	Female	United States	Others	No	

	family_history	treatment	Days_Indoors	Growing_Stress	Changes_Habits	\
52629	No	No	31-60 days	Yes	Maybe	
52650	Yes	Yes	31-60 days	Yes	Maybe	
52662	Yes	Yes	31-60 days	Yes	Maybe	
52733	No	No	31-60 days	Yes	Maybe	
52775	No	Yes	31-60 days	Yes	Maybe	
...	...	...	...	...	...	...
52504	No	Yes	15-30 days	No	No	
52505	Yes	Yes	15-30 days	No	No	
52506	Yes	Yes	15-30 days	No	No	
52509	No	Yes	15-30 days	No	No	
52513	Yes	Yes	15-30 days	No	No	

	Mental_Health_History	Mood_Swings	Coping_Struggles	Work_Interest	\
52629	No	High	No	No	
52650	No	High	No	No	
52662	No	High	No	No	
52733	No	High	No	No	
52775	No	High	No	No	
...	...	...	...	...	...
52504	No	Low	Yes	No	
52505	No	Low	Yes	No	
52506	No	Low	Yes	No	
52509	No	Low	Yes	No	
52513	No	Low	Yes	No	

	Social_Weakness	mental_health_interview	care_options
52629	Yes	No	Not sure
52650	Yes	No	Yes
52662	Yes	No	Not sure
52733	Yes	No	Not sure

52775	Yes	Yes	Yes
...	...	...	...
52504	Maybe	No	Yes
52505	Maybe	No	No
52506	Maybe	No	Not sure
52509	Maybe	No	No
52513	Maybe	No	No

[292364 rows x 17 columns]

	Gender	Country	Occupation
0	Female	United States	Corporate
1	Female	United States	Corporate
2	Female	United States	Corporate
3	Female	United States	Corporate
4	Female	United States	Corporate
...	...	...	...
292359	Male	United States	Business
292360	Male	South Africa	Business
292361	Male	United States	Business
292362	Male	United States	Business
292363	Male	United States	Business

[292364 rows x 3 columns]

	Timestamp	Gender	Country	Occupation	self_employed \
0	8/27/2014 11:29	Female	United States	Corporate	NaN
1	8/27/2014 11:31	Female	United States	Corporate	NaN
2	8/27/2014 11:32	Female	United States	Corporate	NaN
3	8/27/2014 11:37	Female	United States	Corporate	No
4	8/27/2014 11:43	Female	United States	Corporate	No
...	...	...	...	...	...
52509	2/21/2015 5:11	Female	United States	Others	No
52510	2/21/2015 9:18	Female	United Kingdom	Others	No
52511	2/21/2015 18:54	Female	Ireland	Others	No
52512	2/24/2015 8:54	Female	United Kingdom	Others	No
52513	6/25/2015 12:24	Female	United States	Others	No

	family_history	treatment	Days_Indoors	Growing_Stress	Changes_Habits
0	No	Yes	1-14 days	Yes	No
1	Yes	Yes	1-14 days	Yes	No
2	Yes	Yes	1-14 days	Yes	No
3	Yes	Yes	1-14 days	Yes	No
4	Yes	Yes	1-14 days	Yes	No
...	...	...	...	...	...
52509	No	Yes	15-30 days	No	No
52510	No	Yes	15-30 days	No	No
52511	Yes	No	15-30 days	No	No
52512	Yes	Yes	15-30 days	No	No
52513	Yes	Yes	15-30 days	No	No

	Mental_Health_History	Mood_Swings	Coping_Struggles	Work_Interest \
0	Yes	Medium	No	No
1	Yes	Medium	No	No
2	Yes	Medium	No	No
3	Yes	Medium	No	No
4	Yes	Medium	No	No
...	...	...	...	...
52509	No	Low	Yes	No
52510	No	Low	Yes	No
52511	No	Low	Yes	No

52512	No	Low	Yes	No
52513	No	Low	Yes	No

	Social_Weakness	mental_health_interview	care_options
0	Yes	No	Not sure
1	Yes	No	No
2	Yes	No	Yes
3	Yes	Maybe	Yes
4	Yes	No	Yes
...	...	...	...
52509	Maybe	No	No
52510	Maybe	No	Yes
52511	Maybe	No	Yes
52512	Maybe	Maybe	Yes
52513	Maybe	No	No

[52514 rows x 17 columns]

	Timestamp	Gender	Country	Occupation	self_employed	\
52514	8/27/2014 11:29	Male	Canada	Others		NaN
52515	8/27/2014 11:29	Male	United Kingdom	Others		NaN
52516	8/27/2014 11:30	Male	United States	Others		NaN
52517	8/27/2014 11:31	Male	United States	Others		NaN
52518	8/27/2014 11:32	Male	Canada	Others		NaN
...	...	...	...	...	...	...
292359	7/27/2015 23:25	Male	United States	Business		Yes
292360	8/17/2015 9:38	Male	South Africa	Business		No
292361	8/25/2015 19:59	Male	United States	Business		No
292362	9/26/2015 1:07	Male	United States	Business		No
292363	2/1/2016 23:04	Male	United States	Business		No

	family_history	treatment	Days_Indoors	Growing_Stress	Changes_Habits	\
52514	No	No	31-60 days	Yes	Maybe	
52515	Yes	Yes	31-60 days	Yes	Maybe	
52516	No	No	31-60 days	Yes	Maybe	
52517	Yes	No	31-60 days	Yes	Maybe	
52518	No	No	31-60 days	Yes	Maybe	
...	...	...	...	...	...	...
292359	Yes	Yes	15-30 days	No	Maybe	
292360	Yes	Yes	15-30 days	No	Maybe	
292361	Yes	No	15-30 days	No	Maybe	
292362	Yes	Yes	15-30 days	No	Maybe	
292363	Yes	Yes	15-30 days	No	Maybe	

	Mental_Health_History	Mood_Swings	Coping_Struggles	Work_Interest	\
52514	No	High	No	No	
52515	No	High	No	No	
52516	No	High	No	No	
52517	No	High	No	No	
52518	No	High	No	No	
...	...	...	...	...	...
292359	No	Low	Yes	No	
292360	No	Low	Yes	No	
292361	No	Low	Yes	No	
292362	No	Low	Yes	No	
292363	No	Low	Yes	No	

	Social_Weakness	mental_health_interview	care_options
52514	Yes	Yes	No
52515	Yes	Maybe	Yes

52516	Yes	Yes	No
52517	Yes	No	Not sure
52518	Yes	Maybe	No
...	...	...	...
292359	Maybe	Maybe	Not sure
292360	Maybe	No	Yes
292361	Maybe	No	No
292362	Maybe	No	Yes
292363	Maybe	No	Yes

[239850 rows x 17 columns]

-
KeyError

Traceback (most recent call last)

Cell In[29], line 19

```
15 female_data = df[df['Gender'] == 'Female']
16 print(female_data)
17 male_data = df[df['Gender'] == 'Male']
18 print(male_data)
--> 19 df1 = df.drop('Status', axis=1)
20 print(df1.head())
21 print(df.sample(10))
22 print(df.nunique())
```

File ~\AppData\Local\Programs\Python\Python311\Lib\site-packages\pandas\core\frame.py:5581, in DataFrame.drop(self, labels, axis, index, columns, level, inplace, errors)

```
5577         weight  250.0   150.0
5578     falcon  speed  320.0   250.0
5579         weight   1.0    0.8
5580     """
-> 5581     return super().drop(
5582         labels=labels,
5583         axis=axis,
5584         index=index,
```

File ~\AppData\Local\Programs\Python\Python311\Lib\site-packages\pandas\core\generic.py:4788, in NDFrame.drop(self, labels, axis, index, columns, level, inplace, errors)

```
4784         obj = self
4785
4786         for axis, labels in axes.items():
4787             if labels is not None:
-> 4788                 obj = obj._drop_axis(labels, axis, level=level, errors=errors)
4789
4790         if inplace:
4791             self._update_inplace(obj)
```

File ~\AppData\Local\Programs\Python\Python311\Lib\site-packages\pandas\core\generic.py:4830, in NDFrame._drop_axis(self, labels, axis, level, errors, only_slice)

```
4826         if not isinstance(axis, MultiIndex):
4827             raise AssertionError("axis must be a MultiIndex")
4828         new_axis = axis.drop(labels, level=level, errors=errors)
4829
4829         else:
-> 4830             new_axis = axis.drop(labels, errors=errors)
4831             indexer = axis.get_indexer(new_axis)
4832
4833         # Case for non-unique axis
```

File ~\AppData\Local\Programs\Python\Python311\Lib\site-packages\pandas\core\indexes\base.py:7070, in Index.drop(self, labels, errors)

```
7068 if mask.any():
7069     if errors != "ignore":
-> 7070         raise KeyError(f"{labels[mask].tolist()} not found in axis")
7071     indexer = indexer[~mask]
```

```
7072 return self.delete(indexer)
```

```
KeyError: '['Status'] not found in axis"
```