```
added 911 packages, and audited 1276 packages in 6m

243 packages are looking for funding
  run `npm fund` for details

1 moderate severity vulnerability

To address all issues, run:
  npm audit fix --force

Run `npm audit` for details.

added 8 packages, and audited 1284 packages in 12s

243 packages are looking for funding
  run `npm fund` for details

1 moderate severity vulnerability

To address all issues, run:
  npm audit fix --force

Run `npm audit` for details.

Success! Your Sanity configuration files has been added to this project

C:\next\hackathon assignment\myproject>
```

Mahida Athar

day3

PLAN	STATUS	PROJECT ID
Growth Trial	Active	t3yrpk1n ⧉

🏁 **Getting started**   ⊞ Overview   ⧈ Members   ▦ Studios   ⊟ Datasets   🔒 Access   -⋀- Activity   ⚆ Usage   ⚡ Plan   ⌀ API   ⚙ Settings

Not a developer?

You're just a few steps away from setting up your project

Let's get you ready to use Sanity with your preferred front end framework.

Setting up your Studio

2 minutes

Sanity Studio is an open-source React application that connects to your project's hosted dataset. The Studio is configured locally and then deployed for content collaborators. Content and assets from the hosted dataset can be queried from Sanity's APIs.

Setting up your Studio   0% ◯   Dismiss "Getting started"
                                                    0/5 steps

```
1 moderate severity vulnerability

To address all issues, run:
  npm audit fix --force

Run `npm audit` for details.

Success! Your Sanity configuration files has been added to this project

C:\next\hackathon assignment\myproject>
```

Webhooks

CORS origins

Tokens

There are no GROQ-powered webhooks in this project

Maybe try creating a new webhook?

CORS origins   + **Add CORS origin**

Hosts that can connect to the project API.

ORIGIN	CREDENTIALS	CREATED	
http://localhost:3000	Allowed	0 seconds	🗑
http://localhost:3333	Allowed	1 hour	🗑

Tokens

+ Add API token

Webhooks

Tokens are used to authenticate apps and scripts to access project data.

CORS origins

Tokens

Name

Examples: "Employee import", "Website preview" or "PDF generator".

day3

Permissions

Choose the access privileges for the token.

Contributor
Read and write access to draft content within all datasets, with no access to project settings. (Tokens: read+write drafts)

Deploy Studio (Token only)
Access to deploy Sanity Studio and GraphQL APIs to our hosted service.

Developer
● Read and write access to all datasets, with access to project settings for developers. (Tokens: read+write)

Editor
Read and write access to all datasets, with limited access to project settings. (Tokens: read+write)

Viewer

🚀 Getting started   🔲 Overview   👥 Members   🖵 Studios   🗄 Datasets   🔒 Access   ⋀ Activity   ⚟ Usage   ⚡ Plan   ⌨ API   ⚙ Settings

Webhooks

Tokens are used to authenticate apps and scripts to access project data.

CORS origins

NAME	PERMISSIONS	CREATED	
day3	Developer	just now	🗑

Tokens

Copy the token below – this is your only chance to do so!

skOx1p1wC53GgXv0RXUBxQPCDa2UoV5ukbBV4YHHWhftzYojGlmNqwgiB4Duk56lldWqVMGsrqlk1UBD5aVxKK
6zbBm7mqRiHjmoNU7sYb36Ae9H971aNWFIDu6grcRiVJ6aGjnaATHvhp4350fPwEbioOAd5L7gXF5t1A5pdwOl
RpOxX4Ze

EXPLORER ...

src > sanity > schemaTypes > TS categories.ts > ...

```ts
1    import { defineType } from "sanity";
2
3    export const categorySchema = defineType({
4        name: 'categories',
5        title: 'Categories',
6        type: 'document',
7        fields: [
8            {
9                name: 'title',
10               title: 'Category Title',
11               type: 'string',
12           },
13           {
14               name: 'image',
15               title: 'Category Image',
16               type: 'image',
17           },
18           {
19               title: 'Number of Products',
20               name: 'products',
21               type: 'number',
22           }
23       ],
24   });
```

EXPLORER   ···

TS categories.ts U   TS index.ts U ✕   JS migrate.mjs U   {} package.json M

∨ OPEN EDITORS

    TS categories.... U

✕ TS index.ts src... U

    JS migrate.mj... U

    {} package.js... M

    $ .env.local

∨ MYPRO... 🗋 🗁 ↻ 🗗
  ∨ scripts
∨ src

src > sanity > schemaTypes > TS index.ts > ...

```ts
1    import { type SchemaTypeDefinition } from "sanity";
2    import { productSchema } from "./products";
3    import { categorySchema } from "./categories";
4
5    export const schema: { types: SchemaTypeDefinition[] } = {
6      types: [productSchema, categorySchema],
7    };
8
```

S Default + Create 🔍

Structure   Vision   Schedules

Content

📁 **Products**

📁 Categories

Products   + ⋯

🔍 Search list

Ivory Charm

Gray Elegance   Published 5 min. ago

Nordic Spin

Scandi Dip Set

Modern Cozy

Library Stool Chair

SleekSpin

Rose Luxe Armchair

⊘ 1 error   ✕   pping, Visual Editing.

calhost:3000/studio/structure/products;Qg4lbHxXrPUi1JouvEpacQ

Citrus Edge

🛋 Comforty

🛒 Cart **2**

Home   Shop   Product   Pages   About

WELCOME TO CHAIRY

Best Furniture Collection for your interior