

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 1)

- A) It is used for functionality type A in Java program number 1
- B) It is used for functionality type B in Java program number 1
- C) It is used for functionality type C in Java program number 1
- D) It is used for functionality type D in Java program number 1

Answer: B

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 2)

- A) It is used for functionality type A in Java program number 2
- B) It is used for functionality type B in Java program number 2
- C) It is used for functionality type C in Java program number 2
- D) It is used for functionality type D in Java program number 2

Answer: C

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 3)

- A) It is used for functionality type A in Java program number 3
- B) It is used for functionality type B in Java program number 3
- C) It is used for functionality type C in Java program number 3
- D) It is used for functionality type D in Java program number 3

Answer: D

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 4)

- A) It is used for functionality type A in Java program number 4
- B) It is used for functionality type B in Java program number 4
- C) It is used for functionality type C in Java program number 4
- D) It is used for functionality type D in Java program number 4

Answer: A

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 5)

- A) It is used for functionality type A in Java program number 5
- B) It is used for functionality type B in Java program number 5
- C) It is used for functionality type C in Java program number 5
- D) It is used for functionality type D in Java program number 5

Answer: B

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 6)

- A) It is used for functionality type A in Java program number 6
- B) It is used for functionality type B in Java program number 6
- C) It is used for functionality type C in Java program number 6
- D) It is used for functionality type D in Java program number 6

Answer: C

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 7)

- A) It is used for functionality type A in Java program number 7
- B) It is used for functionality type B in Java program number 7
- C) It is used for functionality type C in Java program number 7
- D) It is used for functionality type D in Java program number 7

Answer: D

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 8)

- A) It is used for functionality type A in Java program number 8
- B) It is used for functionality type B in Java program number 8
- C) It is used for functionality type C in Java program number 8
- D) It is used for functionality type D in Java program number 8

Answer: A

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 9)

- A) It is used for functionality type A in Java program number 9
- B) It is used for functionality type B in Java program number 9
- C) It is used for functionality type C in Java program number 9
- D) It is used for functionality type D in Java program number 9

Answer: B

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 10)

- A) It is used for functionality type A in Java program number 10
- B) It is used for functionality type B in Java program number 10
- C) It is used for functionality type C in Java program number 10
- D) It is used for functionality type D in Java program number 10

Answer: C

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 11)

- A) It is used for functionality type A in Java program number 11
- B) It is used for functionality type B in Java program number 11
- C) It is used for functionality type C in Java program number 11
- D) It is used for functionality type D in Java program number 11

Answer: D

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 12)

- A) It is used for functionality type A in Java program number 12
- B) It is used for functionality type B in Java program number 12
- C) It is used for functionality type C in Java program number 12
- D) It is used for functionality type D in Java program number 12

Answer: A

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 13)

- A) It is used for functionality type A in Java program number 13
- B) It is used for functionality type B in Java program number 13
- C) It is used for functionality type C in Java program number 13
- D) It is used for functionality type D in Java program number 13

Answer: B

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 14)

- A) It is used for functionality type A in Java program number 14
- B) It is used for functionality type B in Java program number 14
- C) It is used for functionality type C in Java program number 14
- D) It is used for functionality type D in Java program number 14

Answer: C

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 15)

- A) It is used for functionality type A in Java program number 15
- B) It is used for functionality type B in Java program number 15
- C) It is used for functionality type C in Java program number 15
- D) It is used for functionality type D in Java program number 15

Answer: D

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 16)

- A) It is used for functionality type A in Java program number 16
- B) It is used for functionality type B in Java program number 16
- C) It is used for functionality type C in Java program number 16
- D) It is used for functionality type D in Java program number 16

Answer: A

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 17)

- A) It is used for functionality type A in Java program number 17
- B) It is used for functionality type B in Java program number 17
- C) It is used for functionality type C in Java program number 17
- D) It is used for functionality type D in Java program number 17

Answer: B

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 18)

- A) It is used for functionality type A in Java program number 18
- B) It is used for functionality type B in Java program number 18
- C) It is used for functionality type C in Java program number 18
- D) It is used for functionality type D in Java program number 18

Answer: C

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 19)

- A) It is used for functionality type A in Java program number 19

- B) It is used for functionality type B in Java program number 19
- C) It is used for functionality type C in Java program number 19
- D) It is used for functionality type D in Java program number 19

Answer: D

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 20)

- A) It is used for functionality type A in Java program number 20
- B) It is used for functionality type B in Java program number 20
- C) It is used for functionality type C in Java program number 20
- D) It is used for functionality type D in Java program number 20

Answer: A

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 21)

- A) It is used for functionality type A in Java program number 21
- B) It is used for functionality type B in Java program number 21
- C) It is used for functionality type C in Java program number 21
- D) It is used for functionality type D in Java program number 21

Answer: B

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 22)

- A) It is used for functionality type A in Java program number 22
- B) It is used for functionality type B in Java program number 22
- C) It is used for functionality type C in Java program number 22
- D) It is used for functionality type D in Java program number 22

Answer: C

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 23)

- A) It is used for functionality type A in Java program number 23
- B) It is used for functionality type B in Java program number 23
- C) It is used for functionality type C in Java program number 23
- D) It is used for functionality type D in Java program number 23

Answer: D

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 24)

- A) It is used for functionality type A in Java program number 24
- B) It is used for functionality type B in Java program number 24
- C) It is used for functionality type C in Java program number 24
- D) It is used for functionality type D in Java program number 24

Answer: A

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 25)

- A) It is used for functionality type A in Java program number 25
- B) It is used for functionality type B in Java program number 25
- C) It is used for functionality type C in Java program number 25
- D) It is used for functionality type D in Java program number 25

Answer: B

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 26)

- A) It is used for functionality type A in Java program number 26
- B) It is used for functionality type B in Java program number 26
- C) It is used for functionality type C in Java program number 26
- D) It is used for functionality type D in Java program number 26

Answer: C

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 27)

- A) It is used for functionality type A in Java program number 27
- B) It is used for functionality type B in Java program number 27
- C) It is used for functionality type C in Java program number 27
- D) It is used for functionality type D in Java program number 27

Answer: D

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 28)

- A) It is used for functionality type A in Java program number 28
- B) It is used for functionality type B in Java program number 28

- C) It is used for functionality type C in Java program number 28
- D) It is used for functionality type D in Java program number 28

Answer: A

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 29)

- A) It is used for functionality type A in Java program number 29
- B) It is used for functionality type B in Java program number 29
- C) It is used for functionality type C in Java program number 29
- D) It is used for functionality type D in Java program number 29

Answer: B

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 30)

- A) It is used for functionality type A in Java program number 30
- B) It is used for functionality type B in Java program number 30
- C) It is used for functionality type C in Java program number 30
- D) It is used for functionality type D in Java program number 30

Answer: C

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 31)

- A) It is used for functionality type A in Java program number 31
- B) It is used for functionality type B in Java program number 31
- C) It is used for functionality type C in Java program number 31
- D) It is used for functionality type D in Java program number 31

Answer: D

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 32)

- A) It is used for functionality type A in Java program number 32
- B) It is used for functionality type B in Java program number 32
- C) It is used for functionality type C in Java program number 32
- D) It is used for functionality type D in Java program number 32

Answer: A

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 33)

- A) It is used for functionality type A in Java program number 33
- B) It is used for functionality type B in Java program number 33
- C) It is used for functionality type C in Java program number 33
- D) It is used for functionality type D in Java program number 33

Answer: B

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 34)

- A) It is used for functionality type A in Java program number 34
- B) It is used for functionality type B in Java program number 34
- C) It is used for functionality type C in Java program number 34
- D) It is used for functionality type D in Java program number 34

Answer: C

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 35)

- A) It is used for functionality type A in Java program number 35
- B) It is used for functionality type B in Java program number 35
- C) It is used for functionality type C in Java program number 35
- D) It is used for functionality type D in Java program number 35

Answer: D

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 36)

- A) It is used for functionality type A in Java program number 36
- B) It is used for functionality type B in Java program number 36
- C) It is used for functionality type C in Java program number 36
- D) It is used for functionality type D in Java program number 36

Answer: A

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 37)

- A) It is used for functionality type A in Java program number 37
- B) It is used for functionality type B in Java program number 37
- C) It is used for functionality type C in Java program number 37

D) It is used for functionality type D in Java program number 37

Answer: B

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 38)

- A) It is used for functionality type A in Java program number 38
- B) It is used for functionality type B in Java program number 38
- C) It is used for functionality type C in Java program number 38
- D) It is used for functionality type D in Java program number 38

Answer: C

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 39)

- A) It is used for functionality type A in Java program number 39
- B) It is used for functionality type B in Java program number 39
- C) It is used for functionality type C in Java program number 39
- D) It is used for functionality type D in Java program number 39

Answer: D

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 40)

- A) It is used for functionality type A in Java program number 40
- B) It is used for functionality type B in Java program number 40
- C) It is used for functionality type C in Java program number 40
- D) It is used for functionality type D in Java program number 40

Answer: A

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 41)

- A) It is used for functionality type A in Java program number 41
- B) It is used for functionality type B in Java program number 41
- C) It is used for functionality type C in Java program number 41
- D) It is used for functionality type D in Java program number 41

Answer: B

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 42)

- A) It is used for functionality type A in Java program number 42
- B) It is used for functionality type B in Java program number 42
- C) It is used for functionality type C in Java program number 42
- D) It is used for functionality type D in Java program number 42

Answer: C

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 43)

- A) It is used for functionality type A in Java program number 43
- B) It is used for functionality type B in Java program number 43
- C) It is used for functionality type C in Java program number 43
- D) It is used for functionality type D in Java program number 43

Answer: D

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 44)

- A) It is used for functionality type A in Java program number 44
- B) It is used for functionality type B in Java program number 44
- C) It is used for functionality type C in Java program number 44
- D) It is used for functionality type D in Java program number 44

Answer: A

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 45)

- A) It is used for functionality type A in Java program number 45
- B) It is used for functionality type B in Java program number 45
- C) It is used for functionality type C in Java program number 45
- D) It is used for functionality type D in Java program number 45

Answer: B

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 46)

- A) It is used for functionality type A in Java program number 46
- B) It is used for functionality type B in Java program number 46
- C) It is used for functionality type C in Java program number 46
- D) It is used for functionality type D in Java program number 46

Answer: C

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 47)

- A) It is used for functionality type A in Java program number 47
- B) It is used for functionality type B in Java program number 47
- C) It is used for functionality type C in Java program number 47
- D) It is used for functionality type D in Java program number 47

Answer: D

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 48)

- A) It is used for functionality type A in Java program number 48
- B) It is used for functionality type B in Java program number 48
- C) It is used for functionality type C in Java program number 48
- D) It is used for functionality type D in Java program number 48

Answer: A

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 49)

- A) It is used for functionality type A in Java program number 49
- B) It is used for functionality type B in Java program number 49
- C) It is used for functionality type C in Java program number 49
- D) It is used for functionality type D in Java program number 49

Answer: B

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 50)

- A) It is used for functionality type A in Java program number 50
- B) It is used for functionality type B in Java program number 50
- C) It is used for functionality type C in Java program number 50
- D) It is used for functionality type D in Java program number 50

Answer: C

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 51)

- A) It is used for functionality type A in Java program number 51
- B) It is used for functionality type B in Java program number 51
- C) It is used for functionality type C in Java program number 51
- D) It is used for functionality type D in Java program number 51

Answer: D

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 52)

- A) It is used for functionality type A in Java program number 52
- B) It is used for functionality type B in Java program number 52
- C) It is used for functionality type C in Java program number 52
- D) It is used for functionality type D in Java program number 52

Answer: A

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 53)

- A) It is used for functionality type A in Java program number 53
- B) It is used for functionality type B in Java program number 53
- C) It is used for functionality type C in Java program number 53
- D) It is used for functionality type D in Java program number 53

Answer: B

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 54)

- A) It is used for functionality type A in Java program number 54
- B) It is used for functionality type B in Java program number 54
- C) It is used for functionality type C in Java program number 54
- D) It is used for functionality type D in Java program number 54

Answer: C

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 55)

- A) It is used for functionality type A in Java program number 55
- B) It is used for functionality type B in Java program number 55
- C) It is used for functionality type C in Java program number 55
- D) It is used for functionality type D in Java program number 55

Answer: D

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 56)

- A) It is used for functionality type A in Java program number 56
- B) It is used for functionality type B in Java program number 56
- C) It is used for functionality type C in Java program number 56
- D) It is used for functionality type D in Java program number 56

Answer: A

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 57)

- A) It is used for functionality type A in Java program number 57
- B) It is used for functionality type B in Java program number 57
- C) It is used for functionality type C in Java program number 57
- D) It is used for functionality type D in Java program number 57

Answer: B

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 58)

- A) It is used for functionality type A in Java program number 58
- B) It is used for functionality type B in Java program number 58
- C) It is used for functionality type C in Java program number 58
- D) It is used for functionality type D in Java program number 58

Answer: C

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 59)

- A) It is used for functionality type A in Java program number 59
- B) It is used for functionality type B in Java program number 59
- C) It is used for functionality type C in Java program number 59
- D) It is used for functionality type D in Java program number 59

Answer: D

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 60)

- A) It is used for functionality type A in Java program number 60
- B) It is used for functionality type B in Java program number 60
- C) It is used for functionality type C in Java program number 60
- D) It is used for functionality type D in Java program number 60

Answer: A

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 61)

- A) It is used for functionality type A in Java program number 61
- B) It is used for functionality type B in Java program number 61
- C) It is used for functionality type C in Java program number 61
- D) It is used for functionality type D in Java program number 61

Answer: B

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 62)

- A) It is used for functionality type A in Java program number 62
- B) It is used for functionality type B in Java program number 62
- C) It is used for functionality type C in Java program number 62
- D) It is used for functionality type D in Java program number 62

Answer: C

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 63)

- A) It is used for functionality type A in Java program number 63
- B) It is used for functionality type B in Java program number 63
- C) It is used for functionality type C in Java program number 63
- D) It is used for functionality type D in Java program number 63

Answer: D

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 64)

- A) It is used for functionality type A in Java program number 64
- B) It is used for functionality type B in Java program number 64
- C) It is used for functionality type C in Java program number 64
- D) It is used for functionality type D in Java program number 64

Answer: A

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 65)

- A) It is used for functionality type A in Java program number 65
- B) It is used for functionality type B in Java program number 65
- C) It is used for functionality type C in Java program number 65
- D) It is used for functionality type D in Java program number 65

Answer: B

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 66)

- A) It is used for functionality type A in Java program number 66
- B) It is used for functionality type B in Java program number 66
- C) It is used for functionality type C in Java program number 66
- D) It is used for functionality type D in Java program number 66

Answer: C

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 67)

- A) It is used for functionality type A in Java program number 67
- B) It is used for functionality type B in Java program number 67
- C) It is used for functionality type C in Java program number 67
- D) It is used for functionality type D in Java program number 67

Answer: D

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 68)

- A) It is used for functionality type A in Java program number 68
- B) It is used for functionality type B in Java program number 68
- C) It is used for functionality type C in Java program number 68
- D) It is used for functionality type D in Java program number 68

Answer: A

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 69)

- A) It is used for functionality type A in Java program number 69
- B) It is used for functionality type B in Java program number 69
- C) It is used for functionality type C in Java program number 69
- D) It is used for functionality type D in Java program number 69

Answer: B

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 70)

- A) It is used for functionality type A in Java program number 70
- B) It is used for functionality type B in Java program number 70
- C) It is used for functionality type C in Java program number 70
- D) It is used for functionality type D in Java program number 70

Answer: C

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 71)

- A) It is used for functionality type A in Java program number 71
- B) It is used for functionality type B in Java program number 71
- C) It is used for functionality type C in Java program number 71
- D) It is used for functionality type D in Java program number 71

Answer: D

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 72)

- A) It is used for functionality type A in Java program number 72
- B) It is used for functionality type B in Java program number 72
- C) It is used for functionality type C in Java program number 72
- D) It is used for functionality type D in Java program number 72

Answer: A

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 73)

- A) It is used for functionality type A in Java program number 73
- B) It is used for functionality type B in Java program number 73
- C) It is used for functionality type C in Java program number 73
- D) It is used for functionality type D in Java program number 73

Answer: B

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 74)



- A) It is used for functionality type A in Java program number 74
- B) It is used for functionality type B in Java program number 74
- C) It is used for functionality type C in Java program number 74
- D) It is used for functionality type D in Java program number 74

Answer: C

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 75)

- A) It is used for functionality type A in Java program number 75
- B) It is used for functionality type B in Java program number 75
- C) It is used for functionality type C in Java program number 75
- D) It is used for functionality type D in Java program number 75

Answer: D

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 76)

- A) It is used for functionality type A in Java program number 76
- B) It is used for functionality type B in Java program number 76
- C) It is used for functionality type C in Java program number 76
- D) It is used for functionality type D in Java program number 76

Answer: A

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 77)

- A) It is used for functionality type A in Java program number 77
- B) It is used for functionality type B in Java program number 77
- C) It is used for functionality type C in Java program number 77
- D) It is used for functionality type D in Java program number 77

Answer: B

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 78)

- A) It is used for functionality type A in Java program number 78
- B) It is used for functionality type B in Java program number 78
- C) It is used for functionality type C in Java program number 78
- D) It is used for functionality type D in Java program number 78

Answer: C

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 79)

- A) It is used for functionality type A in Java program number 79
- B) It is used for functionality type B in Java program number 79
- C) It is used for functionality type C in Java program number 79
- D) It is used for functionality type D in Java program number 79

Answer: D

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 80)

- A) It is used for functionality type A in Java program number 80
- B) It is used for functionality type B in Java program number 80
- C) It is used for functionality type C in Java program number 80
- D) It is used for functionality type D in Java program number 80

Answer: A

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 81)

- A) It is used for functionality type A in Java program number 81
- B) It is used for functionality type B in Java program number 81
- C) It is used for functionality type C in Java program number 81
- D) It is used for functionality type D in Java program number 81

Answer: B

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 82)

- A) It is used for functionality type A in Java program number 82
- B) It is used for functionality type B in Java program number 82
- C) It is used for functionality type C in Java program number 82
- D) It is used for functionality type D in Java program number 82

Answer: C

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 83)

- A) It is used for functionality type A in Java program number 83

- B) It is used for functionality type B in Java program number 83
- C) It is used for functionality type C in Java program number 83
- D) It is used for functionality type D in Java program number 83

Answer: D

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 84)

- A) It is used for functionality type A in Java program number 84
- B) It is used for functionality type B in Java program number 84
- C) It is used for functionality type C in Java program number 84
- D) It is used for functionality type D in Java program number 84

Answer: A

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 85)

- A) It is used for functionality type A in Java program number 85
- B) It is used for functionality type B in Java program number 85
- C) It is used for functionality type C in Java program number 85
- D) It is used for functionality type D in Java program number 85

Answer: B

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 86)

- A) It is used for functionality type A in Java program number 86
- B) It is used for functionality type B in Java program number 86
- C) It is used for functionality type C in Java program number 86
- D) It is used for functionality type D in Java program number 86

Answer: C

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 87)

- A) It is used for functionality type A in Java program number 87
- B) It is used for functionality type B in Java program number 87
- C) It is used for functionality type C in Java program number 87
- D) It is used for functionality type D in Java program number 87

Answer: D

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 88)

- A) It is used for functionality type A in Java program number 88
- B) It is used for functionality type B in Java program number 88
- C) It is used for functionality type C in Java program number 88
- D) It is used for functionality type D in Java program number 88

Answer: A

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 89)

- A) It is used for functionality type A in Java program number 89
- B) It is used for functionality type B in Java program number 89
- C) It is used for functionality type C in Java program number 89
- D) It is used for functionality type D in Java program number 89

Answer: B

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 90)

- A) It is used for functionality type A in Java program number 90
- B) It is used for functionality type B in Java program number 90
- C) It is used for functionality type C in Java program number 90
- D) It is used for functionality type D in Java program number 90

Answer: C

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 91)

- A) It is used for functionality type A in Java program number 91
- B) It is used for functionality type B in Java program number 91
- C) It is used for functionality type C in Java program number 91
- D) It is used for functionality type D in Java program number 91

Answer: D

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 92)

- A) It is used for functionality type A in Java program number 92
- B) It is used for functionality type B in Java program number 92

- C) It is used for functionality type C in Java program number 92
- D) It is used for functionality type D in Java program number 92

Answer: A

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 93)

- A) It is used for functionality type A in Java program number 93
- B) It is used for functionality type B in Java program number 93
- C) It is used for functionality type C in Java program number 93
- D) It is used for functionality type D in Java program number 93

Answer: B

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 94)

- A) It is used for functionality type A in Java program number 94
- B) It is used for functionality type B in Java program number 94
- C) It is used for functionality type C in Java program number 94
- D) It is used for functionality type D in Java program number 94

Answer: C

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 95)

- A) It is used for functionality type A in Java program number 95
- B) It is used for functionality type B in Java program number 95
- C) It is used for functionality type C in Java program number 95
- D) It is used for functionality type D in Java program number 95

Answer: D

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 96)

- A) It is used for functionality type A in Java program number 96
- B) It is used for functionality type B in Java program number 96
- C) It is used for functionality type C in Java program number 96
- D) It is used for functionality type D in Java program number 96

Answer: A

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 97)

- A) It is used for functionality type A in Java program number 97
- B) It is used for functionality type B in Java program number 97
- C) It is used for functionality type C in Java program number 97
- D) It is used for functionality type D in Java program number 97

Answer: B

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 98)

- A) It is used for functionality type A in Java program number 98
- B) It is used for functionality type B in Java program number 98
- C) It is used for functionality type C in Java program number 98
- D) It is used for functionality type D in Java program number 98

Answer: C

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 99)

- A) It is used for functionality type A in Java program number 99
- B) It is used for functionality type B in Java program number 99
- C) It is used for functionality type C in Java program number 99
- D) It is used for functionality type D in Java program number 99

Answer: D

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 100)

- A) It is used for functionality type A in Java program number 100
- B) It is used for functionality type B in Java program number 100
- C) It is used for functionality type C in Java program number 100
- D) It is used for functionality type D in Java program number 100

Answer: A

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 101)

- A) It is used for functionality type A in Java program number 101
- B) It is used for functionality type B in Java program number 101
- C) It is used for functionality type C in Java program number 101

D) It is used for functionality type D in Java program number 101

Answer: B

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 102)

- A) It is used for functionality type A in Java program number 102
- B) It is used for functionality type B in Java program number 102
- C) It is used for functionality type C in Java program number 102
- D) It is used for functionality type D in Java program number 102

Answer: C

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 103)

- A) It is used for functionality type A in Java program number 103
- B) It is used for functionality type B in Java program number 103
- C) It is used for functionality type C in Java program number 103
- D) It is used for functionality type D in Java program number 103

Answer: D

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 104)

- A) It is used for functionality type A in Java program number 104
- B) It is used for functionality type B in Java program number 104
- C) It is used for functionality type C in Java program number 104
- D) It is used for functionality type D in Java program number 104

Answer: A

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 105)

- A) It is used for functionality type A in Java program number 105
- B) It is used for functionality type B in Java program number 105
- C) It is used for functionality type C in Java program number 105
- D) It is used for functionality type D in Java program number 105

Answer: B

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 106)

- A) It is used for functionality type A in Java program number 106
- B) It is used for functionality type B in Java program number 106
- C) It is used for functionality type C in Java program number 106
- D) It is used for functionality type D in Java program number 106

Answer: C

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 107)

- A) It is used for functionality type A in Java program number 107
- B) It is used for functionality type B in Java program number 107
- C) It is used for functionality type C in Java program number 107
- D) It is used for functionality type D in Java program number 107

Answer: D

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 108)

- A) It is used for functionality type A in Java program number 108
- B) It is used for functionality type B in Java program number 108
- C) It is used for functionality type C in Java program number 108
- D) It is used for functionality type D in Java program number 108

Answer: A

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 109)

- A) It is used for functionality type A in Java program number 109
- B) It is used for functionality type B in Java program number 109
- C) It is used for functionality type C in Java program number 109
- D) It is used for functionality type D in Java program number 109

Answer: B

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 110)

- A) It is used for functionality type A in Java program number 110
- B) It is used for functionality type B in Java program number 110
- C) It is used for functionality type C in Java program number 110
- D) It is used for functionality type D in Java program number 110

Answer: C

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 111)

- A) It is used for functionality type A in Java program number 111
- B) It is used for functionality type B in Java program number 111
- C) It is used for functionality type C in Java program number 111
- D) It is used for functionality type D in Java program number 111

Answer: D

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 112)

- A) It is used for functionality type A in Java program number 112
- B) It is used for functionality type B in Java program number 112
- C) It is used for functionality type C in Java program number 112
- D) It is used for functionality type D in Java program number 112

Answer: A

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 113)

- A) It is used for functionality type A in Java program number 113
- B) It is used for functionality type B in Java program number 113
- C) It is used for functionality type C in Java program number 113
- D) It is used for functionality type D in Java program number 113

Answer: B

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 114)

- A) It is used for functionality type A in Java program number 114
- B) It is used for functionality type B in Java program number 114
- C) It is used for functionality type C in Java program number 114
- D) It is used for functionality type D in Java program number 114

Answer: C

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 115)

- A) It is used for functionality type A in Java program number 115
- B) It is used for functionality type B in Java program number 115
- C) It is used for functionality type C in Java program number 115
- D) It is used for functionality type D in Java program number 115

Answer: D

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 116)

- A) It is used for functionality type A in Java program number 116
- B) It is used for functionality type B in Java program number 116
- C) It is used for functionality type C in Java program number 116
- D) It is used for functionality type D in Java program number 116

Answer: A

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 117)

- A) It is used for functionality type A in Java program number 117
- B) It is used for functionality type B in Java program number 117
- C) It is used for functionality type C in Java program number 117
- D) It is used for functionality type D in Java program number 117

Answer: B

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 118)

- A) It is used for functionality type A in Java program number 118
- B) It is used for functionality type B in Java program number 118
- C) It is used for functionality type C in Java program number 118
- D) It is used for functionality type D in Java program number 118

Answer: C

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 119)

- A) It is used for functionality type A in Java program number 119
- B) It is used for functionality type B in Java program number 119
- C) It is used for functionality type C in Java program number 119
- D) It is used for functionality type D in Java program number 119

Answer: D

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 120)

- A) It is used for functionality type A in Java program number 120
- B) It is used for functionality type B in Java program number 120
- C) It is used for functionality type C in Java program number 120
- D) It is used for functionality type D in Java program number 120

Answer: A

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 121)

- A) It is used for functionality type A in Java program number 121
- B) It is used for functionality type B in Java program number 121
- C) It is used for functionality type C in Java program number 121
- D) It is used for functionality type D in Java program number 121

Answer: B

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 122)

- A) It is used for functionality type A in Java program number 122
- B) It is used for functionality type B in Java program number 122
- C) It is used for functionality type C in Java program number 122
- D) It is used for functionality type D in Java program number 122

Answer: C

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 123)

- A) It is used for functionality type A in Java program number 123
- B) It is used for functionality type B in Java program number 123
- C) It is used for functionality type C in Java program number 123
- D) It is used for functionality type D in Java program number 123

Answer: D

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 124)

- A) It is used for functionality type A in Java program number 124
- B) It is used for functionality type B in Java program number 124
- C) It is used for functionality type C in Java program number 124
- D) It is used for functionality type D in Java program number 124

Answer: A

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 125)

- A) It is used for functionality type A in Java program number 125
- B) It is used for functionality type B in Java program number 125
- C) It is used for functionality type C in Java program number 125
- D) It is used for functionality type D in Java program number 125

Answer: B

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 126)

- A) It is used for functionality type A in Java program number 126
- B) It is used for functionality type B in Java program number 126
- C) It is used for functionality type C in Java program number 126
- D) It is used for functionality type D in Java program number 126

Answer: C

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 127)

- A) It is used for functionality type A in Java program number 127
- B) It is used for functionality type B in Java program number 127
- C) It is used for functionality type C in Java program number 127
- D) It is used for functionality type D in Java program number 127

Answer: D

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 128)

- A) It is used for functionality type A in Java program number 128
- B) It is used for functionality type B in Java program number 128
- C) It is used for functionality type C in Java program number 128
- D) It is used for functionality type D in Java program number 128

Answer: A

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 129)

- A) It is used for functionality type A in Java program number 129
- B) It is used for functionality type B in Java program number 129
- C) It is used for functionality type C in Java program number 129
- D) It is used for functionality type D in Java program number 129

Answer: B

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 130)

- A) It is used for functionality type A in Java program number 130
- B) It is used for functionality type B in Java program number 130
- C) It is used for functionality type C in Java program number 130
- D) It is used for functionality type D in Java program number 130

Answer: C

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 131)

- A) It is used for functionality type A in Java program number 131
- B) It is used for functionality type B in Java program number 131
- C) It is used for functionality type C in Java program number 131
- D) It is used for functionality type D in Java program number 131

Answer: D

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 132)

- A) It is used for functionality type A in Java program number 132
- B) It is used for functionality type B in Java program number 132
- C) It is used for functionality type C in Java program number 132
- D) It is used for functionality type D in Java program number 132

Answer: A

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 133)

- A) It is used for functionality type A in Java program number 133
- B) It is used for functionality type B in Java program number 133
- C) It is used for functionality type C in Java program number 133
- D) It is used for functionality type D in Java program number 133

Answer: B

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 134)

- A) It is used for functionality type A in Java program number 134
- B) It is used for functionality type B in Java program number 134
- C) It is used for functionality type C in Java program number 134
- D) It is used for functionality type D in Java program number 134

Answer: C

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 135)

- A) It is used for functionality type A in Java program number 135
- B) It is used for functionality type B in Java program number 135
- C) It is used for functionality type C in Java program number 135
- D) It is used for functionality type D in Java program number 135

Answer: D

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 136)

- A) It is used for functionality type A in Java program number 136
- B) It is used for functionality type B in Java program number 136
- C) It is used for functionality type C in Java program number 136
- D) It is used for functionality type D in Java program number 136

Answer: A

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 137)

- A) It is used for functionality type A in Java program number 137
- B) It is used for functionality type B in Java program number 137
- C) It is used for functionality type C in Java program number 137
- D) It is used for functionality type D in Java program number 137

Answer: B

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 138)

- A) It is used for functionality type A in Java program number 138
- B) It is used for functionality type B in Java program number 138
- C) It is used for functionality type C in Java program number 138
- D) It is used for functionality type D in Java program number 138

Answer: C

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 139)

- A) It is used for functionality type A in Java program number 139
- B) It is used for functionality type B in Java program number 139
- C) It is used for functionality type C in Java program number 139
- D) It is used for functionality type D in Java program number 139

Answer: D

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 140)

- A) It is used for functionality type A in Java program number 140
- B) It is used for functionality type B in Java program number 140
- C) It is used for functionality type C in Java program number 140
- D) It is used for functionality type D in Java program number 140

Answer: A

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 141)

- A) It is used for functionality type A in Java program number 141
- B) It is used for functionality type B in Java program number 141
- C) It is used for functionality type C in Java program number 141
- D) It is used for functionality type D in Java program number 141

Answer: B

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 142)

- A) It is used for functionality type A in Java program number 142
- B) It is used for functionality type B in Java program number 142
- C) It is used for functionality type C in Java program number 142
- D) It is used for functionality type D in Java program number 142

Answer: C

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 143)

- A) It is used for functionality type A in Java program number 143
- B) It is used for functionality type B in Java program number 143
- C) It is used for functionality type C in Java program number 143
- D) It is used for functionality type D in Java program number 143

Answer: D

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 144)

- A) It is used for functionality type A in Java program number 144
- B) It is used for functionality type B in Java program number 144
- C) It is used for functionality type C in Java program number 144
- D) It is used for functionality type D in Java program number 144

Answer: A

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 145)

- A) It is used for functionality type A in Java program number 145
- B) It is used for functionality type B in Java program number 145
- C) It is used for functionality type C in Java program number 145
- D) It is used for functionality type D in Java program number 145

Answer: B

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 146)

- A) It is used for functionality type A in Java program number 146
- B) It is used for functionality type B in Java program number 146
- C) It is used for functionality type C in Java program number 146
- D) It is used for functionality type D in Java program number 146

Answer: C

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 147)

- A) It is used for functionality type A in Java program number 147



- B) It is used for functionality type B in Java program number 147
- C) It is used for functionality type C in Java program number 147
- D) It is used for functionality type D in Java program number 147

Answer: D

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 148)

- A) It is used for functionality type A in Java program number 148
- B) It is used for functionality type B in Java program number 148
- C) It is used for functionality type C in Java program number 148
- D) It is used for functionality type D in Java program number 148

Answer: A

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 149)

- A) It is used for functionality type A in Java program number 149
- B) It is used for functionality type B in Java program number 149
- C) It is used for functionality type C in Java program number 149
- D) It is used for functionality type D in Java program number 149

Answer: B

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 150)

- A) It is used for functionality type A in Java program number 150
- B) It is used for functionality type B in Java program number 150
- C) It is used for functionality type C in Java program number 150
- D) It is used for functionality type D in Java program number 150

Answer: C

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 151)

- A) It is used for functionality type A in Java program number 151
- B) It is used for functionality type B in Java program number 151
- C) It is used for functionality type C in Java program number 151
- D) It is used for functionality type D in Java program number 151

Answer: D

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 152)

- A) It is used for functionality type A in Java program number 152
- B) It is used for functionality type B in Java program number 152
- C) It is used for functionality type C in Java program number 152
- D) It is used for functionality type D in Java program number 152

Answer: A

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 153)

- A) It is used for functionality type A in Java program number 153
- B) It is used for functionality type B in Java program number 153
- C) It is used for functionality type C in Java program number 153
- D) It is used for functionality type D in Java program number 153

Answer: B

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 154)

- A) It is used for functionality type A in Java program number 154
- B) It is used for functionality type B in Java program number 154
- C) It is used for functionality type C in Java program number 154
- D) It is used for functionality type D in Java program number 154

Answer: C

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 155)

- A) It is used for functionality type A in Java program number 155
- B) It is used for functionality type B in Java program number 155
- C) It is used for functionality type C in Java program number 155
- D) It is used for functionality type D in Java program number 155

Answer: D

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 156)

- A) It is used for functionality type A in Java program number 156
- B) It is used for functionality type B in Java program number 156

- C) It is used for functionality type C in Java program number 156
- D) It is used for functionality type D in Java program number 156

Answer: A

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 157)

- A) It is used for functionality type A in Java program number 157
- B) It is used for functionality type B in Java program number 157
- C) It is used for functionality type C in Java program number 157
- D) It is used for functionality type D in Java program number 157

Answer: B

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 158)

- A) It is used for functionality type A in Java program number 158
- B) It is used for functionality type B in Java program number 158
- C) It is used for functionality type C in Java program number 158
- D) It is used for functionality type D in Java program number 158

Answer: C

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 159)

- A) It is used for functionality type A in Java program number 159
- B) It is used for functionality type B in Java program number 159
- C) It is used for functionality type C in Java program number 159
- D) It is used for functionality type D in Java program number 159

Answer: D

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 160)

- A) It is used for functionality type A in Java program number 160
- B) It is used for functionality type B in Java program number 160
- C) It is used for functionality type C in Java program number 160
- D) It is used for functionality type D in Java program number 160

Answer: A

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 161)

- A) It is used for functionality type A in Java program number 161
- B) It is used for functionality type B in Java program number 161
- C) It is used for functionality type C in Java program number 161
- D) It is used for functionality type D in Java program number 161

Answer: B

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 162)

- A) It is used for functionality type A in Java program number 162
- B) It is used for functionality type B in Java program number 162
- C) It is used for functionality type C in Java program number 162
- D) It is used for functionality type D in Java program number 162

Answer: C

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 163)

- A) It is used for functionality type A in Java program number 163
- B) It is used for functionality type B in Java program number 163
- C) It is used for functionality type C in Java program number 163
- D) It is used for functionality type D in Java program number 163

Answer: D

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 164)

- A) It is used for functionality type A in Java program number 164
- B) It is used for functionality type B in Java program number 164
- C) It is used for functionality type C in Java program number 164
- D) It is used for functionality type D in Java program number 164

Answer: A

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 165)

- A) It is used for functionality type A in Java program number 165
- B) It is used for functionality type B in Java program number 165
- C) It is used for functionality type C in Java program number 165

D) It is used for functionality type D in Java program number 165

Answer: B

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 166)

- A) It is used for functionality type A in Java program number 166
- B) It is used for functionality type B in Java program number 166
- C) It is used for functionality type C in Java program number 166
- D) It is used for functionality type D in Java program number 166

Answer: C

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 167)

- A) It is used for functionality type A in Java program number 167
- B) It is used for functionality type B in Java program number 167
- C) It is used for functionality type C in Java program number 167
- D) It is used for functionality type D in Java program number 167

Answer: D

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 168)

- A) It is used for functionality type A in Java program number 168
- B) It is used for functionality type B in Java program number 168
- C) It is used for functionality type C in Java program number 168
- D) It is used for functionality type D in Java program number 168

Answer: A

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 169)

- A) It is used for functionality type A in Java program number 169
- B) It is used for functionality type B in Java program number 169
- C) It is used for functionality type C in Java program number 169
- D) It is used for functionality type D in Java program number 169

Answer: B

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 170)

- A) It is used for functionality type A in Java program number 170
- B) It is used for functionality type B in Java program number 170
- C) It is used for functionality type C in Java program number 170
- D) It is used for functionality type D in Java program number 170

Answer: C

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 171)

- A) It is used for functionality type A in Java program number 171
- B) It is used for functionality type B in Java program number 171
- C) It is used for functionality type C in Java program number 171
- D) It is used for functionality type D in Java program number 171

Answer: D

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 172)

- A) It is used for functionality type A in Java program number 172
- B) It is used for functionality type B in Java program number 172
- C) It is used for functionality type C in Java program number 172
- D) It is used for functionality type D in Java program number 172

Answer: A

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 173)

- A) It is used for functionality type A in Java program number 173
- B) It is used for functionality type B in Java program number 173
- C) It is used for functionality type C in Java program number 173
- D) It is used for functionality type D in Java program number 173

Answer: B

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 174)

- A) It is used for functionality type A in Java program number 174
- B) It is used for functionality type B in Java program number 174
- C) It is used for functionality type C in Java program number 174
- D) It is used for functionality type D in Java program number 174

Answer: C

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 175)

- A) It is used for functionality type A in Java program number 175
- B) It is used for functionality type B in Java program number 175
- C) It is used for functionality type C in Java program number 175
- D) It is used for functionality type D in Java program number 175

Answer: D

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 176)

- A) It is used for functionality type A in Java program number 176
- B) It is used for functionality type B in Java program number 176
- C) It is used for functionality type C in Java program number 176
- D) It is used for functionality type D in Java program number 176

Answer: A

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 177)

- A) It is used for functionality type A in Java program number 177
- B) It is used for functionality type B in Java program number 177
- C) It is used for functionality type C in Java program number 177
- D) It is used for functionality type D in Java program number 177

Answer: B

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 178)

- A) It is used for functionality type A in Java program number 178
- B) It is used for functionality type B in Java program number 178
- C) It is used for functionality type C in Java program number 178
- D) It is used for functionality type D in Java program number 178

Answer: C

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 179)

- A) It is used for functionality type A in Java program number 179
- B) It is used for functionality type B in Java program number 179
- C) It is used for functionality type C in Java program number 179
- D) It is used for functionality type D in Java program number 179

Answer: D

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 180)

- A) It is used for functionality type A in Java program number 180
- B) It is used for functionality type B in Java program number 180
- C) It is used for functionality type C in Java program number 180
- D) It is used for functionality type D in Java program number 180

Answer: A

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 181)

- A) It is used for functionality type A in Java program number 181
- B) It is used for functionality type B in Java program number 181
- C) It is used for functionality type C in Java program number 181
- D) It is used for functionality type D in Java program number 181

Answer: B

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 182)

- A) It is used for functionality type A in Java program number 182
- B) It is used for functionality type B in Java program number 182
- C) It is used for functionality type C in Java program number 182
- D) It is used for functionality type D in Java program number 182

Answer: C

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 183)

- A) It is used for functionality type A in Java program number 183
- B) It is used for functionality type B in Java program number 183
- C) It is used for functionality type C in Java program number 183
- D) It is used for functionality type D in Java program number 183

Answer: D

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 184)

- A) It is used for functionality type A in Java program number 184
- B) It is used for functionality type B in Java program number 184
- C) It is used for functionality type C in Java program number 184
- D) It is used for functionality type D in Java program number 184

Answer: A

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 185)

- A) It is used for functionality type A in Java program number 185
- B) It is used for functionality type B in Java program number 185
- C) It is used for functionality type C in Java program number 185
- D) It is used for functionality type D in Java program number 185

Answer: B

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 186)

- A) It is used for functionality type A in Java program number 186
- B) It is used for functionality type B in Java program number 186
- C) It is used for functionality type C in Java program number 186
- D) It is used for functionality type D in Java program number 186

Answer: C

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 187)

- A) It is used for functionality type A in Java program number 187
- B) It is used for functionality type B in Java program number 187
- C) It is used for functionality type C in Java program number 187
- D) It is used for functionality type D in Java program number 187

Answer: D

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 188)

- A) It is used for functionality type A in Java program number 188
- B) It is used for functionality type B in Java program number 188
- C) It is used for functionality type C in Java program number 188
- D) It is used for functionality type D in Java program number 188

Answer: A

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 189)

- A) It is used for functionality type A in Java program number 189
- B) It is used for functionality type B in Java program number 189
- C) It is used for functionality type C in Java program number 189
- D) It is used for functionality type D in Java program number 189

Answer: B

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 190)

- A) It is used for functionality type A in Java program number 190
- B) It is used for functionality type B in Java program number 190
- C) It is used for functionality type C in Java program number 190
- D) It is used for functionality type D in Java program number 190

Answer: C

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 191)

- A) It is used for functionality type A in Java program number 191
- B) It is used for functionality type B in Java program number 191
- C) It is used for functionality type C in Java program number 191
- D) It is used for functionality type D in Java program number 191

Answer: D

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 192)

- A) It is used for functionality type A in Java program number 192
- B) It is used for functionality type B in Java program number 192
- C) It is used for functionality type C in Java program number 192
- D) It is used for functionality type D in Java program number 192

Answer: A

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 193)

- A) It is used for functionality type A in Java program number 193
- B) It is used for functionality type B in Java program number 193
- C) It is used for functionality type C in Java program number 193
- D) It is used for functionality type D in Java program number 193

Answer: B

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 194)

- A) It is used for functionality type A in Java program number 194
- B) It is used for functionality type B in Java program number 194
- C) It is used for functionality type C in Java program number 194
- D) It is used for functionality type D in Java program number 194

Answer: C

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 195)

- A) It is used for functionality type A in Java program number 195
- B) It is used for functionality type B in Java program number 195
- C) It is used for functionality type C in Java program number 195
- D) It is used for functionality type D in Java program number 195

Answer: D

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 196)

- A) It is used for functionality type A in Java program number 196
- B) It is used for functionality type B in Java program number 196
- C) It is used for functionality type C in Java program number 196
- D) It is used for functionality type D in Java program number 196

Answer: A

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 197)

- A) It is used for functionality type A in Java program number 197
- B) It is used for functionality type B in Java program number 197
- C) It is used for functionality type C in Java program number 197
- D) It is used for functionality type D in Java program number 197

Answer: B

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 198)

- A) It is used for functionality type A in Java program number 198
- B) It is used for functionality type B in Java program number 198
- C) It is used for functionality type C in Java program number 198
- D) It is used for functionality type D in Java program number 198

Answer: C

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 199)

- A) It is used for functionality type A in Java program number 199
- B) It is used for functionality type B in Java program number 199
- C) It is used for functionality type C in Java program number 199
- D) It is used for functionality type D in Java program number 199

Answer: D

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 200)

- A) It is used for functionality type A in Java program number 200
- B) It is used for functionality type B in Java program number 200
- C) It is used for functionality type C in Java program number 200
- D) It is used for functionality type D in Java program number 200

Answer: A

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 201)

- A) It is used for functionality type A in Java program number 201
- B) It is used for functionality type B in Java program number 201
- C) It is used for functionality type C in Java program number 201
- D) It is used for functionality type D in Java program number 201

Answer: B

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 202)

- A) It is used for functionality type A in Java program number 202
- B) It is used for functionality type B in Java program number 202
- C) It is used for functionality type C in Java program number 202
- D) It is used for functionality type D in Java program number 202

Answer: C

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 203)

- A) It is used for functionality type A in Java program number 203
- B) It is used for functionality type B in Java program number 203
- C) It is used for functionality type C in Java program number 203
- D) It is used for functionality type D in Java program number 203

Answer: D

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 204)

- A) It is used for functionality type A in Java program number 204
- B) It is used for functionality type B in Java program number 204
- C) It is used for functionality type C in Java program number 204
- D) It is used for functionality type D in Java program number 204

Answer: A

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 205)

- A) It is used for functionality type A in Java program number 205
- B) It is used for functionality type B in Java program number 205
- C) It is used for functionality type C in Java program number 205
- D) It is used for functionality type D in Java program number 205

Answer: B

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 206)

- A) It is used for functionality type A in Java program number 206
- B) It is used for functionality type B in Java program number 206
- C) It is used for functionality type C in Java program number 206
- D) It is used for functionality type D in Java program number 206

Answer: C

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 207)

- A) It is used for functionality type A in Java program number 207
- B) It is used for functionality type B in Java program number 207
- C) It is used for functionality type C in Java program number 207
- D) It is used for functionality type D in Java program number 207

Answer: D

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 208)

- A) It is used for functionality type A in Java program number 208
- B) It is used for functionality type B in Java program number 208
- C) It is used for functionality type C in Java program number 208
- D) It is used for functionality type D in Java program number 208

Answer: A

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 209)

- A) It is used for functionality type A in Java program number 209
- B) It is used for functionality type B in Java program number 209
- C) It is used for functionality type C in Java program number 209
- D) It is used for functionality type D in Java program number 209

Answer: B

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 210)

- A) It is used for functionality type A in Java program number 210
- B) It is used for functionality type B in Java program number 210
- C) It is used for functionality type C in Java program number 210
- D) It is used for functionality type D in Java program number 210

Answer: C

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 211)

- A) It is used for functionality type A in Java program number 211

- B) It is used for functionality type B in Java program number 211
- C) It is used for functionality type C in Java program number 211
- D) It is used for functionality type D in Java program number 211

Answer: D

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 212)

- A) It is used for functionality type A in Java program number 212
- B) It is used for functionality type B in Java program number 212
- C) It is used for functionality type C in Java program number 212
- D) It is used for functionality type D in Java program number 212

Answer: A

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 213)

- A) It is used for functionality type A in Java program number 213
- B) It is used for functionality type B in Java program number 213
- C) It is used for functionality type C in Java program number 213
- D) It is used for functionality type D in Java program number 213

Answer: B

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 214)

- A) It is used for functionality type A in Java program number 214
- B) It is used for functionality type B in Java program number 214
- C) It is used for functionality type C in Java program number 214
- D) It is used for functionality type D in Java program number 214

Answer: C

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 215)

- A) It is used for functionality type A in Java program number 215
- B) It is used for functionality type B in Java program number 215
- C) It is used for functionality type C in Java program number 215
- D) It is used for functionality type D in Java program number 215

Answer: D

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 216)

- A) It is used for functionality type A in Java program number 216
- B) It is used for functionality type B in Java program number 216
- C) It is used for functionality type C in Java program number 216
- D) It is used for functionality type D in Java program number 216

Answer: A

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 217)

- A) It is used for functionality type A in Java program number 217
- B) It is used for functionality type B in Java program number 217
- C) It is used for functionality type C in Java program number 217
- D) It is used for functionality type D in Java program number 217

Answer: B

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 218)

- A) It is used for functionality type A in Java program number 218
- B) It is used for functionality type B in Java program number 218
- C) It is used for functionality type C in Java program number 218
- D) It is used for functionality type D in Java program number 218

Answer: C

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 219)

- A) It is used for functionality type A in Java program number 219
- B) It is used for functionality type B in Java program number 219
- C) It is used for functionality type C in Java program number 219
- D) It is used for functionality type D in Java program number 219

Answer: D

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 220)

- A) It is used for functionality type A in Java program number 220
- B) It is used for functionality type B in Java program number 220



- C) It is used for functionality type C in Java program number 220
- D) It is used for functionality type D in Java program number 220

Answer: A

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 221)

- A) It is used for functionality type A in Java program number 221
- B) It is used for functionality type B in Java program number 221
- C) It is used for functionality type C in Java program number 221
- D) It is used for functionality type D in Java program number 221

Answer: B

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 222)

- A) It is used for functionality type A in Java program number 222
- B) It is used for functionality type B in Java program number 222
- C) It is used for functionality type C in Java program number 222
- D) It is used for functionality type D in Java program number 222

Answer: C

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 223)

- A) It is used for functionality type A in Java program number 223
- B) It is used for functionality type B in Java program number 223
- C) It is used for functionality type C in Java program number 223
- D) It is used for functionality type D in Java program number 223

Answer: D

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 224)

- A) It is used for functionality type A in Java program number 224
- B) It is used for functionality type B in Java program number 224
- C) It is used for functionality type C in Java program number 224
- D) It is used for functionality type D in Java program number 224

Answer: A

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 225)

- A) It is used for functionality type A in Java program number 225
- B) It is used for functionality type B in Java program number 225
- C) It is used for functionality type C in Java program number 225
- D) It is used for functionality type D in Java program number 225

Answer: B

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 226)

- A) It is used for functionality type A in Java program number 226
- B) It is used for functionality type B in Java program number 226
- C) It is used for functionality type C in Java program number 226
- D) It is used for functionality type D in Java program number 226

Answer: C

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 227)

- A) It is used for functionality type A in Java program number 227
- B) It is used for functionality type B in Java program number 227
- C) It is used for functionality type C in Java program number 227
- D) It is used for functionality type D in Java program number 227

Answer: D

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 228)

- A) It is used for functionality type A in Java program number 228
- B) It is used for functionality type B in Java program number 228
- C) It is used for functionality type C in Java program number 228
- D) It is used for functionality type D in Java program number 228

Answer: A

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 229)

- A) It is used for functionality type A in Java program number 229
- B) It is used for functionality type B in Java program number 229
- C) It is used for functionality type C in Java program number 229

D) It is used for functionality type D in Java program number 229

Answer: B

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 230)

- A) It is used for functionality type A in Java program number 230
- B) It is used for functionality type B in Java program number 230
- C) It is used for functionality type C in Java program number 230
- D) It is used for functionality type D in Java program number 230

Answer: C

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 231)

- A) It is used for functionality type A in Java program number 231
- B) It is used for functionality type B in Java program number 231
- C) It is used for functionality type C in Java program number 231
- D) It is used for functionality type D in Java program number 231

Answer: D

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 232)

- A) It is used for functionality type A in Java program number 232
- B) It is used for functionality type B in Java program number 232
- C) It is used for functionality type C in Java program number 232
- D) It is used for functionality type D in Java program number 232

Answer: A

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 233)

- A) It is used for functionality type A in Java program number 233
- B) It is used for functionality type B in Java program number 233
- C) It is used for functionality type C in Java program number 233
- D) It is used for functionality type D in Java program number 233

Answer: B

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 234)

- A) It is used for functionality type A in Java program number 234
- B) It is used for functionality type B in Java program number 234
- C) It is used for functionality type C in Java program number 234
- D) It is used for functionality type D in Java program number 234

Answer: C

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 235)

- A) It is used for functionality type A in Java program number 235
- B) It is used for functionality type B in Java program number 235
- C) It is used for functionality type C in Java program number 235
- D) It is used for functionality type D in Java program number 235

Answer: D

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 236)

- A) It is used for functionality type A in Java program number 236
- B) It is used for functionality type B in Java program number 236
- C) It is used for functionality type C in Java program number 236
- D) It is used for functionality type D in Java program number 236

Answer: A

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 237)

- A) It is used for functionality type A in Java program number 237
- B) It is used for functionality type B in Java program number 237
- C) It is used for functionality type C in Java program number 237
- D) It is used for functionality type D in Java program number 237

Answer: B

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 238)

- A) It is used for functionality type A in Java program number 238
- B) It is used for functionality type B in Java program number 238
- C) It is used for functionality type C in Java program number 238
- D) It is used for functionality type D in Java program number 238

Answer: C

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 239)

- A) It is used for functionality type A in Java program number 239
- B) It is used for functionality type B in Java program number 239
- C) It is used for functionality type C in Java program number 239
- D) It is used for functionality type D in Java program number 239

Answer: D

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 240)

- A) It is used for functionality type A in Java program number 240
- B) It is used for functionality type B in Java program number 240
- C) It is used for functionality type C in Java program number 240
- D) It is used for functionality type D in Java program number 240

Answer: A

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 241)

- A) It is used for functionality type A in Java program number 241
- B) It is used for functionality type B in Java program number 241
- C) It is used for functionality type C in Java program number 241
- D) It is used for functionality type D in Java program number 241

Answer: B

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 242)

- A) It is used for functionality type A in Java program number 242
- B) It is used for functionality type B in Java program number 242
- C) It is used for functionality type C in Java program number 242
- D) It is used for functionality type D in Java program number 242

Answer: C

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 243)

- A) It is used for functionality type A in Java program number 243
- B) It is used for functionality type B in Java program number 243
- C) It is used for functionality type C in Java program number 243
- D) It is used for functionality type D in Java program number 243

Answer: D

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 244)

- A) It is used for functionality type A in Java program number 244
- B) It is used for functionality type B in Java program number 244
- C) It is used for functionality type C in Java program number 244
- D) It is used for functionality type D in Java program number 244

Answer: A

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 245)

- A) It is used for functionality type A in Java program number 245
- B) It is used for functionality type B in Java program number 245
- C) It is used for functionality type C in Java program number 245
- D) It is used for functionality type D in Java program number 245

Answer: B

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 246)

- A) It is used for functionality type A in Java program number 246
- B) It is used for functionality type B in Java program number 246
- C) It is used for functionality type C in Java program number 246
- D) It is used for functionality type D in Java program number 246

Answer: C

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 247)

- A) It is used for functionality type A in Java program number 247
- B) It is used for functionality type B in Java program number 247
- C) It is used for functionality type C in Java program number 247
- D) It is used for functionality type D in Java program number 247

Answer: D

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 248)

- A) It is used for functionality type A in Java program number 248
- B) It is used for functionality type B in Java program number 248
- C) It is used for functionality type C in Java program number 248
- D) It is used for functionality type D in Java program number 248

Answer: A

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 249)

- A) It is used for functionality type A in Java program number 249
- B) It is used for functionality type B in Java program number 249
- C) It is used for functionality type C in Java program number 249
- D) It is used for functionality type D in Java program number 249

Answer: B

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 250)

- A) It is used for functionality type A in Java program number 250
- B) It is used for functionality type B in Java program number 250
- C) It is used for functionality type C in Java program number 250
- D) It is used for functionality type D in Java program number 250

Answer: C

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 251)

- A) It is used for functionality type A in Java program number 251
- B) It is used for functionality type B in Java program number 251
- C) It is used for functionality type C in Java program number 251
- D) It is used for functionality type D in Java program number 251

Answer: D

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 252)

- A) It is used for functionality type A in Java program number 252
- B) It is used for functionality type B in Java program number 252
- C) It is used for functionality type C in Java program number 252
- D) It is used for functionality type D in Java program number 252

Answer: A

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 253)

- A) It is used for functionality type A in Java program number 253
- B) It is used for functionality type B in Java program number 253
- C) It is used for functionality type C in Java program number 253
- D) It is used for functionality type D in Java program number 253

Answer: B

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 254)

- A) It is used for functionality type A in Java program number 254
- B) It is used for functionality type B in Java program number 254
- C) It is used for functionality type C in Java program number 254
- D) It is used for functionality type D in Java program number 254

Answer: C

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 255)

- A) It is used for functionality type A in Java program number 255
- B) It is used for functionality type B in Java program number 255
- C) It is used for functionality type C in Java program number 255
- D) It is used for functionality type D in Java program number 255

Answer: D

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 256)

- A) It is used for functionality type A in Java program number 256
- B) It is used for functionality type B in Java program number 256
- C) It is used for functionality type C in Java program number 256
- D) It is used for functionality type D in Java program number 256

Answer: A

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 257)

- A) It is used for functionality type A in Java program number 257
- B) It is used for functionality type B in Java program number 257
- C) It is used for functionality type C in Java program number 257
- D) It is used for functionality type D in Java program number 257

Answer: B

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 258)

- A) It is used for functionality type A in Java program number 258
- B) It is used for functionality type B in Java program number 258
- C) It is used for functionality type C in Java program number 258
- D) It is used for functionality type D in Java program number 258

Answer: C

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 259)

- A) It is used for functionality type A in Java program number 259
- B) It is used for functionality type B in Java program number 259
- C) It is used for functionality type C in Java program number 259
- D) It is used for functionality type D in Java program number 259

Answer: D

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 260)

- A) It is used for functionality type A in Java program number 260
- B) It is used for functionality type B in Java program number 260
- C) It is used for functionality type C in Java program number 260
- D) It is used for functionality type D in Java program number 260

Answer: A

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 261)

- A) It is used for functionality type A in Java program number 261
- B) It is used for functionality type B in Java program number 261
- C) It is used for functionality type C in Java program number 261
- D) It is used for functionality type D in Java program number 261

Answer: B

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 262)

- A) It is used for functionality type A in Java program number 262
- B) It is used for functionality type B in Java program number 262
- C) It is used for functionality type C in Java program number 262
- D) It is used for functionality type D in Java program number 262

Answer: C

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 263)

- A) It is used for functionality type A in Java program number 263
- B) It is used for functionality type B in Java program number 263
- C) It is used for functionality type C in Java program number 263
- D) It is used for functionality type D in Java program number 263

Answer: D

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 264)

- A) It is used for functionality type A in Java program number 264
- B) It is used for functionality type B in Java program number 264
- C) It is used for functionality type C in Java program number 264
- D) It is used for functionality type D in Java program number 264

Answer: A

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 265)

- A) It is used for functionality type A in Java program number 265
- B) It is used for functionality type B in Java program number 265
- C) It is used for functionality type C in Java program number 265
- D) It is used for functionality type D in Java program number 265

Answer: B

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 266)

- A) It is used for functionality type A in Java program number 266
- B) It is used for functionality type B in Java program number 266
- C) It is used for functionality type C in Java program number 266
- D) It is used for functionality type D in Java program number 266

Answer: C

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 267)

- A) It is used for functionality type A in Java program number 267
- B) It is used for functionality type B in Java program number 267
- C) It is used for functionality type C in Java program number 267
- D) It is used for functionality type D in Java program number 267

Answer: D

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 268)

- A) It is used for functionality type A in Java program number 268
- B) It is used for functionality type B in Java program number 268
- C) It is used for functionality type C in Java program number 268
- D) It is used for functionality type D in Java program number 268

Answer: A

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 269)

- A) It is used for functionality type A in Java program number 269
- B) It is used for functionality type B in Java program number 269
- C) It is used for functionality type C in Java program number 269
- D) It is used for functionality type D in Java program number 269

Answer: B

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 270)

- A) It is used for functionality type A in Java program number 270
- B) It is used for functionality type B in Java program number 270
- C) It is used for functionality type C in Java program number 270
- D) It is used for functionality type D in Java program number 270

Answer: C

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 271)

- A) It is used for functionality type A in Java program number 271
- B) It is used for functionality type B in Java program number 271
- C) It is used for functionality type C in Java program number 271
- D) It is used for functionality type D in Java program number 271

Answer: D

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 272)

- A) It is used for functionality type A in Java program number 272
- B) It is used for functionality type B in Java program number 272
- C) It is used for functionality type C in Java program number 272
- D) It is used for functionality type D in Java program number 272

Answer: A

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 273)

- A) It is used for functionality type A in Java program number 273
- B) It is used for functionality type B in Java program number 273
- C) It is used for functionality type C in Java program number 273
- D) It is used for functionality type D in Java program number 273

Answer: B

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 274)

- A) It is used for functionality type A in Java program number 274
- B) It is used for functionality type B in Java program number 274
- C) It is used for functionality type C in Java program number 274
- D) It is used for functionality type D in Java program number 274

Answer: C

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 275)

- A) It is used for functionality type A in Java program number 275

- B) It is used for functionality type B in Java program number 275
- C) It is used for functionality type C in Java program number 275
- D) It is used for functionality type D in Java program number 275

Answer: D

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 276)

- A) It is used for functionality type A in Java program number 276
- B) It is used for functionality type B in Java program number 276
- C) It is used for functionality type C in Java program number 276
- D) It is used for functionality type D in Java program number 276

Answer: A

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 277)

- A) It is used for functionality type A in Java program number 277
- B) It is used for functionality type B in Java program number 277
- C) It is used for functionality type C in Java program number 277
- D) It is used for functionality type D in Java program number 277

Answer: B

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 278)

- A) It is used for functionality type A in Java program number 278
- B) It is used for functionality type B in Java program number 278
- C) It is used for functionality type C in Java program number 278
- D) It is used for functionality type D in Java program number 278

Answer: C

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 279)

- A) It is used for functionality type A in Java program number 279
- B) It is used for functionality type B in Java program number 279
- C) It is used for functionality type C in Java program number 279
- D) It is used for functionality type D in Java program number 279

Answer: D

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 280)

- A) It is used for functionality type A in Java program number 280
- B) It is used for functionality type B in Java program number 280
- C) It is used for functionality type C in Java program number 280
- D) It is used for functionality type D in Java program number 280

Answer: A

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 281)

- A) It is used for functionality type A in Java program number 281
- B) It is used for functionality type B in Java program number 281
- C) It is used for functionality type C in Java program number 281
- D) It is used for functionality type D in Java program number 281

Answer: B

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 282)

- A) It is used for functionality type A in Java program number 282
- B) It is used for functionality type B in Java program number 282
- C) It is used for functionality type C in Java program number 282
- D) It is used for functionality type D in Java program number 282

Answer: C

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 283)

- A) It is used for functionality type A in Java program number 283
- B) It is used for functionality type B in Java program number 283
- C) It is used for functionality type C in Java program number 283
- D) It is used for functionality type D in Java program number 283

Answer: D

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 284)

- A) It is used for functionality type A in Java program number 284
- B) It is used for functionality type B in Java program number 284

- C) It is used for functionality type C in Java program number 284
- D) It is used for functionality type D in Java program number 284

Answer: A

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 285)

- A) It is used for functionality type A in Java program number 285
- B) It is used for functionality type B in Java program number 285
- C) It is used for functionality type C in Java program number 285
- D) It is used for functionality type D in Java program number 285

Answer: B

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 286)

- A) It is used for functionality type A in Java program number 286
- B) It is used for functionality type B in Java program number 286
- C) It is used for functionality type C in Java program number 286
- D) It is used for functionality type D in Java program number 286

Answer: C

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 287)

- A) It is used for functionality type A in Java program number 287
- B) It is used for functionality type B in Java program number 287
- C) It is used for functionality type C in Java program number 287
- D) It is used for functionality type D in Java program number 287

Answer: D

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 288)

- A) It is used for functionality type A in Java program number 288
- B) It is used for functionality type B in Java program number 288
- C) It is used for functionality type C in Java program number 288
- D) It is used for functionality type D in Java program number 288

Answer: A

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 289)

- A) It is used for functionality type A in Java program number 289
- B) It is used for functionality type B in Java program number 289
- C) It is used for functionality type C in Java program number 289
- D) It is used for functionality type D in Java program number 289

Answer: B

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 290)

- A) It is used for functionality type A in Java program number 290
- B) It is used for functionality type B in Java program number 290
- C) It is used for functionality type C in Java program number 290
- D) It is used for functionality type D in Java program number 290

Answer: C

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 291)

- A) It is used for functionality type A in Java program number 291
- B) It is used for functionality type B in Java program number 291
- C) It is used for functionality type C in Java program number 291
- D) It is used for functionality type D in Java program number 291

Answer: D

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 292)

- A) It is used for functionality type A in Java program number 292
- B) It is used for functionality type B in Java program number 292
- C) It is used for functionality type C in Java program number 292
- D) It is used for functionality type D in Java program number 292

Answer: A

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 293)

- A) It is used for functionality type A in Java program number 293
- B) It is used for functionality type B in Java program number 293
- C) It is used for functionality type C in Java program number 293



D) It is used for functionality type D in Java program number 293

Answer: B

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 294)

- A) It is used for functionality type A in Java program number 294
- B) It is used for functionality type B in Java program number 294
- C) It is used for functionality type C in Java program number 294
- D) It is used for functionality type D in Java program number 294

Answer: C

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 295)

- A) It is used for functionality type A in Java program number 295
- B) It is used for functionality type B in Java program number 295
- C) It is used for functionality type C in Java program number 295
- D) It is used for functionality type D in Java program number 295

Answer: D

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 296)

- A) It is used for functionality type A in Java program number 296
- B) It is used for functionality type B in Java program number 296
- C) It is used for functionality type C in Java program number 296
- D) It is used for functionality type D in Java program number 296

Answer: A

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 297)

- A) It is used for functionality type A in Java program number 297
- B) It is used for functionality type B in Java program number 297
- C) It is used for functionality type C in Java program number 297
- D) It is used for functionality type D in Java program number 297

Answer: B

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 298)

- A) It is used for functionality type A in Java program number 298
- B) It is used for functionality type B in Java program number 298
- C) It is used for functionality type C in Java program number 298
- D) It is used for functionality type D in Java program number 298

Answer: C

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 299)

- A) It is used for functionality type A in Java program number 299
- B) It is used for functionality type B in Java program number 299
- C) It is used for functionality type C in Java program number 299
- D) It is used for functionality type D in Java program number 299

Answer: D

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 300)

- A) It is used for functionality type A in Java program number 300
- B) It is used for functionality type B in Java program number 300
- C) It is used for functionality type C in Java program number 300
- D) It is used for functionality type D in Java program number 300

Answer: A

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 301)

- A) It is used for functionality type A in Java program number 301
- B) It is used for functionality type B in Java program number 301
- C) It is used for functionality type C in Java program number 301
- D) It is used for functionality type D in Java program number 301

Answer: B

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 302)

- A) It is used for functionality type A in Java program number 302
- B) It is used for functionality type B in Java program number 302
- C) It is used for functionality type C in Java program number 302
- D) It is used for functionality type D in Java program number 302

Answer: C

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 303)

- A) It is used for functionality type A in Java program number 303
- B) It is used for functionality type B in Java program number 303
- C) It is used for functionality type C in Java program number 303
- D) It is used for functionality type D in Java program number 303

Answer: D

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 304)

- A) It is used for functionality type A in Java program number 304
- B) It is used for functionality type B in Java program number 304
- C) It is used for functionality type C in Java program number 304
- D) It is used for functionality type D in Java program number 304

Answer: A

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 305)

- A) It is used for functionality type A in Java program number 305
- B) It is used for functionality type B in Java program number 305
- C) It is used for functionality type C in Java program number 305
- D) It is used for functionality type D in Java program number 305

Answer: B

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 306)

- A) It is used for functionality type A in Java program number 306
- B) It is used for functionality type B in Java program number 306
- C) It is used for functionality type C in Java program number 306
- D) It is used for functionality type D in Java program number 306

Answer: C

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 307)

- A) It is used for functionality type A in Java program number 307
- B) It is used for functionality type B in Java program number 307
- C) It is used for functionality type C in Java program number 307
- D) It is used for functionality type D in Java program number 307

Answer: D

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 308)

- A) It is used for functionality type A in Java program number 308
- B) It is used for functionality type B in Java program number 308
- C) It is used for functionality type C in Java program number 308
- D) It is used for functionality type D in Java program number 308

Answer: A

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 309)

- A) It is used for functionality type A in Java program number 309
- B) It is used for functionality type B in Java program number 309
- C) It is used for functionality type C in Java program number 309
- D) It is used for functionality type D in Java program number 309

Answer: B

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 310)

- A) It is used for functionality type A in Java program number 310
- B) It is used for functionality type B in Java program number 310
- C) It is used for functionality type C in Java program number 310
- D) It is used for functionality type D in Java program number 310

Answer: C

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 311)

- A) It is used for functionality type A in Java program number 311
- B) It is used for functionality type B in Java program number 311
- C) It is used for functionality type C in Java program number 311
- D) It is used for functionality type D in Java program number 311

Answer: D

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 312)

- A) It is used for functionality type A in Java program number 312
- B) It is used for functionality type B in Java program number 312
- C) It is used for functionality type C in Java program number 312
- D) It is used for functionality type D in Java program number 312

Answer: A

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 313)

- A) It is used for functionality type A in Java program number 313
- B) It is used for functionality type B in Java program number 313
- C) It is used for functionality type C in Java program number 313
- D) It is used for functionality type D in Java program number 313

Answer: B

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 314)

- A) It is used for functionality type A in Java program number 314
- B) It is used for functionality type B in Java program number 314
- C) It is used for functionality type C in Java program number 314
- D) It is used for functionality type D in Java program number 314

Answer: C

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 315)

- A) It is used for functionality type A in Java program number 315
- B) It is used for functionality type B in Java program number 315
- C) It is used for functionality type C in Java program number 315
- D) It is used for functionality type D in Java program number 315

Answer: D

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 316)

- A) It is used for functionality type A in Java program number 316
- B) It is used for functionality type B in Java program number 316
- C) It is used for functionality type C in Java program number 316
- D) It is used for functionality type D in Java program number 316

Answer: A

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 317)

- A) It is used for functionality type A in Java program number 317
- B) It is used for functionality type B in Java program number 317
- C) It is used for functionality type C in Java program number 317
- D) It is used for functionality type D in Java program number 317

Answer: B

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 318)

- A) It is used for functionality type A in Java program number 318
- B) It is used for functionality type B in Java program number 318
- C) It is used for functionality type C in Java program number 318
- D) It is used for functionality type D in Java program number 318

Answer: C

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 319)

- A) It is used for functionality type A in Java program number 319
- B) It is used for functionality type B in Java program number 319
- C) It is used for functionality type C in Java program number 319
- D) It is used for functionality type D in Java program number 319

Answer: D

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 320)

- A) It is used for functionality type A in Java program number 320
- B) It is used for functionality type B in Java program number 320
- C) It is used for functionality type C in Java program number 320
- D) It is used for functionality type D in Java program number 320

Answer: A

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 321)

- A) It is used for functionality type A in Java program number 321
- B) It is used for functionality type B in Java program number 321
- C) It is used for functionality type C in Java program number 321
- D) It is used for functionality type D in Java program number 321

Answer: B

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 322)

- A) It is used for functionality type A in Java program number 322
- B) It is used for functionality type B in Java program number 322
- C) It is used for functionality type C in Java program number 322
- D) It is used for functionality type D in Java program number 322

Answer: C

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 323)

- A) It is used for functionality type A in Java program number 323
- B) It is used for functionality type B in Java program number 323
- C) It is used for functionality type C in Java program number 323
- D) It is used for functionality type D in Java program number 323

Answer: D

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 324)

- A) It is used for functionality type A in Java program number 324
- B) It is used for functionality type B in Java program number 324
- C) It is used for functionality type C in Java program number 324
- D) It is used for functionality type D in Java program number 324

Answer: A

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 325)

- A) It is used for functionality type A in Java program number 325
- B) It is used for functionality type B in Java program number 325
- C) It is used for functionality type C in Java program number 325
- D) It is used for functionality type D in Java program number 325

Answer: B

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 326)

- A) It is used for functionality type A in Java program number 326
- B) It is used for functionality type B in Java program number 326
- C) It is used for functionality type C in Java program number 326
- D) It is used for functionality type D in Java program number 326

Answer: C

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 327)

- A) It is used for functionality type A in Java program number 327
- B) It is used for functionality type B in Java program number 327
- C) It is used for functionality type C in Java program number 327
- D) It is used for functionality type D in Java program number 327

Answer: D

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 328)

- A) It is used for functionality type A in Java program number 328
- B) It is used for functionality type B in Java program number 328
- C) It is used for functionality type C in Java program number 328
- D) It is used for functionality type D in Java program number 328

Answer: A

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 329)

- A) It is used for functionality type A in Java program number 329
- B) It is used for functionality type B in Java program number 329
- C) It is used for functionality type C in Java program number 329
- D) It is used for functionality type D in Java program number 329

Answer: B

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 330)

- A) It is used for functionality type A in Java program number 330
- B) It is used for functionality type B in Java program number 330
- C) It is used for functionality type C in Java program number 330
- D) It is used for functionality type D in Java program number 330

Answer: C

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 331)

- A) It is used for functionality type A in Java program number 331
- B) It is used for functionality type B in Java program number 331
- C) It is used for functionality type C in Java program number 331
- D) It is used for functionality type D in Java program number 331

Answer: D

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 332)

- A) It is used for functionality type A in Java program number 332
- B) It is used for functionality type B in Java program number 332
- C) It is used for functionality type C in Java program number 332
- D) It is used for functionality type D in Java program number 332

Answer: A

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 333)

- A) It is used for functionality type A in Java program number 333
- B) It is used for functionality type B in Java program number 333
- C) It is used for functionality type C in Java program number 333
- D) It is used for functionality type D in Java program number 333

Answer: B

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 334)

- A) It is used for functionality type A in Java program number 334
- B) It is used for functionality type B in Java program number 334
- C) It is used for functionality type C in Java program number 334
- D) It is used for functionality type D in Java program number 334

Answer: C

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 335)

- A) It is used for functionality type A in Java program number 335
- B) It is used for functionality type B in Java program number 335
- C) It is used for functionality type C in Java program number 335
- D) It is used for functionality type D in Java program number 335

Answer: D

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 336)

- A) It is used for functionality type A in Java program number 336
- B) It is used for functionality type B in Java program number 336
- C) It is used for functionality type C in Java program number 336
- D) It is used for functionality type D in Java program number 336

Answer: A

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 337)

- A) It is used for functionality type A in Java program number 337
- B) It is used for functionality type B in Java program number 337
- C) It is used for functionality type C in Java program number 337
- D) It is used for functionality type D in Java program number 337

Answer: B

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 338)

- A) It is used for functionality type A in Java program number 338
- B) It is used for functionality type B in Java program number 338
- C) It is used for functionality type C in Java program number 338
- D) It is used for functionality type D in Java program number 338

Answer: C

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 339)

- A) It is used for functionality type A in Java program number 339

- B) It is used for functionality type B in Java program number 339
- C) It is used for functionality type C in Java program number 339
- D) It is used for functionality type D in Java program number 339

Answer: D

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 340)

- A) It is used for functionality type A in Java program number 340
- B) It is used for functionality type B in Java program number 340
- C) It is used for functionality type C in Java program number 340
- D) It is used for functionality type D in Java program number 340

Answer: A

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 341)

- A) It is used for functionality type A in Java program number 341
- B) It is used for functionality type B in Java program number 341
- C) It is used for functionality type C in Java program number 341
- D) It is used for functionality type D in Java program number 341

Answer: B

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 342)

- A) It is used for functionality type A in Java program number 342
- B) It is used for functionality type B in Java program number 342
- C) It is used for functionality type C in Java program number 342
- D) It is used for functionality type D in Java program number 342

Answer: C

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 343)

- A) It is used for functionality type A in Java program number 343
- B) It is used for functionality type B in Java program number 343
- C) It is used for functionality type C in Java program number 343
- D) It is used for functionality type D in Java program number 343

Answer: D

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 344)

- A) It is used for functionality type A in Java program number 344
- B) It is used for functionality type B in Java program number 344
- C) It is used for functionality type C in Java program number 344
- D) It is used for functionality type D in Java program number 344

Answer: A

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 345)

- A) It is used for functionality type A in Java program number 345
- B) It is used for functionality type B in Java program number 345
- C) It is used for functionality type C in Java program number 345
- D) It is used for functionality type D in Java program number 345

Answer: B

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 346)

- A) It is used for functionality type A in Java program number 346
- B) It is used for functionality type B in Java program number 346
- C) It is used for functionality type C in Java program number 346
- D) It is used for functionality type D in Java program number 346

Answer: C

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 347)

- A) It is used for functionality type A in Java program number 347
- B) It is used for functionality type B in Java program number 347
- C) It is used for functionality type C in Java program number 347
- D) It is used for functionality type D in Java program number 347

Answer: D

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 348)

- A) It is used for functionality type A in Java program number 348
- B) It is used for functionality type B in Java program number 348

- C) It is used for functionality type C in Java program number 348
- D) It is used for functionality type D in Java program number 348

Answer: A

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 349)

- A) It is used for functionality type A in Java program number 349
- B) It is used for functionality type B in Java program number 349
- C) It is used for functionality type C in Java program number 349
- D) It is used for functionality type D in Java program number 349

Answer: B

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 350)

- A) It is used for functionality type A in Java program number 350
- B) It is used for functionality type B in Java program number 350
- C) It is used for functionality type C in Java program number 350
- D) It is used for functionality type D in Java program number 350

Answer: C

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 351)

- A) It is used for functionality type A in Java program number 351
- B) It is used for functionality type B in Java program number 351
- C) It is used for functionality type C in Java program number 351
- D) It is used for functionality type D in Java program number 351

Answer: D

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 352)

- A) It is used for functionality type A in Java program number 352
- B) It is used for functionality type B in Java program number 352
- C) It is used for functionality type C in Java program number 352
- D) It is used for functionality type D in Java program number 352

Answer: A

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 353)

- A) It is used for functionality type A in Java program number 353
- B) It is used for functionality type B in Java program number 353
- C) It is used for functionality type C in Java program number 353
- D) It is used for functionality type D in Java program number 353

Answer: B

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 354)

- A) It is used for functionality type A in Java program number 354
- B) It is used for functionality type B in Java program number 354
- C) It is used for functionality type C in Java program number 354
- D) It is used for functionality type D in Java program number 354

Answer: C

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 355)

- A) It is used for functionality type A in Java program number 355
- B) It is used for functionality type B in Java program number 355
- C) It is used for functionality type C in Java program number 355
- D) It is used for functionality type D in Java program number 355

Answer: D

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 356)

- A) It is used for functionality type A in Java program number 356
- B) It is used for functionality type B in Java program number 356
- C) It is used for functionality type C in Java program number 356
- D) It is used for functionality type D in Java program number 356

Answer: A

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 357)

- A) It is used for functionality type A in Java program number 357
- B) It is used for functionality type B in Java program number 357
- C) It is used for functionality type C in Java program number 357

D) It is used for functionality type D in Java program number 357

Answer: B

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 358)

- A) It is used for functionality type A in Java program number 358
- B) It is used for functionality type B in Java program number 358
- C) It is used for functionality type C in Java program number 358
- D) It is used for functionality type D in Java program number 358

Answer: C

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 359)

- A) It is used for functionality type A in Java program number 359
- B) It is used for functionality type B in Java program number 359
- C) It is used for functionality type C in Java program number 359
- D) It is used for functionality type D in Java program number 359

Answer: D

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 360)

- A) It is used for functionality type A in Java program number 360
- B) It is used for functionality type B in Java program number 360
- C) It is used for functionality type C in Java program number 360
- D) It is used for functionality type D in Java program number 360

Answer: A

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 361)

- A) It is used for functionality type A in Java program number 361
- B) It is used for functionality type B in Java program number 361
- C) It is used for functionality type C in Java program number 361
- D) It is used for functionality type D in Java program number 361

Answer: B

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 362)

- A) It is used for functionality type A in Java program number 362
- B) It is used for functionality type B in Java program number 362
- C) It is used for functionality type C in Java program number 362
- D) It is used for functionality type D in Java program number 362

Answer: C

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 363)

- A) It is used for functionality type A in Java program number 363
- B) It is used for functionality type B in Java program number 363
- C) It is used for functionality type C in Java program number 363
- D) It is used for functionality type D in Java program number 363

Answer: D

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 364)

- A) It is used for functionality type A in Java program number 364
- B) It is used for functionality type B in Java program number 364
- C) It is used for functionality type C in Java program number 364
- D) It is used for functionality type D in Java program number 364

Answer: A

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 365)

- A) It is used for functionality type A in Java program number 365
- B) It is used for functionality type B in Java program number 365
- C) It is used for functionality type C in Java program number 365
- D) It is used for functionality type D in Java program number 365

Answer: B

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 366)

- A) It is used for functionality type A in Java program number 366
- B) It is used for functionality type B in Java program number 366
- C) It is used for functionality type C in Java program number 366
- D) It is used for functionality type D in Java program number 366



Answer: C

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 367)

- A) It is used for functionality type A in Java program number 367
- B) It is used for functionality type B in Java program number 367
- C) It is used for functionality type C in Java program number 367
- D) It is used for functionality type D in Java program number 367

Answer: D

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 368)

- A) It is used for functionality type A in Java program number 368
- B) It is used for functionality type B in Java program number 368
- C) It is used for functionality type C in Java program number 368
- D) It is used for functionality type D in Java program number 368

Answer: A

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 369)

- A) It is used for functionality type A in Java program number 369
- B) It is used for functionality type B in Java program number 369
- C) It is used for functionality type C in Java program number 369
- D) It is used for functionality type D in Java program number 369

Answer: B

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 370)

- A) It is used for functionality type A in Java program number 370
- B) It is used for functionality type B in Java program number 370
- C) It is used for functionality type C in Java program number 370
- D) It is used for functionality type D in Java program number 370

Answer: C

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 371)

- A) It is used for functionality type A in Java program number 371
- B) It is used for functionality type B in Java program number 371
- C) It is used for functionality type C in Java program number 371
- D) It is used for functionality type D in Java program number 371

Answer: D

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 372)

- A) It is used for functionality type A in Java program number 372
- B) It is used for functionality type B in Java program number 372
- C) It is used for functionality type C in Java program number 372
- D) It is used for functionality type D in Java program number 372

Answer: A

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 373)

- A) It is used for functionality type A in Java program number 373
- B) It is used for functionality type B in Java program number 373
- C) It is used for functionality type C in Java program number 373
- D) It is used for functionality type D in Java program number 373

Answer: B

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 374)

- A) It is used for functionality type A in Java program number 374
- B) It is used for functionality type B in Java program number 374
- C) It is used for functionality type C in Java program number 374
- D) It is used for functionality type D in Java program number 374

Answer: C

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 375)

- A) It is used for functionality type A in Java program number 375
- B) It is used for functionality type B in Java program number 375
- C) It is used for functionality type C in Java program number 375
- D) It is used for functionality type D in Java program number 375

Answer: D

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 376)

- A) It is used for functionality type A in Java program number 376
- B) It is used for functionality type B in Java program number 376
- C) It is used for functionality type C in Java program number 376
- D) It is used for functionality type D in Java program number 376

Answer: A

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 377)

- A) It is used for functionality type A in Java program number 377
- B) It is used for functionality type B in Java program number 377
- C) It is used for functionality type C in Java program number 377
- D) It is used for functionality type D in Java program number 377

Answer: B

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 378)

- A) It is used for functionality type A in Java program number 378
- B) It is used for functionality type B in Java program number 378
- C) It is used for functionality type C in Java program number 378
- D) It is used for functionality type D in Java program number 378

Answer: C

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 379)

- A) It is used for functionality type A in Java program number 379
- B) It is used for functionality type B in Java program number 379
- C) It is used for functionality type C in Java program number 379
- D) It is used for functionality type D in Java program number 379

Answer: D

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 380)

- A) It is used for functionality type A in Java program number 380
- B) It is used for functionality type B in Java program number 380
- C) It is used for functionality type C in Java program number 380
- D) It is used for functionality type D in Java program number 380

Answer: A

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 381)

- A) It is used for functionality type A in Java program number 381
- B) It is used for functionality type B in Java program number 381
- C) It is used for functionality type C in Java program number 381
- D) It is used for functionality type D in Java program number 381

Answer: B

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 382)

- A) It is used for functionality type A in Java program number 382
- B) It is used for functionality type B in Java program number 382
- C) It is used for functionality type C in Java program number 382
- D) It is used for functionality type D in Java program number 382

Answer: C

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 383)

- A) It is used for functionality type A in Java program number 383
- B) It is used for functionality type B in Java program number 383
- C) It is used for functionality type C in Java program number 383
- D) It is used for functionality type D in Java program number 383

Answer: D

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 384)

- A) It is used for functionality type A in Java program number 384
- B) It is used for functionality type B in Java program number 384
- C) It is used for functionality type C in Java program number 384
- D) It is used for functionality type D in Java program number 384

Answer: A

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 385)

- A) It is used for functionality type A in Java program number 385
- B) It is used for functionality type B in Java program number 385
- C) It is used for functionality type C in Java program number 385
- D) It is used for functionality type D in Java program number 385

Answer: B

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 386)

- A) It is used for functionality type A in Java program number 386
- B) It is used for functionality type B in Java program number 386
- C) It is used for functionality type C in Java program number 386
- D) It is used for functionality type D in Java program number 386

Answer: C

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 387)

- A) It is used for functionality type A in Java program number 387
- B) It is used for functionality type B in Java program number 387
- C) It is used for functionality type C in Java program number 387
- D) It is used for functionality type D in Java program number 387

Answer: D

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 388)

- A) It is used for functionality type A in Java program number 388
- B) It is used for functionality type B in Java program number 388
- C) It is used for functionality type C in Java program number 388
- D) It is used for functionality type D in Java program number 388

Answer: A

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 389)

- A) It is used for functionality type A in Java program number 389
- B) It is used for functionality type B in Java program number 389
- C) It is used for functionality type C in Java program number 389
- D) It is used for functionality type D in Java program number 389

Answer: B

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 390)

- A) It is used for functionality type A in Java program number 390
- B) It is used for functionality type B in Java program number 390
- C) It is used for functionality type C in Java program number 390
- D) It is used for functionality type D in Java program number 390

Answer: C

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 391)

- A) It is used for functionality type A in Java program number 391
- B) It is used for functionality type B in Java program number 391
- C) It is used for functionality type C in Java program number 391
- D) It is used for functionality type D in Java program number 391

Answer: D

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 392)

- A) It is used for functionality type A in Java program number 392
- B) It is used for functionality type B in Java program number 392
- C) It is used for functionality type C in Java program number 392
- D) It is used for functionality type D in Java program number 392

Answer: A

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 393)

- A) It is used for functionality type A in Java program number 393
- B) It is used for functionality type B in Java program number 393
- C) It is used for functionality type C in Java program number 393
- D) It is used for functionality type D in Java program number 393

Answer: B

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 394)

- A) It is used for functionality type A in Java program number 394
- B) It is used for functionality type B in Java program number 394
- C) It is used for functionality type C in Java program number 394
- D) It is used for functionality type D in Java program number 394

Answer: C

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 395)

- A) It is used for functionality type A in Java program number 395
- B) It is used for functionality type B in Java program number 395
- C) It is used for functionality type C in Java program number 395
- D) It is used for functionality type D in Java program number 395

Answer: D

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 396)

- A) It is used for functionality type A in Java program number 396
- B) It is used for functionality type B in Java program number 396
- C) It is used for functionality type C in Java program number 396
- D) It is used for functionality type D in Java program number 396

Answer: A

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 397)

- A) It is used for functionality type A in Java program number 397
- B) It is used for functionality type B in Java program number 397
- C) It is used for functionality type C in Java program number 397
- D) It is used for functionality type D in Java program number 397

Answer: B

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 398)

- A) It is used for functionality type A in Java program number 398
- B) It is used for functionality type B in Java program number 398
- C) It is used for functionality type C in Java program number 398
- D) It is used for functionality type D in Java program number 398

Answer: C

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 399)

- A) It is used for functionality type A in Java program number 399
- B) It is used for functionality type B in Java program number 399
- C) It is used for functionality type C in Java program number 399
- D) It is used for functionality type D in Java program number 399

Answer: D

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 400)

- A) It is used for functionality type A in Java program number 400
- B) It is used for functionality type B in Java program number 400
- C) It is used for functionality type C in Java program number 400
- D) It is used for functionality type D in Java program number 400

Answer: A

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 401)

- A) It is used for functionality type A in Java program number 401
- B) It is used for functionality type B in Java program number 401
- C) It is used for functionality type C in Java program number 401
- D) It is used for functionality type D in Java program number 401

Answer: B

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 402)

- A) It is used for functionality type A in Java program number 402
- B) It is used for functionality type B in Java program number 402
- C) It is used for functionality type C in Java program number 402
- D) It is used for functionality type D in Java program number 402

Answer: C

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 403)

- A) It is used for functionality type A in Java program number 403

- B) It is used for functionality type B in Java program number 403
- C) It is used for functionality type C in Java program number 403
- D) It is used for functionality type D in Java program number 403

Answer: D

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 404)

- A) It is used for functionality type A in Java program number 404
- B) It is used for functionality type B in Java program number 404
- C) It is used for functionality type C in Java program number 404
- D) It is used for functionality type D in Java program number 404

Answer: A

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 405)

- A) It is used for functionality type A in Java program number 405
- B) It is used for functionality type B in Java program number 405
- C) It is used for functionality type C in Java program number 405
- D) It is used for functionality type D in Java program number 405

Answer: B

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 406)

- A) It is used for functionality type A in Java program number 406
- B) It is used for functionality type B in Java program number 406
- C) It is used for functionality type C in Java program number 406
- D) It is used for functionality type D in Java program number 406

Answer: C

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 407)

- A) It is used for functionality type A in Java program number 407
- B) It is used for functionality type B in Java program number 407
- C) It is used for functionality type C in Java program number 407
- D) It is used for functionality type D in Java program number 407

Answer: D

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 408)

- A) It is used for functionality type A in Java program number 408
- B) It is used for functionality type B in Java program number 408
- C) It is used for functionality type C in Java program number 408
- D) It is used for functionality type D in Java program number 408

Answer: A

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 409)

- A) It is used for functionality type A in Java program number 409
- B) It is used for functionality type B in Java program number 409
- C) It is used for functionality type C in Java program number 409
- D) It is used for functionality type D in Java program number 409

Answer: B

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 410)

- A) It is used for functionality type A in Java program number 410
- B) It is used for functionality type B in Java program number 410
- C) It is used for functionality type C in Java program number 410
- D) It is used for functionality type D in Java program number 410

Answer: C

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 411)

- A) It is used for functionality type A in Java program number 411
- B) It is used for functionality type B in Java program number 411
- C) It is used for functionality type C in Java program number 411
- D) It is used for functionality type D in Java program number 411

Answer: D

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 412)

- A) It is used for functionality type A in Java program number 412
- B) It is used for functionality type B in Java program number 412

- C) It is used for functionality type C in Java program number 412
- D) It is used for functionality type D in Java program number 412

Answer: A

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 413)

- A) It is used for functionality type A in Java program number 413
- B) It is used for functionality type B in Java program number 413
- C) It is used for functionality type C in Java program number 413
- D) It is used for functionality type D in Java program number 413

Answer: B

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 414)

- A) It is used for functionality type A in Java program number 414
- B) It is used for functionality type B in Java program number 414
- C) It is used for functionality type C in Java program number 414
- D) It is used for functionality type D in Java program number 414

Answer: C

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 415)

- A) It is used for functionality type A in Java program number 415
- B) It is used for functionality type B in Java program number 415
- C) It is used for functionality type C in Java program number 415
- D) It is used for functionality type D in Java program number 415

Answer: D

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 416)

- A) It is used for functionality type A in Java program number 416
- B) It is used for functionality type B in Java program number 416
- C) It is used for functionality type C in Java program number 416
- D) It is used for functionality type D in Java program number 416

Answer: A

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 417)

- A) It is used for functionality type A in Java program number 417
- B) It is used for functionality type B in Java program number 417
- C) It is used for functionality type C in Java program number 417
- D) It is used for functionality type D in Java program number 417

Answer: B

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 418)

- A) It is used for functionality type A in Java program number 418
- B) It is used for functionality type B in Java program number 418
- C) It is used for functionality type C in Java program number 418
- D) It is used for functionality type D in Java program number 418

Answer: C

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 419)

- A) It is used for functionality type A in Java program number 419
- B) It is used for functionality type B in Java program number 419
- C) It is used for functionality type C in Java program number 419
- D) It is used for functionality type D in Java program number 419

Answer: D

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 420)

- A) It is used for functionality type A in Java program number 420
- B) It is used for functionality type B in Java program number 420
- C) It is used for functionality type C in Java program number 420
- D) It is used for functionality type D in Java program number 420

Answer: A

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 421)

- A) It is used for functionality type A in Java program number 421
- B) It is used for functionality type B in Java program number 421
- C) It is used for functionality type C in Java program number 421

D) It is used for functionality type D in Java program number 421

Answer: B

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 422)

- A) It is used for functionality type A in Java program number 422
- B) It is used for functionality type B in Java program number 422
- C) It is used for functionality type C in Java program number 422
- D) It is used for functionality type D in Java program number 422

Answer: C

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 423)

- A) It is used for functionality type A in Java program number 423
- B) It is used for functionality type B in Java program number 423
- C) It is used for functionality type C in Java program number 423
- D) It is used for functionality type D in Java program number 423

Answer: D

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 424)

- A) It is used for functionality type A in Java program number 424
- B) It is used for functionality type B in Java program number 424
- C) It is used for functionality type C in Java program number 424
- D) It is used for functionality type D in Java program number 424

Answer: A

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 425)

- A) It is used for functionality type A in Java program number 425
- B) It is used for functionality type B in Java program number 425
- C) It is used for functionality type C in Java program number 425
- D) It is used for functionality type D in Java program number 425

Answer: B

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 426)

- A) It is used for functionality type A in Java program number 426
- B) It is used for functionality type B in Java program number 426
- C) It is used for functionality type C in Java program number 426
- D) It is used for functionality type D in Java program number 426

Answer: C

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 427)

- A) It is used for functionality type A in Java program number 427
- B) It is used for functionality type B in Java program number 427
- C) It is used for functionality type C in Java program number 427
- D) It is used for functionality type D in Java program number 427

Answer: D

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 428)

- A) It is used for functionality type A in Java program number 428
- B) It is used for functionality type B in Java program number 428
- C) It is used for functionality type C in Java program number 428
- D) It is used for functionality type D in Java program number 428

Answer: A

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 429)

- A) It is used for functionality type A in Java program number 429
- B) It is used for functionality type B in Java program number 429
- C) It is used for functionality type C in Java program number 429
- D) It is used for functionality type D in Java program number 429

Answer: B

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 430)

- A) It is used for functionality type A in Java program number 430
- B) It is used for functionality type B in Java program number 430
- C) It is used for functionality type C in Java program number 430
- D) It is used for functionality type D in Java program number 430

Answer: C

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 431)

- A) It is used for functionality type A in Java program number 431
- B) It is used for functionality type B in Java program number 431
- C) It is used for functionality type C in Java program number 431
- D) It is used for functionality type D in Java program number 431

Answer: D

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 432)

- A) It is used for functionality type A in Java program number 432
- B) It is used for functionality type B in Java program number 432
- C) It is used for functionality type C in Java program number 432
- D) It is used for functionality type D in Java program number 432

Answer: A

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 433)

- A) It is used for functionality type A in Java program number 433
- B) It is used for functionality type B in Java program number 433
- C) It is used for functionality type C in Java program number 433
- D) It is used for functionality type D in Java program number 433

Answer: B

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 434)

- A) It is used for functionality type A in Java program number 434
- B) It is used for functionality type B in Java program number 434
- C) It is used for functionality type C in Java program number 434
- D) It is used for functionality type D in Java program number 434

Answer: C

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 435)

- A) It is used for functionality type A in Java program number 435
- B) It is used for functionality type B in Java program number 435
- C) It is used for functionality type C in Java program number 435
- D) It is used for functionality type D in Java program number 435

Answer: D

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 436)

- A) It is used for functionality type A in Java program number 436
- B) It is used for functionality type B in Java program number 436
- C) It is used for functionality type C in Java program number 436
- D) It is used for functionality type D in Java program number 436

Answer: A

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 437)

- A) It is used for functionality type A in Java program number 437
- B) It is used for functionality type B in Java program number 437
- C) It is used for functionality type C in Java program number 437
- D) It is used for functionality type D in Java program number 437

Answer: B

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 438)

- A) It is used for functionality type A in Java program number 438
- B) It is used for functionality type B in Java program number 438
- C) It is used for functionality type C in Java program number 438
- D) It is used for functionality type D in Java program number 438

Answer: C

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 439)

- A) It is used for functionality type A in Java program number 439
- B) It is used for functionality type B in Java program number 439
- C) It is used for functionality type C in Java program number 439
- D) It is used for functionality type D in Java program number 439

Answer: D



Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 440)

- A) It is used for functionality type A in Java program number 440
- B) It is used for functionality type B in Java program number 440
- C) It is used for functionality type C in Java program number 440
- D) It is used for functionality type D in Java program number 440

Answer: A

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 441)

- A) It is used for functionality type A in Java program number 441
- B) It is used for functionality type B in Java program number 441
- C) It is used for functionality type C in Java program number 441
- D) It is used for functionality type D in Java program number 441

Answer: B

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 442)

- A) It is used for functionality type A in Java program number 442
- B) It is used for functionality type B in Java program number 442
- C) It is used for functionality type C in Java program number 442
- D) It is used for functionality type D in Java program number 442

Answer: C

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 443)

- A) It is used for functionality type A in Java program number 443
- B) It is used for functionality type B in Java program number 443
- C) It is used for functionality type C in Java program number 443
- D) It is used for functionality type D in Java program number 443

Answer: D

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 444)

- A) It is used for functionality type A in Java program number 444
- B) It is used for functionality type B in Java program number 444
- C) It is used for functionality type C in Java program number 444
- D) It is used for functionality type D in Java program number 444

Answer: A

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 445)

- A) It is used for functionality type A in Java program number 445
- B) It is used for functionality type B in Java program number 445
- C) It is used for functionality type C in Java program number 445
- D) It is used for functionality type D in Java program number 445

Answer: B

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 446)

- A) It is used for functionality type A in Java program number 446
- B) It is used for functionality type B in Java program number 446
- C) It is used for functionality type C in Java program number 446
- D) It is used for functionality type D in Java program number 446

Answer: C

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 447)

- A) It is used for functionality type A in Java program number 447
- B) It is used for functionality type B in Java program number 447
- C) It is used for functionality type C in Java program number 447
- D) It is used for functionality type D in Java program number 447

Answer: D

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 448)

- A) It is used for functionality type A in Java program number 448
- B) It is used for functionality type B in Java program number 448
- C) It is used for functionality type C in Java program number 448
- D) It is used for functionality type D in Java program number 448

Answer: A

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 449)

- A) It is used for functionality type A in Java program number 449
- B) It is used for functionality type B in Java program number 449
- C) It is used for functionality type C in Java program number 449
- D) It is used for functionality type D in Java program number 449

Answer: B

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 450)

- A) It is used for functionality type A in Java program number 450
- B) It is used for functionality type B in Java program number 450
- C) It is used for functionality type C in Java program number 450
- D) It is used for functionality type D in Java program number 450

Answer: C

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 451)

- A) It is used for functionality type A in Java program number 451
- B) It is used for functionality type B in Java program number 451
- C) It is used for functionality type C in Java program number 451
- D) It is used for functionality type D in Java program number 451

Answer: D

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 452)

- A) It is used for functionality type A in Java program number 452
- B) It is used for functionality type B in Java program number 452
- C) It is used for functionality type C in Java program number 452
- D) It is used for functionality type D in Java program number 452

Answer: A

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 453)

- A) It is used for functionality type A in Java program number 453
- B) It is used for functionality type B in Java program number 453
- C) It is used for functionality type C in Java program number 453
- D) It is used for functionality type D in Java program number 453

Answer: B

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 454)

- A) It is used for functionality type A in Java program number 454
- B) It is used for functionality type B in Java program number 454
- C) It is used for functionality type C in Java program number 454
- D) It is used for functionality type D in Java program number 454

Answer: C

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 455)

- A) It is used for functionality type A in Java program number 455
- B) It is used for functionality type B in Java program number 455
- C) It is used for functionality type C in Java program number 455
- D) It is used for functionality type D in Java program number 455

Answer: D

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 456)

- A) It is used for functionality type A in Java program number 456
- B) It is used for functionality type B in Java program number 456
- C) It is used for functionality type C in Java program number 456
- D) It is used for functionality type D in Java program number 456

Answer: A

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 457)

- A) It is used for functionality type A in Java program number 457
- B) It is used for functionality type B in Java program number 457
- C) It is used for functionality type C in Java program number 457
- D) It is used for functionality type D in Java program number 457

Answer: B

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 458)

- A) It is used for functionality type A in Java program number 458
- B) It is used for functionality type B in Java program number 458
- C) It is used for functionality type C in Java program number 458
- D) It is used for functionality type D in Java program number 458

Answer: C

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 459)

- A) It is used for functionality type A in Java program number 459
- B) It is used for functionality type B in Java program number 459
- C) It is used for functionality type C in Java program number 459
- D) It is used for functionality type D in Java program number 459

Answer: D

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 460)

- A) It is used for functionality type A in Java program number 460
- B) It is used for functionality type B in Java program number 460
- C) It is used for functionality type C in Java program number 460
- D) It is used for functionality type D in Java program number 460

Answer: A

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 461)

- A) It is used for functionality type A in Java program number 461
- B) It is used for functionality type B in Java program number 461
- C) It is used for functionality type C in Java program number 461
- D) It is used for functionality type D in Java program number 461

Answer: B

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 462)

- A) It is used for functionality type A in Java program number 462
- B) It is used for functionality type B in Java program number 462
- C) It is used for functionality type C in Java program number 462
- D) It is used for functionality type D in Java program number 462

Answer: C

Q: In Java, what is the main purpose of Packages in application development? (Unique Question 463)

- A) It is used for functionality type A in Java program number 463
- B) It is used for functionality type B in Java program number 463
- C) It is used for functionality type C in Java program number 463
- D) It is used for functionality type D in Java program number 463

Answer: D

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 464)

- A) It is used for functionality type A in Java program number 464
- B) It is used for functionality type B in Java program number 464
- C) It is used for functionality type C in Java program number 464
- D) It is used for functionality type D in Java program number 464

Answer: A

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 465)

- A) It is used for functionality type A in Java program number 465
- B) It is used for functionality type B in Java program number 465
- C) It is used for functionality type C in Java program number 465
- D) It is used for functionality type D in Java program number 465

Answer: B

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 466)

- A) It is used for functionality type A in Java program number 466
- B) It is used for functionality type B in Java program number 466
- C) It is used for functionality type C in Java program number 466
- D) It is used for functionality type D in Java program number 466

Answer: C

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 467)

- A) It is used for functionality type A in Java program number 467

- B) It is used for functionality type B in Java program number 467
- C) It is used for functionality type C in Java program number 467
- D) It is used for functionality type D in Java program number 467

Answer: D

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 468)

- A) It is used for functionality type A in Java program number 468
- B) It is used for functionality type B in Java program number 468
- C) It is used for functionality type C in Java program number 468
- D) It is used for functionality type D in Java program number 468

Answer: A

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 469)

- A) It is used for functionality type A in Java program number 469
- B) It is used for functionality type B in Java program number 469
- C) It is used for functionality type C in Java program number 469
- D) It is used for functionality type D in Java program number 469

Answer: B

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 470)

- A) It is used for functionality type A in Java program number 470
- B) It is used for functionality type B in Java program number 470
- C) It is used for functionality type C in Java program number 470
- D) It is used for functionality type D in Java program number 470

Answer: C

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 471)

- A) It is used for functionality type A in Java program number 471
- B) It is used for functionality type B in Java program number 471
- C) It is used for functionality type C in Java program number 471
- D) It is used for functionality type D in Java program number 471

Answer: D

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 472)

- A) It is used for functionality type A in Java program number 472
- B) It is used for functionality type B in Java program number 472
- C) It is used for functionality type C in Java program number 472
- D) It is used for functionality type D in Java program number 472

Answer: A

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 473)

- A) It is used for functionality type A in Java program number 473
- B) It is used for functionality type B in Java program number 473
- C) It is used for functionality type C in Java program number 473
- D) It is used for functionality type D in Java program number 473

Answer: B

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 474)

- A) It is used for functionality type A in Java program number 474
- B) It is used for functionality type B in Java program number 474
- C) It is used for functionality type C in Java program number 474
- D) It is used for functionality type D in Java program number 474

Answer: C

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 475)

- A) It is used for functionality type A in Java program number 475
- B) It is used for functionality type B in Java program number 475
- C) It is used for functionality type C in Java program number 475
- D) It is used for functionality type D in Java program number 475

Answer: D

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 476)

- A) It is used for functionality type A in Java program number 476
- B) It is used for functionality type B in Java program number 476

- C) It is used for functionality type C in Java program number 476
- D) It is used for functionality type D in Java program number 476

Answer: A

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 477)

- A) It is used for functionality type A in Java program number 477
- B) It is used for functionality type B in Java program number 477
- C) It is used for functionality type C in Java program number 477
- D) It is used for functionality type D in Java program number 477

Answer: B

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 478)

- A) It is used for functionality type A in Java program number 478
- B) It is used for functionality type B in Java program number 478
- C) It is used for functionality type C in Java program number 478
- D) It is used for functionality type D in Java program number 478

Answer: C

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 479)

- A) It is used for functionality type A in Java program number 479
- B) It is used for functionality type B in Java program number 479
- C) It is used for functionality type C in Java program number 479
- D) It is used for functionality type D in Java program number 479

Answer: D

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 480)

- A) It is used for functionality type A in Java program number 480
- B) It is used for functionality type B in Java program number 480
- C) It is used for functionality type C in Java program number 480
- D) It is used for functionality type D in Java program number 480

Answer: A

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 481)

- A) It is used for functionality type A in Java program number 481
- B) It is used for functionality type B in Java program number 481
- C) It is used for functionality type C in Java program number 481
- D) It is used for functionality type D in Java program number 481

Answer: B

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 482)

- A) It is used for functionality type A in Java program number 482
- B) It is used for functionality type B in Java program number 482
- C) It is used for functionality type C in Java program number 482
- D) It is used for functionality type D in Java program number 482

Answer: C

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 483)

- A) It is used for functionality type A in Java program number 483
- B) It is used for functionality type B in Java program number 483
- C) It is used for functionality type C in Java program number 483
- D) It is used for functionality type D in Java program number 483

Answer: D

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 484)

- A) It is used for functionality type A in Java program number 484
- B) It is used for functionality type B in Java program number 484
- C) It is used for functionality type C in Java program number 484
- D) It is used for functionality type D in Java program number 484

Answer: A

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 485)

- A) It is used for functionality type A in Java program number 485
- B) It is used for functionality type B in Java program number 485
- C) It is used for functionality type C in Java program number 485

D) It is used for functionality type D in Java program number 485

Answer: B

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 486)

- A) It is used for functionality type A in Java program number 486
- B) It is used for functionality type B in Java program number 486
- C) It is used for functionality type C in Java program number 486
- D) It is used for functionality type D in Java program number 486

Answer: C

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 487)

- A) It is used for functionality type A in Java program number 487
- B) It is used for functionality type B in Java program number 487
- C) It is used for functionality type C in Java program number 487
- D) It is used for functionality type D in Java program number 487

Answer: D

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 488)

- A) It is used for functionality type A in Java program number 488
- B) It is used for functionality type B in Java program number 488
- C) It is used for functionality type C in Java program number 488
- D) It is used for functionality type D in Java program number 488

Answer: A

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 489)

- A) It is used for functionality type A in Java program number 489
- B) It is used for functionality type B in Java program number 489
- C) It is used for functionality type C in Java program number 489
- D) It is used for functionality type D in Java program number 489

Answer: B

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 490)

- A) It is used for functionality type A in Java program number 490
- B) It is used for functionality type B in Java program number 490
- C) It is used for functionality type C in Java program number 490
- D) It is used for functionality type D in Java program number 490

Answer: C

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 491)

- A) It is used for functionality type A in Java program number 491
- B) It is used for functionality type B in Java program number 491
- C) It is used for functionality type C in Java program number 491
- D) It is used for functionality type D in Java program number 491

Answer: D

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 492)

- A) It is used for functionality type A in Java program number 492
- B) It is used for functionality type B in Java program number 492
- C) It is used for functionality type C in Java program number 492
- D) It is used for functionality type D in Java program number 492

Answer: A

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 493)

- A) It is used for functionality type A in Java program number 493
- B) It is used for functionality type B in Java program number 493
- C) It is used for functionality type C in Java program number 493
- D) It is used for functionality type D in Java program number 493

Answer: B

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 494)

- A) It is used for functionality type A in Java program number 494
- B) It is used for functionality type B in Java program number 494
- C) It is used for functionality type C in Java program number 494
- D) It is used for functionality type D in Java program number 494

Answer: C

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 495)

- A) It is used for functionality type A in Java program number 495
- B) It is used for functionality type B in Java program number 495
- C) It is used for functionality type C in Java program number 495
- D) It is used for functionality type D in Java program number 495

Answer: D

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 496)

- A) It is used for functionality type A in Java program number 496
- B) It is used for functionality type B in Java program number 496
- C) It is used for functionality type C in Java program number 496
- D) It is used for functionality type D in Java program number 496

Answer: A

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 497)

- A) It is used for functionality type A in Java program number 497
- B) It is used for functionality type B in Java program number 497
- C) It is used for functionality type C in Java program number 497
- D) It is used for functionality type D in Java program number 497

Answer: B

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 498)

- A) It is used for functionality type A in Java program number 498
- B) It is used for functionality type B in Java program number 498
- C) It is used for functionality type C in Java program number 498
- D) It is used for functionality type D in Java program number 498

Answer: C

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 499)

- A) It is used for functionality type A in Java program number 499
- B) It is used for functionality type B in Java program number 499
- C) It is used for functionality type C in Java program number 499
- D) It is used for functionality type D in Java program number 499

Answer: D

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 500)

- A) It is used for functionality type A in Java program number 500
- B) It is used for functionality type B in Java program number 500
- C) It is used for functionality type C in Java program number 500
- D) It is used for functionality type D in Java program number 500

Answer: A

Q: In Java, what is the main purpose of OOP concepts in application development? (Unique Question 501)

- A) It is used for functionality type A in Java program number 501
- B) It is used for functionality type B in Java program number 501
- C) It is used for functionality type C in Java program number 501
- D) It is used for functionality type D in Java program number 501

Answer: B

Q: In Java, what is the main purpose of Inheritance in application development? (Unique Question 502)

- A) It is used for functionality type A in Java program number 502
- B) It is used for functionality type B in Java program number 502
- C) It is used for functionality type C in Java program number 502
- D) It is used for functionality type D in Java program number 502

Answer: C

Q: In Java, what is the main purpose of Polymorphism in application development? (Unique Question 503)

- A) It is used for functionality type A in Java program number 503
- B) It is used for functionality type B in Java program number 503
- C) It is used for functionality type C in Java program number 503
- D) It is used for functionality type D in Java program number 503

Answer: D

Q: In Java, what is the main purpose of Abstraction in application development? (Unique Question 504)

- A) It is used for functionality type A in Java program number 504
- B) It is used for functionality type B in Java program number 504
- C) It is used for functionality type C in Java program number 504
- D) It is used for functionality type D in Java program number 504

Answer: A

Q: In Java, what is the main purpose of Encapsulation in application development? (Unique Question 505)

- A) It is used for functionality type A in Java program number 505
- B) It is used for functionality type B in Java program number 505
- C) It is used for functionality type C in Java program number 505
- D) It is used for functionality type D in Java program number 505

Answer: B

Q: In Java, what is the main purpose of Exception Handling in application development? (Unique Question 506)

- A) It is used for functionality type A in Java program number 506
- B) It is used for functionality type B in Java program number 506
- C) It is used for functionality type C in Java program number 506
- D) It is used for functionality type D in Java program number 506

Answer: C

Q: In Java, what is the main purpose of Multithreading in application development? (Unique Question 507)

- A) It is used for functionality type A in Java program number 507
- B) It is used for functionality type B in Java program number 507
- C) It is used for functionality type C in Java program number 507
- D) It is used for functionality type D in Java program number 507

Answer: D

Q: In Java, what is the main purpose of JDBC in application development? (Unique Question 508)

- A) It is used for functionality type A in Java program number 508
- B) It is used for functionality type B in Java program number 508
- C) It is used for functionality type C in Java program number 508
- D) It is used for functionality type D in Java program number 508

Answer: A

Q: In Java, what is the main purpose of Collections Framework in application development? (Unique Question 509)

- A) It is used for functionality type A in Java program number 509
- B) It is used for functionality type B in Java program number 509
- C) It is used for functionality type C in Java program number 509
- D) It is used for functionality type D in Java program number 509

Answer: B

Q: In Java, what is the main purpose of String Handling in application development? (Unique Question 510)

- A) It is used for functionality type A in Java program number 510
- B) It is used for functionality type B in Java program number 510
- C) It is used for functionality type C in Java program number 510
- D) It is used for functionality type D in Java program number 510

Answer: C

Q: In Java, what is the main purpose of Constructors in application development? (Unique Question 511)

- A) It is used for functionality type A in Java program number 511
- B) It is used for functionality type B in Java program number 511
- C) It is used for functionality type C in Java program number 511
- D) It is used for functionality type D in Java program number 511

Answer: D

Q: In Java, what is the main purpose of Interfaces in application development? (Unique Question 512)

- A) It is used for functionality type A in Java program number 512
- B) It is used for functionality type B in Java program number 512
- C) It is used for functionality type C in Java program number 512
- D) It is used for functionality type D in Java program number 512

Answer: A



Q: In Java, what is the main purpose of Packages in application development? (Unique Question 513)

- A) It is used for functionality type A in Java program number 513
- B) It is used for functionality type B in Java program number 513
- C) It is used for functionality type C in Java program number 513
- D) It is used for functionality type D in Java program number 513

Answer: B

Q: In Java, what is the main purpose of Memory Management in application development? (Unique Question 514)

- A) It is used for functionality type A in Java program number 514
- B) It is used for functionality type B in Java program number 514
- C) It is used for functionality type C in Java program number 514
- D) It is used for functionality type D in Java program number 514

Answer: C

Q: In Java, what is the main purpose of File Handling in application development? (Unique Question 515)

- A) It is used for functionality type A in Java program number 515
- B) It is used for functionality type B in Java program number 515
- C) It is used for functionality type C in Java program number 515
- D) It is used for functionality type D in Java program number 515

Answer: D

Q: In Java, what is the main purpose of Swing in application development? (Unique Question 516)

- A) It is used for functionality type A in Java program number 516
- B) It is used for functionality type B in Java program number 516
- C) It is used for functionality type C in Java program number 516
- D) It is used for functionality type D in Java program number 516

Answer: A

Q: In Java, what is the main purpose of JavaFX in application development? (Unique Question 517)

- A) It is used for functionality type A in Java program number 517
- B) It is used for functionality type B in Java program number 517
- C) It is used for functionality type C in Java program number 517
- D) It is used for functionality type D in Java program number 517

Answer: B

Q: In Java, what is the main purpose of Garbage Collection in application development? (Unique Question 518)

- A) It is used for functionality type A in Java program number 518
- B) It is used for functionality type B in Java program number 518
- C) It is used for functionality type C in Java program number 518
- D) It is used for functionality type D in Java program number 518

Answer: C

Q: In Java, what is the main purpose of Method Overloading in application development? (Unique Question 519)

- A) It is used for functionality type A in Java program number 519
- B) It is used for functionality type B in Java program number 519
- C) It is used for functionality type C in Java program number 519
- D) It is used for functionality type D in Java program number 519

Answer: D

Q: In Java, what is the main purpose of Method Overriding in application development? (Unique Question 520)

- A) It is used for functionality type A in Java program number 520
- B) It is used for functionality type B in Java program number 520
- C) It is used for functionality type C in Java program number 520
- D) It is used for functionality type D in Java program number 520

Answer: A

Q: In Java, what is the main purpose of Static Keyword in application development? (Unique Question 521)

- A) It is used for functionality type A in Java program number 521
- B) It is used for functionality type B in Java program number 521
- C) It is used for functionality type C in Java program number 521
- D) It is used for functionality type D in Java program number 521

Answer: B

Q: In Java, what is the main purpose of Final Keyword in application development? (Unique Question 522)

- A) It is used for functionality type A in Java program number 522
- B) It is used for functionality type B in Java program number 522
- C) It is used for functionality type C in Java program number 522
- D) It is used for functionality type D in Java program number 522

Answer: C

Q: In Java, what is the main purpose of Abstract Classes in application development? (Unique Question 523)

- A) It is used for functionality type A in Java program number 523
- B) It is used for functionality type B in Java program number 523
- C) It is used for functionality type C in Java program number 523
- D) It is used for functionality type D in Java program number 523

Answer: D

Q: In Java, what is the main purpose of Access Modifiers in application development? (Unique Question 524)

- A) It is used for functionality type A in Java program number 524
- B) It is used for functionality type B in Java program number 524
- C) It is used for functionality type C in Java program number 524
- D) It is used for functionality type D in Java program number 524

Answer: A

Q: In Java, what is the main purpose of ArrayList in application development? (Unique Question 525)

- A) It is used for functionality type A in Java program number 525
- B) It is used for functionality type B in Java program number 525
- C) It is used for functionality type C in Java program number 525
- D) It is used for functionality type D in Java program number 525

Answer: B

Q: In Java, what is the main purpose of HashMap in application development? (Unique Question 526)

- A) It is used for functionality type A in Java program number 526
- B) It is used for functionality type B in Java program number 526
- C) It is used for functionality type C in Java program number 526
- D) It is used for functionality type D in Java program number 526

Answer: C

Q: In Java, what is the main purpose of LinkedList in application development? (Unique Question 527)

- A) It is used for functionality type A in Java program number 527
- B) It is used for functionality type B in Java program number 527
- C) It is used for functionality type C in Java program number 527
- D) It is used for functionality type D in Java program number 527

Answer: D

Q: In Java, what is the main purpose of TreeSet in application development? (Unique Question 528)

- A) It is used for functionality type A in Java program number 528
- B) It is used for functionality type B in Java program number 528
- C) It is used for functionality type C in Java program number 528
- D) It is used for functionality type D in Java program number 528

Answer: A

Q: In Java, what is the main purpose of Lambda Expressions in application development? (Unique Question 529)

- A) It is used for functionality type A in Java program number 529
- B) It is used for functionality type B in Java program number 529
- C) It is used for functionality type C in Java program number 529
- D) It is used for functionality type D in Java program number 529

Answer: B

Q: In Java, what is the main purpose of Streams API in application development? (Unique Question 530)

- A) It is used for functionality type A in Java program number 530
- B) It is used for functionality type B in Java program number 530
- C) It is used for functionality type C in Java program number 530
- D) It is used for functionality type D in Java program number 530

Answer: C

Q: In Java, what is the main purpose of Threads in application development? (Unique Question 531)

- A) It is used for functionality type A in Java program number 531

- B) It is used for functionality type B in Java program number 531
- C) It is used for functionality type C in Java program number 531
- D) It is used for functionality type D in Java program number 531

Answer: D

Q: In Java, what is the main purpose of Synchronization in application development? (Unique Question 532)

- A) It is used for functionality type A in Java program number 532
- B) It is used for functionality type B in Java program number 532
- C) It is used for functionality type C in Java program number 532
- D) It is used for functionality type D in Java program number 532

Answer: A

Q: In Java, what is the main purpose of Serialization in application development? (Unique Question 533)

- A) It is used for functionality type A in Java program number 533
- B) It is used for functionality type B in Java program number 533
- C) It is used for functionality type C in Java program number 533
- D) It is used for functionality type D in Java program number 533

Answer: B

Q: In Java, what is the main purpose of Comparable Interface in application development? (Unique Question 534)

- A) It is used for functionality type A in Java program number 534
- B) It is used for functionality type B in Java program number 534
- C) It is used for functionality type C in Java program number 534
- D) It is used for functionality type D in Java program number 534

Answer: C

Q: In Java, what is the main purpose of Comparator Interface in application development? (Unique Question 535)

- A) It is used for functionality type A in Java program number 535
- B) It is used for functionality type B in Java program number 535
- C) It is used for functionality type C in Java program number 535
- D) It is used for functionality type D in Java program number 535

Answer: D

Q: In Java, what is the main purpose of BufferedReader in application development? (Unique Question 536)

- A) It is used for functionality type A in Java program number 536
- B) It is used for functionality type B in Java program number 536
- C) It is used for functionality type C in Java program number 536
- D) It is used for functionality type D in Java program number 536

Answer: A

Q: In Java, what is the main purpose of Scanner Class in application development? (Unique Question 537)

- A) It is used for functionality type A in Java program number 537
- B) It is used for functionality type B in Java program number 537
- C) It is used for functionality type C in Java program number 537
- D) It is used for functionality type D in Java program number 537

Answer: B

Q: In Java, what is the main purpose of Arrays in application development? (Unique Question 538)

- A) It is used for functionality type A in Java program number 538
- B) It is used for functionality type B in Java program number 538
- C) It is used for functionality type C in Java program number 538
- D) It is used for functionality type D in Java program number 538

Answer: C

Q: In Java, what is the main purpose of Exception Propagation in application development? (Unique Question 539)

- A) It is used for functionality type A in Java program number 539
- B) It is used for functionality type B in Java program number 539
- C) It is used for functionality type C in Java program number 539
- D) It is used for functionality type D in Java program number 539

Answer: D

Q: In Java, what is the main purpose of Try Catch Finally in application development? (Unique Question 540)

- A) It is used for functionality type A in Java program number 540
- B) It is used for functionality type B in Java program number 540

- C) It is used for functionality type C in Java program number 540
- D) It is used for functionality type D in Java program number 540

Answer: A

Q: In Java, what is the main purpose of Bytecode in application development? (Unique Question 541)

- A) It is used for functionality type A in Java program number 541
- B) It is used for functionality type B in Java program number 541
- C) It is used for functionality type C in Java program number 541
- D) It is used for functionality type D in Java program number 541

Answer: B

Q: In Java, what is the main purpose of JVM in application development? (Unique Question 542)

- A) It is used for functionality type A in Java program number 542
- B) It is used for functionality type B in Java program number 542
- C) It is used for functionality type C in Java program number 542
- D) It is used for functionality type D in Java program number 542

Answer: C

Q: In Java, what is the main purpose of JRE in application development? (Unique Question 543)

- A) It is used for functionality type A in Java program number 543
- B) It is used for functionality type B in Java program number 543
- C) It is used for functionality type C in Java program number 543
- D) It is used for functionality type D in Java program number 543

Answer: D

Q: In Java, what is the main purpose of JDK in application development? (Unique Question 544)

- A) It is used for functionality type A in Java program number 544
- B) It is used for functionality type B in Java program number 544
- C) It is used for functionality type C in Java program number 544
- D) It is used for functionality type D in Java program number 544

Answer: A

Q: In Java, what is the main purpose of Packages and Imports in application development? (Unique Question 545)

- A) It is used for functionality type A in Java program number 545
- B) It is used for functionality type B in Java program number 545
- C) It is used for functionality type C in Java program number 545
- D) It is used for functionality type D in Java program number 545

Answer: B

Q: In Java, what is the main purpose of Recursion in application development? (Unique Question 546)

- A) It is used for functionality type A in Java program number 546
- B) It is used for functionality type B in Java program number 546
- C) It is used for functionality type C in Java program number 546
- D) It is used for functionality type D in Java program number 546

Answer: C

Q: In Java, what is the main purpose of Data Types in application development? (Unique Question 547)

- A) It is used for functionality type A in Java program number 547
- B) It is used for functionality type B in Java program number 547
- C) It is used for functionality type C in Java program number 547
- D) It is used for functionality type D in Java program number 547

Answer: D

Q: In Java, what is the main purpose of Operators in application development? (Unique Question 548)

- A) It is used for functionality type A in Java program number 548
- B) It is used for functionality type B in Java program number 548
- C) It is used for functionality type C in Java program number 548
- D) It is used for functionality type D in Java program number 548

Answer: A

Q: In Java, what is the main purpose of Loops in application development? (Unique Question 549)

- A) It is used for functionality type A in Java program number 549
- B) It is used for functionality type B in Java program number 549
- C) It is used for functionality type C in Java program number 549

D) It is used for functionality type D in Java program number 549

Answer: B

Q: In Java, what is the main purpose of Conditional Statements in application development? (Unique Question 550)

A) It is used for functionality type A in Java program number 550

B) It is used for functionality type B in Java program number 550

C) It is used for functionality type C in Java program number 550

D) It is used for functionality type D in Java program number 550

Answer: C