

TOR11: Before/After EDA Report

TOR11_BEST_BEFORE_win35d.tif

TOR11_BEST_AFTER_win35d.tif

Grid size: 2299 x 4502 Channels: 6 dtype: float32

Readable pixels - BEFORE: 1.9% AFTER: 2.5% Both: 1.9%


Per-channel statistics (NaN/unreadable pixels excluded):

Ch	Before min/max	Before mean/std	After min/max	After mean/std
0	0.0169/0.2065	0.0396/0.0093	0.0096/1.6022	0.0241/0.0088
1	0.0258/0.2668	0.0556/0.0136	0.0158/0.3420	0.0455/0.0129
2	0.0249/0.3037	0.0625/0.0200	0.0153/0.4165	0.0356/0.0189
3	0.0285/0.4792	0.2008/0.0292	0.0296/0.5961	0.3479/0.0574
4	0.0114/0.5135	0.1944/0.0588	0.0045/0.5512	0.1642/0.0478
5	0.0020/0.3980	0.1101/0.0425	0.0015/0.4403	0.0682/0.0360

AFTER channel correlation matrix:


+1.00	+0.88	+0.90	-0.19	+0.80	+0.86
+0.88	+1.00	+0.94	-0.03	+0.89	+0.91
+0.90	+0.94	+1.00	-0.25	+0.85	+0.94
-0.19	-0.03	-0.25	+1.00	+0.11	-0.13
+0.80	+0.89	+0.85	+0.11	+1.00	+0.95
+0.86	+0.91	+0.94	-0.13	+0.95	+1.00

TOR11: Before vs After (per channel)




TOR11: Difference (After - Before) | Red = increased after, Blue = decreased after


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4




Channel 5




TOR11: Distribution Shift (Before vs After)


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4



Channel 5



TOR11: Interpretation

Readable coverage: 1.9% of the scene has usable BEFORE+AFTER data (the rest is corrupted/unreadable source imagery and is excluded from every statistic above).

1 of 6 channels show higher variance after the event than before.

Channel 3 shows the largest mean shift (+0.1471), making it the most informative single channel for this case.

Average AFTER cross-channel correlation is +0.56 - channels are not all moving together (richer, more independent signal across bands).