

TOR16: Before/After EDA Report

TOR16_BEST_BEFORE_win20d.tif

TOR16_BEST_AFTER_win15d.tif

Grid size: 1174 x 4207 Channels: 6 dtype: float32

Readable pixels - BEFORE: 4.0% AFTER: 3.6% Both: 1.1%

Per-channel statistics (NaN/unreadable pixels excluded):

Ch	Before min/max	Before mean/std	After min/max	After mean/std
0	-0.0460/0.5452	0.0267/0.0225	-0.1982/0.5135	0.0312/0.0243
1	-0.0184/0.6119	0.0323/0.0260	-0.1922/0.5809	0.0397/0.0280
2	0.0091/0.6879	0.0501/0.0320	-0.0398/0.6725	0.0630/0.0345
3	0.0086/0.7437	0.0586/0.0396	-0.0072/0.7247	0.0692/0.0398
4	-0.0056/0.7623	0.1995/0.0550	-0.0123/0.7695	0.2299/0.0627
5	-0.0006/0.4905	0.1081/0.0494	0.0005/0.8715	0.1294/0.0466

AFTER channel correlation matrix:

+1.00	+0.99	+0.93	+0.93	+0.52	+0.58
+0.99	+1.00	+0.97	+0.96	+0.57	+0.62
+0.93	+0.97	+1.00	+0.98	+0.69	+0.68
+0.93	+0.96	+0.98	+1.00	+0.63	+0.76
+0.52	+0.57	+0.69	+0.63	+1.00	+0.60
+0.58	+0.62	+0.68	+0.76	+0.60	+1.00

TOR16: Before vs After (per channel)



Channel 0 - Before



Channel 0 - After



Channel 1



Channel 1



Channel 2



Channel 2



Channel 3



Channel 3



Channel 4



Channel 4




Channel 5




Channel 5

TOR16: Difference (After - Before) | Red = increased after, Blue = decreased after




TOR16: Distribution Shift (Before vs After)


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4



Channel 5



TOR16: Interpretation

Readable coverage: 1.1% of the scene has usable BEFORE+AFTER data (the rest is corrupted/unreadable source imagery and is excluded from every statistic above).

5 of 6 channels show higher variance after the event than before.

Channel 4 shows the largest mean shift (+0.0304), making it the most informative single channel for this case.

Average AFTER cross-channel correlation is +0.76 - channels are moving together (simple, mostly redundant signal).