

TOR62: Before/After EDA Report

TOR62_BEST_BEFORE_win35d.tif

TOR62_BEST_AFTER_win35d.tif

Grid size: 1096 x 2132 Channels: 6 dtype: float32

Readable pixels - BEFORE: 8.4% AFTER: 8.4% Both: 8.4%

Per-channel statistics (NaN/unreadable pixels excluded):

Ch	Before min/max	Before mean/std	After min/max	After mean/std
0	0.0180/0.4010	0.0496/0.0129	0.0121/1.6022	0.0298/0.0138
1	0.0265/0.4690	0.0665/0.0186	0.0199/0.4419	0.0529/0.0183
2	0.0235/0.5165	0.0751/0.0253	0.0162/0.4820	0.0431/0.0263
3	0.0172/0.6139	0.2142/0.0484	0.0288/0.6018	0.3690/0.0823
4	-0.0007/0.5786	0.2185/0.0694	0.0003/1.6022	0.1854/0.0594
5	-0.0103/0.8723	0.1293/0.0498	-0.0027/0.6326	0.0824/0.0447

AFTER channel correlation matrix:

+1.00	+0.90	+0.89	-0.25	+0.60	+0.76
+0.90	+1.00	+0.96	-0.17	+0.74	+0.87
+0.89	+0.96	+1.00	-0.30	+0.73	+0.89
-0.25	-0.17	-0.30	+1.00	+0.27	-0.04
+0.60	+0.74	+0.73	+0.27	+1.00	+0.93
+0.76	+0.87	+0.89	-0.04	+0.93	+1.00

TOR62: Before vs After (per channel)

Channel 0 - Before



Channel 0 - After



Channel 1



Channel 1



Channel 2



Channel 2



Channel 3



Channel 3



Channel 4



Channel 4




Channel 5



Channel 5




TOR62: Difference (After - Before) | Red = increased after, Blue = decreased after




TOR62: Distribution Shift (Before vs After)


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4



Channel 5



TOR62: Interpretation

Readable coverage: 8.4% of the scene has usable BEFORE+AFTER data (the rest is corrupted/unreadable source imagery and is excluded from every statistic above).

3 of 6 channels show higher variance after the event than before.

Channel 3 shows the largest mean shift (+0.1548), making it the most informative single channel for this case.

Average AFTER cross-channel correlation is +0.52 - channels are not all moving together (richer, more independent signal across bands).