

TOR68: Before/After EDA Report

TOR68_BEST_BEFORE_win55d.tif

TOR68_BEST_AFTER_win30d.tif

Grid size: 2324 x 3393 Channels: 6 dtype: float32

Readable pixels - BEFORE: 2.4% AFTER: 2.5% Both: 2.4%


Per-channel statistics (NaN/unreadable pixels excluded):

Ch	Before min/max	Before mean/std	After min/max	After mean/std
0	-0.0402/0.1607	0.0165/0.0082	-0.0152/0.2343	0.0201/0.0099
1	-0.0120/0.1999	0.0209/0.0094	-0.0127/0.2633	0.0229/0.0119
2	0.0072/0.2395	0.0378/0.0145	0.0107/0.2840	0.0467/0.0182
3	0.0041/0.2959	0.0381/0.0185	0.0031/0.3580	0.0331/0.0246
4	-0.0075/0.5836	0.1892/0.0471	-0.0054/0.6028	0.3341/0.0560
5	-0.0027/0.3068	0.0719/0.0317	-0.0031/0.4799	0.0728/0.0460

AFTER channel correlation matrix:


+1.00	+0.98	+0.93	+0.92	+0.18	+0.94
+0.98	+1.00	+0.96	+0.97	+0.11	+0.96
+0.93	+0.96	+1.00	+0.96	+0.24	+0.95
+0.92	+0.97	+0.96	+1.00	+0.02	+0.97
+0.18	+0.11	+0.24	+0.02	+1.00	+0.13
+0.94	+0.96	+0.95	+0.97	+0.13	+1.00

TOR68: Before vs After (per channel)




TOR68: Difference (After - Before) | Red = increased after, Blue = decreased after


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4




Channel 5




TOR68: Distribution Shift (Before vs After)


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4



Channel 5



TOR68: Interpretation

Readable coverage: 2.4% of the scene has usable BEFORE+AFTER data (the rest is corrupted/unreadable source imagery and is excluded from every statistic above).

6 of 6 channels show higher variance after the event than before.

Channel 4 shows the largest mean shift (+0.1449), making it the most informative single channel for this case.

Average AFTER cross-channel correlation is +0.68 - channels are moving together (simple, mostly redundant signal).