

TOR10: Before/After EDA Report

TOR10_BEST_BEFORE_win25d.tif

TOR10_BEST_AFTER_win10d.tif

Grid size: 1301 x 2735 Channels: 6 dtype: float32

Readable pixels - BEFORE: 5.5% AFTER: 5.5% Both: 5.5%

Per-channel statistics (NaN/unreadable pixels excluded):


Ch	Before min/max	Before mean/std	After min/max	After mean/std
0	0.0137/0.2355	0.0431/0.0073	0.0106/0.2123	0.0253/0.0091
1	0.0174/0.2688	0.0613/0.0118	0.0183/0.2577	0.0504/0.0136
2	0.0160/0.2766	0.0735/0.0164	0.0173/0.2775	0.0374/0.0209
3	0.0149/0.5341	0.1982/0.0480	0.0337/0.5542	0.3755/0.0537
4	0.0092/0.4833	0.2477/0.0511	0.0050/0.4951	0.1743/0.0412
5	-0.0013/0.4301	0.1520/0.0375	0.0016/0.4098	0.0741/0.0352

AFTER channel correlation matrix:

+1.00	+0.92	+0.94	-0.50	+0.83	+0.90
+0.92	+1.00	+0.95	-0.40	+0.85	+0.88
+0.94	+0.95	+1.00	-0.55	+0.86	+0.94
-0.50	-0.40	-0.55	+1.00	-0.22	-0.44
+0.83	+0.85	+0.86	-0.22	+1.00	+0.95
+0.90	+0.88	+0.94	-0.44	+0.95	+1.00

TOR10: Before vs After (per channel)

Ch 0 - Before



Ch 0 - After



Ch 1 - Before



Ch 1 - After



Ch 2 - Before



Ch 2 - After



Ch 3 - Before




Ch 3 - After



Ch 4 - Before




Ch 4 - After




Ch 5 - Before



Ch 5 - After




TOR10: Difference (After - Before) | Red = increased after, Blue = decreased after




TOR10: Distribution Shift (Before vs After)


Channel 0




Channel 1




Channel 2




Channel 3



Channel 4



Channel 5



TOR10: Interpretation

Readable coverage: 5.5% of the scene has usable BEFORE+AFTER data (the rest is corrupted/unreadable source imagery and is excluded from every statistic above).

4 of 6 channels show higher variance after the event than before.

Channel 3 shows the largest mean shift (+0.1773), making it the most informative single channel for this case.

Average AFTER cross-channel correlation is +0.46 - channels are not all moving together (richer, more independent signal across bands).