TW3 Review, APIs

Tech Workshop #4

March 2, 2026

Agenda

1. Questions from last workshop
2. Git + GitHub + Jira review
3. React Query
4. Questions

Jira is for **problems**... GitHub is for **solutions**

KTP's GitHub process

- Each project will have a repo
- Changes added via PRs
  - Each feature/change should be within a branch
  - PRs will need to be approved by at least 2 reviewers to be merged into the main branch
- Reviewers = PM + Tech Dev + Infrastructure Chair

KAPPA THETA PI

GitHub flow



KAPPA THETA PI



KAPPA THETA PI

Jira Example



Jira Example

Add epic / HIVE-6

1

Footer + Contact Us page

Description

Make the footer in the footer.tsx file that will display on every page with quick links to all the pages in the navbar (can just leave blank/comment out the links if pages aren't created yet), a contact section, impact the hive with donation button (doesn't have to link yet if no donation page created), copyright.

For example, this is what our footer looked like on the Wheels Harbison site.



For the contact us page, maybe just get the basic stuff they have on theirs now like emails, phone numbers, social media links. If you'd like, make a very simple frontend form like they have on the site, or we can implement this later if it feels like too much.

To Do | Improve Task

Details

Assignee	NA Noah Ackermann Assign to me
Reporter	AA Alexa Adams
Priority	Medium
Labels	None
Due date	None
Time tracking	No time logged
Start date	None
Category	Add option
Team	None

KAPPA THETA PI

Jira Example





KAPPA THETA PI

GitHub Policy

Branch name

fix/WHL-5-Improve-accessibility-for-about-sections

- **Branch naming:**
  a) feature/WHL-9831-add-login-page
  b) fix/ECON-3325-stripe-api-unauthorized
- **Commit messages:** present tense, imperative, CONCISE
  a) KTP-2504 add responsive hero image to homepage
  b) ELLA-1024 fix broken navigation link on contact page
  c) stuff **<- NO**
- **Merge strategy:** Squash & merge (keeps main history clean)

KAPPA THETA PI

Jira branch naming



Bugfix



fix/WHL-5-improve-about-accessibility

KAPPA THETA PI

Development Steps

1. Click on your ticket in Jira
2. Click “Create branch”
3. Select the GitHub repository that matches your project
4. Add either “feature/” or “fix/” to the front of the pre-generated branch name
5. Shorten/lengthen the branch name
6. In WebStorm, either “Fetch changes” from GitHub if you have already created the repo, or go to New > Project from Version Control… and select the correct repo

KAPPA THETA PI

Development Steps

7. Make changes to the code
8. Commit any changes along the way
   a) Push any commits as long as you are okay with them being on Github.com
9. When you have fully completed your ticket, commit and push any new changes
10. Create a pull request either in WebStorm or on Github.com
11. Fill in pull request template

KAPPA THETA PI

Development Steps

13. Submit your completed pull request and description
14. Wait for 2 of your reviewers to either comment, request changes, or accept your PR
15. Once 2 approvals have been given, click “Squash & Merge” on your PR if it has not already been done so by a reviewer
16. Delete your branch if it has not already been done so by a reviewer

KAPPA THETA PI

Technical Standards

https://github.com/ktp-usc/technical-standards

KAPPA THETA PI

Live demo





KAPPA THETA PI

Live demo

the-hive main Next.js: server-side

Project

- the-hive ~/WebstormProjects/the-hive
  - .github
  - .idea
  - app
  - client
  - components
  - lib
  - .gitignore
  - components.json
  - eslint.config.mjs
  - next.config.ts
  - package.json
  - package-lock.json
  - postcss.config.mjs
  - README.md
  - tsconfig.json
- External Libraries
- Scratches and Consoles

README.md

This is a Next.js project bootstrapped with `create-next-app`.

Getting Started

First, run the development server:

```
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```

Open http://localhost:3000 with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses `next/font` to automatically optimize and load Geist, a new font family for Vercel.

Learn More

To learn more about Next.js, take a look at the following resources:

- Next.js Documentation - learn about Next.js features and API.
- Learn Next.js - an interactive Next.js tutorial.

You can check out the Next.js GitHub repository - your feedback and contributions are welcome!

Deploy on Vercel

The easiest way to deploy your Next.js app is to use the Vercel Platform from the crea

Check out our Next.js deployment documentation for more details.

Install dependencies
From package.json
Run 'npm install' Don't ask again

Install dependencies: From // package.json // Run 'npm install' // Don't ask again (moments ago) 1:1 LF UTF-8 4 spaces 811 of 1900M Non-commercial use

KAPPA THETA PI

Live demo

Fetch successful

fetch

the-hive main Next.js: server-side

Project

- the-hive ~/WebstormProjects/the-hive
  - .github
  - .idea
  - app
  - client
  - components
  - lib
  - node_modules library root
  - .gitignore
  - components.json
  - eslint.config.mjs
  - next.config.ts
  - package.json
  - package-lock.json
  - postcss.config.mjs
  - README.md
  - tsconfig.json
- External Libraries
- Scratches and Consoles

README.md

This is a Next.js project bootstrapped with `create-next-app`.

Getting Started

First, run the development server:

```
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```

Open http://localhost:3000 with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses `next/font` to automatically optimize and load Geist, a new font family for Vercel.

Learn More

Git Log

Text or hash Branch User Date Paths

- HEAD (Current Branch)
- Local
  - main
- Remote
  - origin
    - main
    - lilybranch

navigation bar, and blank pages created	origin/lilybranch	lilydeller	46 minutes ago
add .github files	origin & main	Braden Guliano	2/24/26, 7:56 PM
Initial commit		Braden Guliano*	2/23/26, 6:57 PM

Select commit to view changes

Commit details

1:1 LF UTF-8 4 spaces 411 of 1200M Non-commercial use

KAPPA THETA PI

Live demo



KAPPA THETA PI

Live demo

branch

the-hive
#2 on feature/HIVE-4-navbar
Next.js: server-side

Project
- the-hive ~/WebstormProjects/the-hive
  - .idea
  - app
    - about
      - page.tsx
    - awareness
      - page.tsx
    - contact
      - page.tsx
    - keep-updated
      - page.tsx
    - support
      - page.tsx
    - favicon.ico
    - globals.css
    - layout.tsx
    - page.tsx
  - client
  - components
    - ui
    - footer.tsx
    - header.tsx
    - navbar.tsx
  - lib
  - node_modules library root
  - .gitignore
  - components.json
  - eslint.config.mjs
  - next.config.ts
  - package.json
  - package-lock.json

M↓ README.md

This is a Next.js project bootstrapped with `create-next-app`.

Getting Started

First, run the development server:

```
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```

Open http://localhost:3000 with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses `next/font` to automatically optimize and load Geist, a new font family for Vercel.

Learn More

To learn more about Next.js, take a look at the following resources:

- Next.js Documentation - learn about Next.js features and API.
- Learn Next.js - an interactive Next.js tutorial.

You can check out the Next.js GitHub repository - your feedback and contributions are welcome!

Deploy on Vercel

The easiest way to deploy your Next.js app is to use the Vercel Platform from the creators of Next.js.

Check out our Next.js deployment documentation for more details.

Checked out new branch feature/HIVE-4-navbar from origin/feature/HIVE-4-navbar (moments ago)

1:1 LF UTF-8 4 spaces 373 of 1400M Non-commercial use

KAPPA THETA PI

Live demo


the-hive
#2 on feature/HIVE-4-navbar
Next.js: server-side
Commit
Commit
Changes 1 file
page.tsx app/about
Amend
1 modified
HIVE-4 added content to about page
Commit
Commit and Push...
README.md
page.tsx
export default function AboutPage() : Element { no usages
return <section>
<h1>About Page!</h1>
</section>;
}
Review Mode
6:1
LF
UTF-8
2 spaces
617 of 1500M
Non-commercial use


Staging Area
Local Repo
Remote Repo
git commit
git push

React Query

- Library for **server state**
- Simplifies API calls
- Handles loading, error, success easily

KAPPA THETA PI

Benefits

- Currently, you need to
  - Use `useEffect` and `fetch`
  - Handle loading and error
  - Write caching logic for repetitive API calls
  - Messy + boilerplate intense
- React Query, however,
  - Fetches data automatically when needed
  - Caches results
  - Manages loading/error states

KAPPA THETA PI

Typical API flow



Questions?

KAPPA
THETA
PI