AAHIR MAHOTA

in linkedin.com/in/mahir-mahota 🕡 github.com/mahir-mahota 🕡 mahirmahota.com

EDUCATION

University of Waterloo – Candidate for BASc in Mechatronics Engineering Sept. 2022 - May 2027 GPA: 3.99 (93.33% Cumulative) - Dean's Honours List and Academic Representative Relevant courses – MTE 241 (RTOS), MTE 220 (Sensors), MTE 140 (Data Structures and Algorithms)

SKILLS

Software: C, C++, Python, Linux, Bash, RTOS, Git, GDB, CMake, ROS2, MATLAB/Simulink, VHDL

Tools and Technologies: STM32, PIC, ESP32, Raspberry Pi, Arduino, OpenCV, TensorFlow, Pandas, NumPy

Electrical: Altium, Soldering (THT/SMD), Oscilloscope, Logic Analyzer, DMM, Hot Air Reflow Station

Protocols: CAN, I2C, SPI, UART, SMBus/PMBus

WORK EXPERIENCE

Firmware/Embedded Engineering Intern

Siemens – Enlighted Inc

Developing firmware in C and Python for IR sensors, communication gateways and management systems

Embedded Software Developer Intern

Christie Digital Systems

Designed embedded software in C/C++ for the master control and regulation board on venue projectors

- Generated varying software PWM with a PIC24, enabling sinusoidal wave creation to drive piezo actuator
- Enabled manual control and display of dichroic wheel RPMs through a CLI, allowing for finer sound tuning
- Updated laser calibration on start-up by modifying projector initialisation state, enabling colour filter use
- Wrote automation script in Python to parse schematic netlist files and error check 16K+ pin connections

Firmware Developer Intern

May 2023 - Aug. 2023

Sept. 2024 - Present

Jan. 2024 - Apr. 2024

- Developed firmware in C/C++ for a multi-phase voltage controller, collaborating in an Agile environment
- Implemented a shared SMBus access layer in C using circular buffers, eliminating global variable reliance
- Multithreaded in C++ to test driver functionality concurrently, using semaphores for resource protection
- Verified I2C state machine transitions, using bit masking and bitwise operations to check register values

Conducted tests for 15+ drivers and a PMBus library with 94% coverage, using GDB for debugging issues

DESIGN TEAMS

Vehicle Platform Director

May 2024 - Present

WATonomous

- Managing 15+ active members to develop hardware and firmware to turn a Kia Soul EV fully autonomous
- Developing C++ interface layer to translate ROS2 messages from the autonomy stack into CAN frames
- Integrating power systems infrastructure to connect the **sensor** and **compute** racks with the car battery
- Soldered and mounted boards to communicate with the CAN network, enabling remote joystick control

Firmware Team Lead

Jun. 2023 - Aug. 2024

Waterloop

- Directed 14 active members to develop software for a custom-built hyperloop pod used in competition
- Developed a CAN driver and config files for the NUCLEO-F767ZI to communicate using the STM32 HAL
- Created a KAC-8080N motor controller driver in C for closed-loop PID control of the LIM using a DAC
- Designed two-layer PCB in Altium to multiplex 48 thermistors, reducing ADC channels in BMS by 87.5%
- Ideated Python state machine architecture for main RPi to unpack CAN messages and send error codes
- Used DMA to gather data from ADC pin for motor thermistors and set watchdog timer to ensure control


Firmware Team Member


Nov. 2022 - Apr. 2023

Waterloo Aerial Robotics Group

- Wrote motor test driver in C with a NUCLEO-F401RE for driving a servo by varying a potentiometer value
- Configured onboard timer for a set PWM duty cycle and implemented SPI communication with an ADC

PORTFOLIO










- Transferred OpenCV hand landmark coordinates into an array to detect when finger or hand positioning changed. These defined servo positioning commands for the Arduino sent with the Bluetooth module.
- Wired six servo motors to properly support their stall current. Soldered servo control wires and the HC-05 to the microcontroller, enabling wireless communication in Python.

Waterloop Pod



- Led team to develop competition ready firmware for motor controller, BMS and sensor sub-systems to interface together.
- Developed CAN communication frameworks for STM32 7676ZI boards to send messages and warnings to a central Raspberry Pi.
- Worked on driver to control the 140V-600A motor controller through an external DAC.



Eye Controlled Trolley




- Cleaned accelerometer and gyroscope data by polling at fixed intervals, averaging values and correcting for drift inaccuracies.
- Had the ESP32 drive four DC motors through two H-bridges, using the onboard WiFi module to send commands directly from the Python script wirelessly.

Brick Scanner




- Wrote object-oriented C++ driver for controlling a NEMA-17 stepper motor with an STM32 NUCLEO-F401RE. Added micro stepping capabilities for increased resolution. Two motor objects were defined to move a camera arm.
- Set up communication with RPI using UART and interrupts for important messages such as when the next measurement was urgent.



WATonomous Car




- Designed architecture for the physical interface and the ROS2 nodes allowing CAN communication with the Kia to allow for joystick and autonomous control.
- Implemented power system infrastructure to power the sensor and compute racks using the car battery and DC/AC inverters.



Guitar Playing Robot



- Wrote drivers in C for colour reading, fretting, and strumming. Used colour and ultrasonic sensors to detect progress of tasks. Designed for first year design project.
- Built camshaft system to press on the string at different frets depending on the angle a motor is rotated. The rotation of the motor was tracked using onboard motor encoders



Movie Reviews Discord Bot



- Created NLP model with TensorFlow using 50K IMDb reviews. Processed data by vectorising and creating a pipeline with separate training and validation sets.
- Interacted with the Discord API to get access to user messages. Programmed a web-scraping script that collects URLs from a Google query search and extracts text.

OpenCV Wheel Tracking



- Developed program in sub 12 hours for wheel detection instead of current standard of mechanical triggers, improving accuracy.
 Applied Hough transforms and contour detection snippets.
- Adapted depth camera for Python instead of C++ using WSL, allowing easier detection of stickered holes in the car chassis.

