
user
id
email
password
role
0,n
own
1,1
secret
id
label
value
0,n
share
shared_at
0,n
0,n
0,n
take
1,1
access_log
id
result
consulted_at
1,1
contain


share
PK, FK
secret_id
Entier
PK, FK
shared_user_id
Entier
shared_at
Date / Heure
shared_user_id
secret_id
user
PK
id
Entier
email
Texte
password
Texte
role
Enum (ADMIN, MEMBER)
owner_id
secret
PK
id
Entier
FK
owner_id
Entier
label
Texte
value
Texte
access_log
PK
id
Entier
FK
user_id
Entier
FK
secret_id
Entier
result
Enum (SUCCESS, FAILURE, DENIED, ERROR)
consulted_at
Date / Heure
user_id
secret_id


share
PK, FK
secret_id
BIGINT NOT NULLON DELETE CASCADE
PK, FK
shared_user_id
BIGINT NOT NULL ON DELETE CASCADE
shared_at
TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP
shared_user_id
secret_id
user
PK
id
BIGSERIAL
email
VARCHAR(255) NOT NULL UNIQUE
password
VARCHAR(255) NOT NULL
role
VARCHAR(20) NOT NULL (ADMIN, MEMBER)
owner_id
secret
PK
id
BIGSERIAL
FK
owner_id
BIGINT NOT NULL ON DELETE CASCADE
label
VARCHAR(100) NOT NULL
value
TEXT NOT NULL
user_id
access_log
PK
id
BIGSERIAL
FK
user_id
BIGINT NOT NULL
FK
secret_id
BIGINT NOT NULL
result
VARCHAR(20) NOT NULL (SUCCESS, FAILURE, DENIED, ERROR)
consulted_at
TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP
secret_id