


Testcases generator:



localhost:5173

Dimensions: Responsive x 682 x 562 100% No throttling 'Save-Data': default

Objective:
Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently

Acceptance Criteria *

System successfully processes 150k entries without critical failures.

Response times remain within acceptable thresholds (to be defined with product/tech team).

Additional Info

Any additional information (optional)...

Generate

Elements Console Sources **Network** Performance Memory

Filter

500 ms 1,000 ms 1,500 ms 2,000 ms 2,500 ms 3,000 ms 3,500 ms 4,000 ms

Name X Headers Payload Preview Response Initiator Timing

generate-tests

General

Request URL **http://localhost:8090/api/generate-tests**

Request Method POST

Status Code **200 OK**

Remote Address [::]:8090

Referrer Policy **strict-origin-when-cross-origin**

Response headers

Access-Control-Allow-Credentials true

Access-Control-Allow-Origin http://localhost:5173

Connection keep-alive

Content-Length 8664

Content-Type application/json; charset=utf-8

Date Thu, 25 Jun 2026 16:54:02 GMT

Etag W/"21d8-63GZ7Ca6lZ2fXqhkmmwHWmLvKfc"

Keep-Alive timeout=5

Vary Origin

X-Powered-By Express

localhost:5173

Dimensions: Responsive 682 x 562 100% No throttling 'Save-Data': default

Story Title *

Load Testing for Nomination/Portfolio Flow to Handle 150k Entries

Description

nominations). Current system performance under such load is unverified.

Objective:
Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently

Acceptance Criteria *

System successfully processes 150k entries without critical failures.

Response times remain within acceptable thresholds (to be defined with product/tech team).

Additional Info

Any additional information (optional)...

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

generate-tests

Request Payload

```
{
  "storyTitle": "Load Testing for Nomination/Portfolio Flow to Handle 150k Entries",
  "acceptanceCriteria": "System successfully processes 150k entries without critical failures",
  "description": "Background:\nThe client has highlighted a potential high-volume scenario",
  "storyTitle": "Load Testing for Nomination/Portfolio Flow to Handle 150k Entries"
}
```

2 requests 9.0 kB

localhost:5173

Dimensions: Responsive 588 x 562 100% No throttling 'Save-Data': default

Generated Test Cases

30 test case(s) generated • Model: llama-3.3-70b-versatile • Input tokens: 447 • Output tokens: 2309 • Cost: \$0.002088 (est.)

Test Case ID	Title	Category	Expected Result
TC-001	Load Testing with 150k Entries	Positive	System processes all entries without critical failures
TC-002	Response Time Threshold	Positive	Response times remain within defined thresholds

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

generate-tests

```
{
  "cases": [
    {
      "id": "TC-001",
      "title": "Load Testing with 150k Entries",
      "completionTokens": 2309
    },
    {
      "id": "TC-002",
      "title": "Response Time Threshold",
      "completionTokens": 2309
    }
  ],
  "cost": {
    "inputCost": 0.00026373,
    "outputCost": 0.0018241099999999999,
    "totalCost": 0.0020887899999999999,
    "currency": "USD",
    "estimated": true,
    "inputCost": 0.00026373,
    "outputCost": 0.0018241099999999999,
    "totalCost": 0.0020887899999999999,
    "model": "llama-3.3-70b-versatile",
    "promptTokens": 447
  }
}
```

2 requests 9.0 kB

User Story to Tests

Generate comprehensive test cases from your user stories

Story Title *

Load Testing for Nomination/Portfolio Flow to Handle 150k Entries

Description

The client has highlighted a potential high-volume scenario (150k nominations). Current system performance under such load is unverified.

Objective:

Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently

Acceptance Criteria *

System successfully processes 150k entries without critical failures.

Response times remain within acceptable thresholds (to be defined with product/tech team).

Detailed test report shared with stakeholders.

Additional Info

Any additional information (optional)...

Generate

Generated Test Cases

30 test case(s) generated • Model: llama-3.3-70b-versatile • Input tokens: 447 • Output tokens: 2309 • Cost: \$0.002088 (est.)

Test Case ID	Title	Category	Expected Result
▶ TC-001	Load Testing with 150k Entries	Positive	System processes all entries without critical failures
▶ TC-002	Response Time Threshold	Positive	Response times remain within defined thresholds
▶ TC-003	Detailed Test Report	Positive	Test report is shared with stakeholders and includes all required information
▶ TC-004	Insufficient Server Resources	Negative	System fails to process all entries or response times exceed thresholds
▶ TC-005	Network Congestion	Negative	System fails to process all entries or response times exceed thresholds
▶ TC-006	Database Connection Failure	Negative	System fails to process all entries or response times exceed thresholds
▶ TC-007	Edge Case - 149k Entries	Edge	System processes all entries without critical failures

TC-023	Negative - Network Latency	Negative	thresholds
TC-024	Edge Case - Concurrent Nomination Submissions	Edge	System processes all entries without critical failures
TC-025	Authorization - User Authentication	Authorization	System enforces user authentication and processes entries accordingly
TC-026	Non-Functional - Usability	Non-Functional	System maintains usability and processes entries without critical failures
TC-027	Load Testing with Varying System Parameters	Positive	System processes all entries without critical failures

TC-028	Load Testing with Different Data Storage	Positive	System processes all entries without critical failures
TC-029	Negative - System Crash	Negative	System fails to process entries or response times exceed thresholds
TC-030	Edge Case - Nomination Expiration	Edge	System processes entries within limits or fails predictably

Modify prompt file and trying

1. Included – all category to cover
e.g., Positive | Negative | Edge | Authorization | Non-Functional | Functional | Accessibility | Performance | Security | Usability | Compatibility | Regression | Integration | Smoke | Sanity | Exploratory | Boundary | Load | Stress | Recovery | Localization | Internationalization
2. Guideline added points as - - Use realistic dataset
3. Additional info sample testcases provided

Example Sample Testcases

Test Case ID	Test Scenario	Importance	Test Case Title	Precondition	TestData
Steps to perform	Expected Result	Test Result (Pass/Fail)	Automation	Status	
Bug Details	Comments	Owner			
TC_001	Tab - Component High	Verify user able to fill all the fields for Tab component and all validations for published page	"1.Launch the AEM QA application	Enter Username	Password
in the provided data field.					
2. Click on Sign in button					
3. Select Site Template					
4. Select showcase -> Select Au-> Select English ->Select automation -test -> Select automation.					
5. Click on create Button					
6. Select Page type.					
7. Select General Page template and click on Next.					

8. Enter Title Name and click on create button.

9. Click on Open under popup" "URL- <https://www.login.html>
User-name: XXXX
Password: XXXX" "1. Click on Drag component here.

2. Click on Insert component plus icon.

3. Enter Tabs Image component Name under Enter Keyword Search Field.

4. Select Tabs Image component under List.

5. Hover and Click on Setting Symbol of Tabs.

6. Opens a pop up with Tabs Image.

7. Add Tab Image Id.

8. Choose the Resource Type as jpg.

9. Enter Alt text in the Alt Text Section.

10. Choose the Same tab option in the Open in a New Tab.

11. Choose Header_TabImage_BrandLogo in Rendition Type of Rendition Options Tab.

12. Click on Done button.

13. Click on Properties and click on View as Published Option." "1. Verify user able to see
drag component

2. Verify user able to select insert Component Plus Icon, insert New Component Window is
displayed and verify All Components.

3. Verify user able to see the tabs component with tab image, tab image, alternate text in alt
attribute in HTML, image opens up in new tab

4. Verify the published page in new tab and validate Tabs component is created.

5. Verify Tab image heading, tab image and alternate text in alt attribute in html." Pass
Done

Details steps, all type of testcases coverage

localhost:5173

Test Case ID	Title	Category	Expected Result																
▼ TC-001	Load Testing for 150k Entries	Performance	System processes 150k entries without critical failures and response time is within acceptable thresholds																
Test Steps for TC-001 <table><tr><th>STEP ID</th><th>STEP DESCRIPTION</th><th>TEST DATA</th><th>EXPECTED RESULT</th></tr><tr><td>S01</td><td>Launch the application with 150k entries</td><td>N/A</td><td>Step completed successfully</td></tr><tr><td>S02</td><td>Verify system response time</td><td>N/A</td><td>Step completed successfully</td></tr><tr><td>S03</td><td>Check for critical failures</td><td>N/A</td><td>System processes 150k entries without critical failures and response time is within acceptable thresholds</td></tr></table>				STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT	S01	Launch the application with 150k entries	N/A	Step completed successfully	S02	Verify system response time	N/A	Step completed successfully	S03	Check for critical failures	N/A	System processes 150k entries without critical failures and response time is within acceptable thresholds
STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT																
S01	Launch the application with 150k entries	N/A	Step completed successfully																
S02	Verify system response time	N/A	Step completed successfully																
S03	Check for critical failures	N/A	System processes 150k entries without critical failures and response time is within acceptable thresholds																
▼ TC-002	Positive Scenario - Nomination Flow	Positive	Nomination flow handles 150k entries efficiently without errors																

localhost:5173

▼ TC-002	Flow	Positive	errors																
Test Steps for TC-002 <table><tr><th>STEP ID</th><th>STEP DESCRIPTION</th><th>TEST DATA</th><th>EXPECTED RESULT</th></tr><tr><td>S01</td><td>Launch the nomination flow with 150k entries</td><td>N/A</td><td>Step completed successfully</td></tr><tr><td>S02</td><td>Verify all fields can be filled</td><td>N/A</td><td>Step completed successfully</td></tr><tr><td>S03</td><td>Verify all validations are triggered correctly</td><td>N/A</td><td>Nomination flow handles 150k entries efficiently without errors</td></tr></table>				STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT	S01	Launch the nomination flow with 150k entries	N/A	Step completed successfully	S02	Verify all fields can be filled	N/A	Step completed successfully	S03	Verify all validations are triggered correctly	N/A	Nomination flow handles 150k entries efficiently without errors
STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT																
S01	Launch the nomination flow with 150k entries	N/A	Step completed successfully																
S02	Verify all fields can be filled	N/A	Step completed successfully																
S03	Verify all validations are triggered correctly	N/A	Nomination flow handles 150k entries efficiently without errors																
▼ TC-003	Negative Scenario - Exceeding 150k Entries	Negative	System handles exceeding entries without critical failures and response time is within acceptable thresholds																
Test Steps for TC-003 <table><tr><th>STEP ID</th><th>STEP DESCRIPTION</th><th>TEST DATA</th><th>EXPECTED RESULT</th></tr></table>				STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT												
STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT																

Test Case ID	Title	Category	Expected Result
▶ TC-001	Load Testing for 150k Entries	Performance	System processes 150k entries without critical failures and response

			time is within acceptable thresholds
▶ TC-002	Positive Scenario - Nomination Flow	Positive	Nomination flow handles 150k entries efficiently without errors
▶ TC-003	Negative Scenario - Exceeding 150k Entries	Negative	System handles exceeding entries without critical failures and response time is within acceptable thresholds
▶ TC-004	Edge Case - Empty Entries	Edge	System handles empty entries without critical failures and response time is within acceptable thresholds
▶ TC-005	Authorization - Access Control	Authorization	System enforces access control correctly for each role
▶ TC-006	Non-Functional - Response Time	Non-Functional	System response time is within acceptable thresholds
▶ TC-007	Load Testing - Concurrent Users	Load	System handles concurrent users without critical failures and response time is within acceptable thresholds
▶ TC-008	Stress Testing - Prolonged Load	Stress	System handles prolonged load without critical failures and response time is within acceptable thresholds
▶ TC-009	Recovery Testing - System Restart	Recovery	System recovers correctly after restart and response time is within acceptable thresholds
▶ TC-010	Localization - Language Support	Localization	System supports different languages correctly
▶ TC-011	Internationalization - Date and Time Formats	Internationalization	System supports different date and time formats correctly
▶ TC-012	Compatibility - Browser Support	Compatibility	System supports different browsers correctly
▶ TC-013	Regression Testing - Previous Features	Regression	Previous features are working correctly without regression issues

▶ TC-014	Integration Testing - System Integration	Integration	System integration is working correctly without integration issues
▶ TC-015	Smoke Testing - Basic Functionality	Smoke	Basic functionality is working correctly without smoke issues
▶ TC-016	Sanity Testing - Quick Testing	Sanity	Application is working correctly without sanity issues
▶ TC-017	Exploratory Testing - Ad-Hoc Testing	Exploratory	Application is working correctly without exploratory issues
▶ TC-018	Boundary Testing - Edge Cases	Boundary	Edge cases are working correctly without boundary issues
▶ TC-019	Security Testing - Vulnerability Testing	Security	Application is secure without security issues
▶ TC-020	Usability Testing - User Experience	Usability	User experience is good without usability issues
▶ TC-021	Compatibility - Device Support	Compatibility	System supports different devices correctly
▶ TC-022	Accessibility - Accessibility Features	Accessibility	Accessibility features are working correctly without accessibility issues
▶ TC-023	Performance - Response Time	Performance	Response time is within acceptable thresholds without performance issues
▶ TC-024	Functional - Functional Testing	Functional	Functional testing is working correctly without functional issues
▶ TC-025	Non-Functional - Scalability	Non-Functional	Scalability is working correctly without non-functional issues
▶ TC-026	Load Testing - High Traffic	Load	System handles high traffic without critical failures and response time is within acceptable thresholds
▶ TC-027	Stress Testing - Extreme Load	Stress	System handles extreme load without critical failures and response time is within acceptable thresholds
▶ TC-028	Recovery Testing - System Failure	Recovery	System recovers correctly after failure

▶ TC-029	Localization - Currency Support	Localization	System supports different currencies correctly
▶ TC-030	Internationalization - Time Zones	Internationalization	System supports different time zones correctly

Jira UI with login

Prompt 1:

Analyze the code and show the impacted and new files for the below implementation. For the below implementations GO STEP BY STEP, up on MY APPROVAL proceed with next steps

Create a connector for Jira in the UI


Prompt 2: Proceed the implementations STEP BY STEP upon MY Approval

With JiraUrl, Emailid, API Token(Credentials) and Connect/Login Button

Prompt 3: Analyze the code and show the impacted and new files for the below implementation.

Request to Modify the UI. Jira connector should be a first screen. Once user logged in successfully with valid jiraurl, emailid and API Token, UI navigate to second screen "Testcases Generator" which contains Story Title, Description, Acceptance Criteria * and Additional Info

Prompt 4: Proceed the implementations STEP BY STEP upon MY Approval



Fetch user story and populate in respective fields

Prompt 5:


Analyze the code and show the impacted file and new files for the below implementations. For the below implementations GO STEP BY STEP, up on MY APPROVAL proceed with next steps

Once After Jira connection established successfully. User navigates to "Testcases Generator" Screen.

The above Story Title * section adds two new UI fields such as User Story ID and Fetch button. User Story ID input fields should be an input box fields should allow to accept numbers, alphabets, special character and symbols.

Prompt 6: Approved. Please provide exact code patch for each frontend file first

Prompt 7: Proceed the implementations STEP BY STEP upon MY Approval



Prompt 8: Analyze the code and show the impacted file and new files for the below implementations. For the below implementations GO STEP BY STEP, up on MY APPROVAL proceed with next steps

In Testcases Generator screen, if user provided User Story ID and then clicked fetch button. For the corresponding user story Story Title, Description, Acceptance Criteria * should prepopulate in respective fields from established Jira connect project

Prompt 9: Can you please show excat code changes and implementation Frontend, Backend and New files

Prompt 10: Proceed the implementations STEP BY STEP upon MY Approval

→ localhost:5173

[Back to Jira login](#)

User Story ID

SCRUM-5 Fetch

Story Title *

QA | Load Testing for Nomination/Portfolio Flow to Handle 10k Entries

Description

```
{
  "type": "doc",
  "version": 1,
  "content": [
    {
      "type": "paragraph",
      "content": [
        {
          "type": "text",
          "text": "The client has highlighted a potential high-volume scenario (150k nominations). Current system performance under such load is unverified."
        }
      ],
      "attrs": {
        "localId": "05cf75c69b0f"
      }
    },
    {
      "type": "paragraph",
      "content": [
        {
          "type": "text",
          "text": "Objective:",
          "marks": [
            {
              "type": "strong"
            }
          ]
        },
        {
          "type": "hardBreak"
        },
        {
          "type": "text",
          "text": "Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently."
        }
      ],
      "attrs": {
        "localId": "59441d966dee"
      }
    }
  ]
}
```

Acceptance Criteria *

```
[
  {
    "id": 2,
    "name": "SCRUM Sprint 0",
    "state": "active",
    "boardId": 1,
    "startDate": "2026-06-16T10:18:33.727Z",
    "endDate": "2026-06-30T10:18:33.727Z"
  }
]
```

Additional Info

Any additional information (optional)...

Prompt 11: Analyze the code and find out the root cause of below issue

In Testcases Generator screen, fetched description, Acceptance Criteria display in json format.
Expectation should be plain text.

Prompt 12: Can you show the impacted and new files to implement key changes

Prompt 13: Proceed the implementations STEP BY STEP upon MY Approval

← → localhost:5173

Dimensions: Responsive 732 x 562 100% No throttling 'Save-Data' default

User Story ID

SCRUM-5 Fetch

Story Title *

QA | Load Testing for Nomination/Portfolio Flow to Handle 10k Entries

Description

The client has highlighted a potential high-volume scenario (150k nominations). Current system performance under such load is unverified.
Objective:
Perform load testing on the nomination and portfolio flow to

Acceptance Criteria *

Enter the acceptance criteria...

Additional Info

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

20 ms 40 ms 60 ms 80 ms 100 ms

Name X Headers Payload Preview Response Initiator Time

fetch

fetch

{
 "title": "QA | Load Testing for Nomination/Portfolio Flow",
 "acceptanceCriteria": "",
 "additionalInfo": ""
}

description: "The client has highlighted a potential high-volume scenario (150k nominations). Current system performance under such load is unverified."
title: "QA | Load Testing for Nomination/Portfolio Flow"

2 requests 757 B transferred 414 B

Console What's new X Issues Performance monitor

Prompt 14: Analyze the code and find out the root cause of the below issue.

In Testcases Generator screen, after fetch button clicked Acceptance Criteria * field is empty, not fetching the acceptance criteria inform from the passed User Story ID

The screenshot shows a web application running on localhost:5173. The application has a form with the following fields:

- User Story ID: SCRUM-5
- Story Title *: QA | Load Testing for Nomination/Portfolio Flow to Handle 10k Entries
- Description: (150k nominations). Current system performance under such load is unverified. Objective: Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently.
- Acceptance Criteria *: Enter the acceptance criteria...

A yellow arrow points from the 'Fetch' button to the 'Acceptance Criteria' field. The network logs on the right show a 'fetch' request with a payload containing a title and acceptance criteria.

Conclusion

The root cause is not the UI or form binding; it is the backend Jira field mapping for acceptance criteria. The service is looking at the wrong or incomplete Jira field name for that data.

Prompt: Can you please analyze backend Jira field mapping for acceptance criteria and provide the fixes to resolve the issue.

custom field name is data-testid="issue.views.issue-base.common.customfield_10110.label"

Prompt : can you provide actual code fix implementation and impacted files

Final UI

The image displays a web application interface with two main sections. The top section, titled "Jira Connector", contains three input fields: "Jira URL" with the value "https://your-domain.atlassian.net", "Email ID" with "user@example.com", and "API Token" with "Jira API token". A blue "Connect / Login" button is positioned below these fields. The bottom section, titled "User Story ID", contains a "Fetch" button and three input fields: "User Story ID" with "SCRUM-5", "Story Title *" with "QA | Load Testing for Nomination/Portfolio Flow to Handle 10k Entries", and "Description" with "(150k nominations). Current system performance under such load is unverified. Objective: Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently." Below these is an "Acceptance Criteria *" field with the text "System successfully processes 10k entries without critical failures. Response times remain within acceptable thresholds (to be defined with product/tech team). Detailed test report shared with stakeholders." A browser developer tool is open on the right, showing a network request named "fetch" with a response body containing JSON data: {"title": "QA | Load Testing for Nomination/Portfolio Flow to Handle 10k Entries", "acceptanceCriteria": "System successfully processes 10k entries without critical failures.", "description": "The client has highlighted a potential high-volume load scenario for the nomination and portfolio flow to handle 150k entries efficiently.", "additionalInfo": ""}. The browser address bar shows "localhost:5173".

Jira Connector

Jira URL
https://your-domain.atlassian.net

Email ID
user@example.com

API Token
Jira API token

Connect / Login

User Story ID

Fetch

User Story ID
SCRUM-5

Story Title *
QA | Load Testing for Nomination/Portfolio Flow to Handle 10k Entries

Description
(150k nominations). Current system performance under such load is unverified.
Objective:
Perform load testing on the nomination and portfolio flow to confirm that the system can handle 150k entries efficiently.

Acceptance Criteria *
System successfully processes 10k entries without critical failures.
Response times remain within acceptable thresholds (to be defined with product/tech team).
Detailed test report shared with stakeholders.

Network request details:

Name	X	Headers	Payload	Preview	Response	Initiator	Timing
fetch					{title: "QA Load Testing for Nomination/Portfolio Flow to Handle 10k Entries", acceptanceCriteria: "System successfully processes 10k entries without critical failures.", description: "The client has highlighted a potential high-volume load scenario for the nomination and portfolio flow to handle 150k entries efficiently.", additionalInfo: ""}		