Innovative Agro-Vet Products
Agrikima Sdn. Bhd.

agrikima
Making Growth Happen

AGRO-VET INNOVATIVE SOLUTIONS

40+ PREMIUM PRODUCTS



Transforming Animal Welfare

PRODUCT CATALOGUE
2025 — 2026

AGRIKIMA.COM

The Source of Integrative Animal Nutrition Products



Welcome to Agrikima

The Arena of
Agriculture & Agronomy

agrikima
Making Growth Happen

AT AGRIKIMA, WE COMBINE BIOTECHNOLOGY, AGRONOMICS AND ECOLOGICAL KNOWLEDGE.

About Us
Agrikima is headquartered in Kuala Lumpur, Malaysia. Off the foundry, our company's focus has been to analyse and adopt the latest methods in providing high-quality ecological products to our customers. We continuously built upon technical expertises, quality, and performance, sustainability and loyal customer relationships for success. We operate under a model of sustainable production, focused on maximizing production efficiency, preservation of the environment and natural resources, the continued development of our people and the communities that we integrate.

AGRIKIMA.COM

Based-in	Malaysia
Sector	Agriculture, Agronomy
Influence	International
Divisions	Supplement, Antiviral, Antibiotic, Anticoccidial



Integrative Animal Nutrition Products

We aim to deliver optimum products to meet the ever-changing demands and needs of our customer world.

Agrikima Sdn Bhd

Liquid Oral Solution

Advice

HERBAL ANTIVIRAL SUPPLEMENT

AGRIKIMA - ANTIVIRAL

ADVICE is an additive formulated to be mixed with drinking water. It is produced with natural extracts (Cinnamon, Garlic , Echinacea, Astargalus, Aloe vera, citric) plus Lectin, and Amantadine.

ADVICE is useful in the following situations:

- Mainly used for the virus diseases, Newcastle disease(ND), Infections and bronchitis(IB).
- Enhancing immunity.
- Digestion and absorption.
- Growth and development
- Production and performance.
- Overall animal health

ACTIVE INGREDIENTS
NUTRITIONAL
HERBALS

ADVICE is used to treat virus diseases of common cold, influenza, Newcastle disease (ND), infectious bronchitis (IB), etc. It can treat coldpungent diaphoresis, function as heat-clearing, eliminate the microorganisms that cause diseases, serve as an anti-inflammation agent and enhance the immune system.



DOSAGE AND ADMINISTRATION:
Enhancing immunity: poultry and livestock: 1000 ml per 1000 liter of drinking water one time a day.
Virus diseases: poultry and livestock : 1000 ml per 1000 liter of drinking water 5 days.

This product may be used during the whole production period without any risk or side effects.

WITHDRAWAL TIMES
- None.

STORAGE CONDITION
It is recommended to store the product in its original packing in a cool and dry condition. Keep it away from a heating sources or direct sunlight.

PRECAUTIONS!
For veterinary use only. Keep out of reach of children. Store in a cool and dry place.

PACKING
ADVICE is available in a 1L bottle.

FORM	CODE
Liquid	AKS030

Making Growth Happen

Liquid Oral Solution

MIX5

5 in 1

Nutritional Supplement - Relieves Respiratory Symptoms

BENEFITS
MIX5 is recommended for prevention and help in the treatment of respiratory problems of different etiology. Besides this, it helps in stages of difficult respiration by many causes: respiratory illness, hot and dusty air on farm, animal overpopulation in the object. MIX5 solution contains 5 extracts It is known for antibacterial, antiviral, antifungal, and anti- inflammatory effects, but the strongest effect is on the respiratory system, which helps for better and easier respiration, and alleviates content from the respiratory system. Relieve secondary problems related to respiratory diseases: secretion of mucus, cough, throat inflammation, bronchitis, and fever.

MIX5 reduces the undesirable effects of post-vaccination reaction, diminish contamination of drinking water, and alleviate heat stress, increase terminal sensation of freshness.

ACTIVE INGREDIENTS
EUCALYPTUS
ESSENTIAL OIL
MENTHOL
YUCCA EXTRACT
GINGER EXTRACT
CINNAMON EXTRACT

COMPOSITION
Each 1 Litre contains:

Eucalyptus essential oil	120 gm
Menthol	80 gm
Yucca extract	50 gm
Ginger extract	50 gm
Cinnamon extract	50 gm

DOSAGE
Poultry: 250 ml per 1000 Litres of drinking water, 3-4 days.
Pigeon: 1 mL per 5 litre of drinking water, 3-4 days.
Sheep, Cattle, Cows: 100-200 mL per 10 litre drinking water 2-4 per day.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
MIX5 is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS031



Agrikima Sdn. Bhd.

Supplements



Liquid oral solution

Toxinil

BENEFICIAL ACIDS

MOST BENEFICIAL ACIDS

TOXINIL IS A CONCENTRATED ACIDIFYING FORMULATION CONTAINING MIXTURES OF THE MOST BENEFICIAL ACIDS .

BENEFITS

- Strong effect against mold.
- Broad-spectrum of activity.
- Adsorption of mycotoxins.
- Help maintain high resistance in animals.

COMPOSITION

Each 1 Litre contains:

Propionic Acid	120 gm
Citric Acid	80 gm
Butyric Acid	20 gm
Formic Acid	20 gm
Lactic Acid	10 gm
Acetic Acid	10 gm
Malic Acid	4 gm

Optimizes pH for balanced microflora in the gut. Promotes digestion by activating digestive enzymes, and nutrient absorption by facilitating a healthy gastrointestinal tract. Favors mineral absorption through acidification of the gut. Helps normalization of the gut environment after chemotherapy, antibiotic use, and stressful events. Improves the overall production and performance of animals.

DOSAGE

Recommended Dosage 500 ml per 1000 L drinking water. This dosage can be increased up to 1000 ml per 1000 L drinking water if needed. Recommended for cleaning and disinfection of the watering systems. 1000 ml per 200 L of water.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Toxinil is available in a 1L bottle.

FORM	CODE
Liquid	AKF029

Agrikima Sdn. Bhd.

ACTIVE INGREDIENTS

PROPIONIC ACID
CITRIC ACID
BUTYRIC ACID
FORMIC ACID
LACTIC ACID
ACETIC ACID
MALIC ACID



Soluble Powder

Antistrs-300

Relieve Pain, Reduce Fever And Increase Resistance Against Diseases

HELP INCREASE RESISTANCE

BENEFITS

ANTISTRS-300 works to relieve pain and reduce fever, and increase resistance against bacterial and viral diseases in pigeons, canaries, parrotsz and poultry. Vitamin C plays important role in maintaining the activity and vitality of the animals' body, and increases their resistance, especially after stress and fatigue. stress reaction caused by vaccinations in poultry. Paracetamol is a common antipyretic, painkiller used to treat aches and pain. It can also be used to reduce a high temperature. Antipyretic, used as a secondary treatment for bacterial and viral infections accompaniment pyretic, for fever after vaccination to increase resistance against diseases (gumboro in poultry) and attenuate mortality caused by temperature.

COMPOSITION

Each 1 gm contains:

Paracetamol	180 mg
Vitamin C	120 mg
Excipients q.s	1 gm

DOSAGE

500 gm per 1000 Litres of drinking water for 3-5 days.
Cattle : 8 g per animal, per day.
Calves : 2 g per animal, per day.
Pigs : 150 g to medicate 1,000 litres of drinking water.
Medicated water should be used immediately.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Antistrs-300 is available in 500gm jars.

FORM	CODE
Powder	AKS040

Agrikima Sdn. Bhd.

ACTIVE INGREDIENTS

PARACETAMOL
VITAMIN C



Soluble Powder

NUTRITIC

Natural Feed Additives

QUALITY NATURAL FEED ADDITIVES



- Improve fertility and hatchability in breeders
- Improve the semen quality in male birds
- Increase the egg production
- Better FCR and weight gain
- Reduce post antibiotic stress
- Decrease disease outbreak by improving body resistance

ACTIVE INGREDIENTS
GARLIC EXTRACTS
SACCAHAROMYCES CEREVISIAE (YEAST CULTURE)

BENEFITS

- Restricting and killing harmful germs. It is very nice for prohibiting and killing hazardous germs, such as E.coli, Salmonella sp., Staphylococcus aureus, and dysentery bacillus.
- Detoxicate and keep healthy. It might decrease the toxin as mercury, cyanide, and nitrite. The animal will be healthier with bright shiny fur and illness resistance improved, the survival rate increased, after feeding for a long time.
- Stimulating animal's appetite. The aromatic of garlic stimulates animal's cravings. The secretion of gastric juice and vermiculation of the stomach and intestine can be improved. Therefore speed up the growth of the animal and heighten the feed reward.
- Resisting molds and pests. Various moulds can be erased and fly and maggot killed efficiently. Hygienic environment be kept and feed product kept longer.
- It is a refill of antibiotics as well as the very best additive for producing annoyance complimentary fodder.

EFFECTS OF NUTRITIC :

Allicin of Garlic Extract has strong sterilizing, antimicrobial and antiviral actions also helps in blood circulation. Allicin stimulates gastric mucosa, resulting in promotion of gastric secretion and intestinal regulation. Effects of Saccaharomyces Cerevisiae (Yeast Culture) Increased feed intake : It has a unique flavor in yeast culture that increasing feed intake and contains rich glutamine acids, nucleic acids and nucletide. Supply of rich nutrients : It contains rich amino acids, vitamins, minerals and unknown growth factors and has high absorption and utilization rate. Increased digestion and absorption rate : It contains various enzymes that increasing digestibility and reduces diarrhoea. Improvement of intestinal environment and activation of probiotic flora : Helps Microflora to be present in intestine during anaerobic condition, promoting the growth of lactobacillus, secreting lactoferrin that inhibiting the growth of pathogenic microorganisms by strongly combining with Fe3+ which are essential for the growth of bacteria.
Containing rich organic acids : Yeast culture contains rich in lactic acids and succinic acids etc to lower the intestinal pH, inhibiting the growth of pathogenic microorganisms and maintaining normal bacterial flora.

DOSAGE

Application & Dosage :
Poultry 500gm per ton of feed.or as advice by a veterinarian.
Horse and livestock: 20gm mixed in to the daily feed.



WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Nutritic is available in 25KG pails.

FORM	CODE
Powder	AKF007

Making Growth Happen

Liquid Oral Solution

K-Digest

DIETETIC LIQUID SUPPLEMENT

COMBINATION FOR CORRECTING AND PREVENTING LIVER AND ORAL SOLUTION FOR POULTRY

Refreshing, Rehydrating and stress relieving oral solution for poultry

BENEFITS

K-Digest is a dietetic liquid supplement formulated to correct fatty liver conditions, prevent liver dysfunctions and correct digestive disturbances in animals when fed a lithogenic diet (high in oil, fat, cholesterol, and cholic acid), leading to an increased supply of free fatty acids to hepatic cells.

COMPOSITION

Contains per mL:

Herbal extract plus			
Sorbitol	200 mg	Choline chloride	220 mg
Carnitine hydrochloride	50 mg	D-panthenol	25 mg
Betaine	30 mg	Magnesium sulphate	100 mg

DOSAGE

For oral administration.
1 litre per 4000 litre of drinking water or as advised by a veterinarian.
Cattle, horses : 10 ml per 100 kg bodyweight for 5 – 7 days.
Sheep, goats, calves : 20 ml per 100 kg bodyweight for 5 – 7 days.
Pigs : 500 ml per 1,000 litres of drinking water for 5 – 7 days.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

K-Digest is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS17

Agrikima Sdn. Bhd.



Supplements

Liquid Oral Solution

Re-Cover

BROAD-SPECTRUM SUPPLEMENT

COMBINATION FOR REFRESHING, REHYDRATING, AND STRESS RELIEVING ORAL SOLUTION FOR POULTRY

Refreshing, Rehydrating and stress relieving oral solution for poultry.

BENEFITS
RE-COVER is a refreshing, rehydrating, and stress-relieving oral solution for poultry. It reduces mortality and productivity losses in animals suffering from heat stress due to high ambient temperatures and high relative humidity.

ACTIVE INGREDIENTS
BETAINE
METHIONINE
VITAMIN C

COMPOSITION
Contains per mL:

Betaine	220 mg	Sodium Chloride Dihydrate	40 mg
Methionine	120 mg	Potassium Chloride	2 mg
Vitamin C (Ascorbic Acid)	100 mg	Magnesium Chloride hexahydrate	4 mg
Calcium Chloride Dihyrate	40 mg		

DOSAGE
For oral administration.
Poultry: 1 litre per 4000 litre of drinking water or as advised by a veterinarian
Cattle, horses : 10 ml per 100 kg bodyweight for 5 – 7 days.
Sheep, goats, calves : 20 ml per 100 kg bodyweight for 5 – 7 days.
Pigs : 500 ml per 1,000 litres of drinking water for 5 – 7 days

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Re-Cover is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS2017015



Liquid Oral Solution

Growth 80

GROWTH PROMOTER SUPPLEMENT

COMBINATION OF YEAST EXTRACT WITH AMINO ACID, ORGANIC ACIDS AND MINERALS

Growth 80 is a a growth promoter for calves, cattle, goats, poultry, and sheep.

BENEFITS
Growth 80 is a combination of yeast extract with Amino acid, organic acids and and copper is used as a growth promoter and gastro for intestinal problems in calves, cattle, goats, poultry, and sheep.

ACTIVE INGREDIENTS
AMINO ACID
ORGANIC ACIDS

The following mechanisms take place:
- Antibacterial activity (acids).
- Competition with undesirable organisms for space and or nutrients in the digestive tract.
- Production of nutrients (vitamins) or other growth factors which stimulate the growth and reproduction of other micro-organisms in the digestive tract.
- Production and or stimulation of enzymes, breakdown and or detoxication of undesirable compounds, and stimulation of the immune system in the host animal.

COMPOSITION
Contains per mL:

Yeast extract	80 mg	Threonine	60 mg
Betaine	200 mg	Citric acid	16 mg
Methionine	120 mg	Malic acid	3 mg
Lysine	80 mg	Phosphoric acid	13.6 mg
		Copper sulphate	20 mg

DOSAGE
For oral administration.
1 litre per 8000 litre of drinking water or as advised by a veterinarian.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only. Keep out of reach of children. Store in a cool and dry place.

PACKING
Growth80 is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS2017014



Soluble Powder

Immuzyme

Nutritional Feed Supplement

INCREASE POULTRY IMMUNITY

Lysozyme, Vitamin E and Vitamin C to Increase immunity by repairing tissues and prevent stress & sudden death syndrome.

BENEFITS

A remarkable natural antimicrobial and antiviral enzyme. Lysozyme inhibits the growth of a wide range of gram-positive bacteria by effectively rupturing the peptidoglycan layer of the cell wall. It also boosts the immune system against respiratory disease caused by a virus, IBD influenza, and Newcastle disease. Vitamin E helps in encephalomalacia, muscular dystrophy, and exudative diathesis.

ACTIVE INGREDIENTS
LYSOZYME
VITAMIN E
VITAMIN C

COMPOSITION

Each 1 gm contains:

Lysozyme	240 mg
Vitamin E	50 mg
Vitamin C	20 mg
Dextrose up to	1 mg

DOSAGE

Poultry: 150-200 gm per 1 MT of finish feed or as advised by a veterinarian

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Immuzyme is available in 500GM and 1KG jars.

FORM	CODE
Powder	AKF06



Soluble Powder

Optimum24

Nutritional Feed Supplement

STRESS RELIEVE ASSIST

A formulation that relieves symptoms and health problems associated with heat stress.

BENEFITS

It reduces mortality and productivity losses in animals suffering from heat stress due to high ambient temperatures and high relative humidity. Betaine prevents dehydration as it retains water in the mucosal cells of the gut wall, which reduces water loss in faeces and improves faecal consistency. Nutrient absorption is also improved. Vitamin C relieves symptoms and health problems associated with heat stress. Symptomatic treatment of fever in the context of respiratory diseases in combination with appropriate anti-infective therapy. Paracetamol is a common anti stress used to treat aches and pain. It can also be used to reduce a high temperature. It's used as painkillers and for colic.

ACTIVE INGREDIENTS
VITAMIN C
PARACETAMOL
METHIONINE

COMPOSITION

Each 1 gm contains:

Vitamin C (ascorbic acid)	300 mg
Paracetamol	150 mg
Methionine	100 mg
Betaine HCL	100 mg
Dextrose up to	1 gm

DOSAGE

Poultry: 250 gm per 1000 litre of drinking water for 3-5 days.
Calves, Goats, Sheep, Cattle & Horse: 1 gm per 50 Kg bodyweight for 3-5 days.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Optimum24 is available in 500GM and 1KG jars.

FORM	CODE
Powder	AKF41



Liquid Oral Solution

Mentholic

Nutritional Feed Supplement

QUALITY ESSENTIAL OILS

Essential oils (menthol, eucalyptus) plus garlic extract for respiratory tract infections (respiration and air passage) in poultry.

BENEFITS
- Improves respiration and air passage.
- Reduces mucus accumulation and discharge out of respiratory cavities.
- Improves resistance to all respiratory infections.
- Reduces the negative effect and stress due to live vaccination.
- Improves survivability and reduces mortality.

ACTIVE INGREDIENTS
MENTHOL
EUCALYPTUS
GARLIC EXTRACT

COMPOSITION
Each 1 mL contains:

Menthol	20 mg
Eucalyptus	20 mg
Garlic extract	20 mg

Essential oils - volatile compounds extracted from specific plants or plant parts have been shown to stimulate feed intake and digestion, improve respiration and offer healthy performance benefits in poultry.

DOSAGE
Poultry: 250 mL per 1000 Litres of drinking water or as advised by a veterinarian
Cattle, horses : 10 ml per 100 kg bodyweight for 5 – 7 days.
Sheep, goats, calves : 20 ml per 100 kg bodyweight for 5 – 7 days.
Pigs : 500 ml per 1,000 litres of drinking water for 5 – 7 days

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Mentholic is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS05



Liquid Oral Solution

Agri-CalD3

Nutritional Feed Supplement

PROPER BONES DEVELOPMENT

Rich source of Vitamin D3, Calcium Chloride, and Phosphoric Acid plus minerals vital for proper bone development.

BENEFITS
- Vital and necessary for proper bone development.
- Increases milk production in animals.
- Helps in disorders of bone mineralization and egg shells.
- Increases appetite and stimulates the metabolism.
- Achieves better absorption of feed through the digestive system.

ACTIVE INGREDIENTS
CALCIUM CHLORIDE
PHOSPHORIC ACID
VITAMIN D3

COMPOSITION
Each 1 Litre contains:

Calcium Chloride	60,000 mg	Copper	1,000 mg
Phosphoric Acid	30,000 mg	Zinc	5,000 mg
Vitamin D3	100,000 I.U.	Magnesium	10,000 mg
Iron	8,000 mg	Distillate water up to	1,000 mL

DOSAGE
The recommended dose for poultry: 500 ml per 1000 litre of drinking water.
Calves, Goats, Sheep, Cattle & Horse: 1 ml per 50 Kg bodyweight for 3-5 days.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Agri-CalD3 is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS01



Liquid Oral Solution

Aminovital

Nutritional Feed Supplement

VITAMINS + MINERALS + AMINO ACIDS

Rich source of vitamins, minerals and amino acids vital for proper healthcare and welfare for farm animals (cow, sheep, lamb, etc.).

COMPOSITION

Each 1 Litre contains:

Vitamin A	10.000.000 I.U.
Vitamin D3	2.000.000 I.U.
Vitamin E	2.000 mg
Vitamin B1	50 mg
Vitamin B2	4 mg
Vitamin B6	500 mg
Vitamin B12	1 mcg
Biotin	10 mg
Vitamin C	2.000 mg
Vitamin K3	10 mg
Magnesium(Sulphate)	5.000 mg
Zinc(Sulphate)	5.000 mg
Iron(Sulphate)	1.000 mg
Cobalt(Sulphate)	100 mg
Potassium Iodite	100 mg
Sodium Selenite	25 mg
Calcium Pantothenate	100 mg
Nicotinic Acid	1.000 mg
Choline chloride	350 mg
Folic Acid	10 mg
Methionine	1.000 mg
Lysine	1.000 mg
Threonine	500 mg
Betaine	100 mg
Distillate water up to	1.000 mL

BENEFITS

- Increases milk production in animals.
- Formulated for faster growth rate achievement.
- Increases appetite and stimulates metabolism.
- Helps in increasing the absorption of other feeds.
- Suitable in conditions of stress like heat and weather.

DOSAGE

Cows, horses, camels, and calves: 20 mL per animal/day.
Sheep: 15 mL per animal/day.
Lamb: 10 mL per animal/day.
Young camel: 15 mL per animal/day.
Poultry: 1 Litre per 1.000 Litre of drinking water

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Aminovital is available in
1L bottles and 5L cans.

FORM Liquid

CODE AKS02

ACTIVE INGREDIENTS

VITAMINS
MINERALS
AMINO ACIDS



Liquid Oral Solution

Calcium-70

Nutritional Feed Supplement

HEALTHY BONES DEVELOPMENT

Combination of Vitamin D3, Calcium Chloride, Potassium chloride, Phosphoric Acid, Vitamin D3 and Sorbitol for animal welfare.

BENEFITS

- Vital and for healthy proper bone development.
- Increases milk production in animals.
- Helps in disorders of bone mineralization and egg shells.
- Increases appetite and stimulates metabolism.
- Formulated for lethargic animals and dehydration.

COMPOSITION

Each 1 Litre contains:

Calcium Chloride	70.000 mg
Potassium Chloride	7.000 mg
Phosphoric Acid	35.000 mg
Vitamin D3	200.000 I.U.
Sorbitol	10.000 mg
Distillate water up to	1.000 mL

DOSAGE

Recommended dose for:
Camel, horse, cow, calves: 10 mL/animal/day.
Sheep and goat: 5 mL/animal/day.
Lamb: 2 mL/animal/day.
Poultry: 500 ml per 1000 litre of drinking water

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Calcium-70 is available in 1L bottles and 5L cans.

FORM Liquid

CODE AKS03

ACTIVE INGREDIENTS

CALCIUM CHLORIDE
POTASSIUM CHLORIDE
VITAMIN D3



Liquid Oral Solution

Agrivita+

Nutritional Feed Supplement

VITAMINS + MINERALS + AMINO ACIDS

Agrivita+ is beneficial for cases of ipovitaminoses and avitaminoses plus general health in animals.

COMPOSITION

Each 1 Litre contains:

Vitamin A	28.000.000 I.U.
Vitamin D3	3.000.000 I.U.
Vitamin E	3.000 mg
Vitamin B1	1.400 mg
Vitamin B2	200 mg
Vitamin B6	1.000 mg
Vitamin B12	5 mg
Biotine	100 mg
Vitamin C	3.000 mg
Vitamin K3	500 mg
Calcium pantothenate	1.000 mg
Nicotinic acid	2.000 mg
Choline chloride	1.800 mg
Folic acid	100 mg
Methionine	2.400 mg
Lysine	1.000 mg
Threonine	850 mg
Valine	500 mg
Tryptophane	500 mg
Distillate water up to	1000 mL

FORM
Liquid

CODE
AKS06

BENEFITS
- Helps animals to achieve faster growth by increasing their growth rate.
- Increases the weight and appetite in broilers.
- Enhances the animals' egg production and improves feed conversion.

DOSAGE
Poultry: 1 ml per 4 litre of drinking water
Cows, horses, camels, and calves: 20 mL per animal/day.
Sheep: 15 mL per animal/day.
Lamb: 10 mL per animal/day.
Young camel: 15 mL per animal/day.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Agrivita+ is available in 1L bottles and 5L cans.

ACTIVE INGREDIENTS
VITAMINS
AMINO ACIDS



Liquid Oral Solution

Agri-E+S200

Nutritional Feed Supplement

VITAMIN E + SELENIUM DEFICIENCY

Reliable for Vitamin E and Selenium deficiency such as encephalomalacia, exudative diathesis, and muscular dystrophy.

BENEFITS
- Indicated for Vitamin E and Selenium deficiency in calves, lambs, sheep, goats, and poultry. Encephalomalacia (Crazy Chick Disease), muscular dystrophy (White Muscle Disease, Stiff Lamb Disease), exudative diathesis (Generalised Oedematous Condition), and decreased hatchability of eggs.

COMPOSITION

Each 1 mL contains:

Vitamin E	200 mg
Sodium Selenite (Selenium)	0.5 mg

The predominant action of Vitamin E is that of regulating the oxidation processes of the body. Selenium is a trace element, reducing tissue peroxides and stimulating immunity response. Interaction with Vitamin E is sometimes synergistic and sometimes partially substitutive.

DOSAGE
The recommended dose for poultry:
1 mL per 4 litre of drinking water for 3-5 days or as advised by a veterinarian.
Horses, cattle : 5 – 10 ml per animal during 2 – 3 days.
Foals, calves : 5 ml per animal during 2 – 3 days.
Pigs, sheep, goats : 2 – 3 ml per animal during 2 – 3 days.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Agri-E+S200 is available in 1L bottles and 5L cans.

FORM
Liquid

CODE
AKS207

ACTIVE INGREDIENTS
VITAMIN E
SELENIUM



Liquid Oral Solution

Kima-Immune

Nutritional Feed Supplement

FOR POULTRY IMMUNITY

Rich source of vitamins such as Vitamin A, B12, C, E and Selenium vital for poultry immunity development.

BENEFITS
- Reliable as a powerful immune stimulant
- Helps to increase egg production and growth rates.
- For the development of excellent titers against vaccines.
- As a solution to improve fertility and hatchability rates.
- Useful for recovery during diseases (Gumboro, Newcastle Disease, Inclusion Body Hepatitis).

ACTIVE INGREDIENTS
VITAMIN E
SELENIUM
VITAMIN A

COMPOSITION
Each 1 Litre contains:

Vitamin E	200000 mg
Selenium	2200 mg
Vitamin A	100000 I.U.
Vitamin B12	1600 mg
Vitamin C	15000 mg
Choline chloride	4000 mg
Distillate water up to	1,000 mL

DOSAGE
Poultry: 100 ml per 1000 litre of drinking water or as advised by a veterinarian
Calves, cattle, goats and sheep:
1 ml per 50 - 100 kg body weight for 3 - 21 days.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Kima-Immune is available in 1L bottles and 5L cans.

FORM Liquid
CODE AKS08



Agrikima Sdn. Bhd.

Liquid Oral Solution

Agri-Hepa+

Nutritional Feed Supplement

BETTER LIVER CONDITION

Balanced nutritions vital to keep the liver in good condition, thus ensuring the healthy development of poultry.

BENEFITS
- Reliable for the treatment of hepatitis and other chronic liver diseases (fatty liver syndrome, hepatic cirrhosis).
- Protects the liver from the adverse effects of antibiotics toxins and eliminates them from kidney tissues and liver.
- Detoxifies hepatic cells and enhances mycotoxicosis.
- Stimulates the production of new hepatic cells.

ACTIVE INGREDIENTS
ORGANIC ACIDS
SORBITOL

COMPOSITION
Each 1 Litre contains:

Silymarine	10,000 mg	Nicotinamide	5,000 mg
Sorbitol	25,000 mg	Formic acid	10,000 mg
Betaine	5,000 mg	Propionic acid	15,000 mg
L-Lysine	10,000 mg	Acetic acid	5,000 mg
Choline chloride	10,000 mg	Lactic acid	5,000 mg

DOSAGE
The recommended dose for poultry: 250 ml per 1000 litre of drinking water.
Horses, cattle : 5 – 10 ml per animal during 2 – 3 days.
Foals, calves : 5 ml per animal during 2 – 3 days.
Pigs, sheep, goats : 2 – 3 ml per animal during 2 – 3 days.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
Agri-Hepa+ is available in 1L bottles and 5L cans.

FORM Liquid
CODE AKS09



Making Growth Happen

Liquid Oral Solution

Agrilyte+C

Nutritional Feed Supplement

MAINTAIN FLUID BALANCE

Beneficial for electrolytes, maintenance of fluid balance with additional Vitamin C for heat stress solution for poultry.

BENEFITS

- Promotion of neuromuscular function by helping in the transmission of nerve impulses.
- Regulate acid-base balance by maintaining the blood pH.
- Helps in dehydration, boosts immunity, and growth, and acts as a heat stress solution.

ACTIVE INGREDIENTS
AMMONIUM CHLORIDE
MAGNESIUM SULPHATE
MANGANESE SULPHATE

COMPOSITION

Each 1 Litre contains:

Ammonium chloride	320,000 mg	Cobalt sulphate	3,000 mg
Magnesium sulphate	20,000 mg	Potassium iodite	1,000 mg
Copper sulphate	10,000 mg	Sodium selenite	50 mg
Manganese sulphate	20,000 mg	Vitamin C	50 mg
Zinc sulphate	15,000 mg	Distilled water up to	1000 mL
Iron sulphate	5,000 mg		

DOSAGE

Poultry: 1 ml per 4 litre of drinking water
Cows, horses, camels, and calves: 20 mL per animal/day.
Sheep: 15 mL per animal/day.
Lamb: 10 mL per animal/day.
Young camel: 15 mL per animal/day.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Agrilyte+C is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS11



Agrikima Sdn. Bhd.

Soluble Powder

Agrivita-C

Nutritional Feed Supplement

HEAT STRESS SOLUTION

A reliable antioxidant needed for proper operation of several physiological functions and Vitamin C deficiencies in poultry.

BENEFITS

- Vitamin C helps to increase resistance to stress conditions, especially in cases of high temperatures.
- Improves feed conversion rate, hatchability and infertility rates in animals.
- Enhances immune system function, and thus increases animal immunity.

ACTIVE INGREDIENT
VITAMIN C (ASCORBIC ACID)

COMPOSITION

Each 1 Kg contains:

Vitamin C (ascorbic acid)	99% (990 gm)

DOSAGE

Poultry: 1 gm per 10 litre of drinking water or as advised by a veterinarian.
Calves, goats and sheep:
1 g per 200 kg body weight for 3 - 5 days.
Cattle:
1 g per 400 kg body weight for 3 - 5 days.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Agrivita-C is available in 1KG & 3KG jars.

FORM	CODE
Powder	AKS10



Agrikima Sdn. Bhd.

Liquid Oral Solution

Agrizec

Nutritional Feed Supplement

VITAMIN E + SELENIUM DEFICIENCY

For Vitamin E and Selenium deficiency like muscular dystrophy encephalomalacia and to increase growth performance.

BENEFITS

- Indicated for Vitamin E and/or Selenium deficiency for Encephalomalacia (Crazy Chick Disease), muscular dystrophy (White Muscle Disease, Stiff Lamb Disease), and exudative diathesis (Generalised Oedematous Condition).
- Useful for decreased hatchability of egg production.
- Helps for weakness and lack of growth in animals.

ACTIVE INGREDIENTS

VITAMIN E
SELENIUM
ZINC
VITAMIN A

COMPOSITION

Each 1 Litre contains:

Vitamin E	200.000 mg
Selenium	2300 mg
Zinc.	8500 mg
Vitamin A	100000 I.U.

**with added garlic extract*

DOSAGE

The recommended dose for poultry:
1 ml per 10 litre of drinking water or as advised by a veterinarian
Cows, horses, camels, and calves: 10 mL per animal/day.
Sheep: 5 mL per animal/day.
Young camel: 5 mL per animal/day.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

Agrizec is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS12



Liquid Oral Solution

AD3E 100/20/20

Nutritional Feed Supplement

GROWTH PROMOTION SUPPLEMENT

Effective for vitamin deficiencies in farm animals for growth rate promotion, enhancement of performance and feed efficiency.

BENEFITS

- Prevention of vitamin insufficiencies in poultry.
- Strengthen resistance to the diseases.
- Improvement of egg production and hatchability.
- Promotion of growth rates and improves feed efficiency.

ACTIVE INGREDIENTS

VITAMIN A
VITAMIN D3
VITAMIN E

COMPOSITION

Each 1 Litre contains:

Vitamin A	100 000 000 I.U.
Vitamin D3	20 000 000 I.U.
Vitamin E	20 000 mg

DOSAGE

The recommended dose for poultry:
1 ml per 4 litre of drinking water or as advised by a veterinarian.
Horses, cattle : 5 – 10 ml per animal during 2 – 3 days.
Foals, calves : 5 ml per animal during 2 – 3 days.
Pigs, sheep, goats : 2 – 3 ml per animal during 2 – 3 days.
Medicated drinking water should be used within 24 hours.

WITHDRAWAL TIMES

- None.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

AD3E 100/20/20 is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS43



Liquid Oral Solution

AD3E-CK

COMBINATION OF VITAMINS FOR STRESS TREATMENT ORAL SOLUTION FOR POULTRY.

COMBINATION OF VITAMINS

AD3E-CK is a well balanced combination of vitamin for calves, cattle, goats, poultry, and sheep.

BENEFITS
- Prevention or treatment of vitamin A, Vitamin D3, Vitamin E, and Vitamin C deficiencies in farm animals.
- Prevention or treatment of stress (caused by vaccination, diseases, transport, high humidity, high temperatures, or extreme temperature changes).
- Improvement of feed conversion.

ACTIVE INGREDIENTS
VITAMIN A
VITAMIN D3
VITAMIN E
VITAMIN C
VITAMIN K3

COMPOSITION
Each ml contains:

Vitamin A	50 000 I.U.
Vitamin D3	10 000 I.U.
Vitamin E	20 mg
Vitamin C	100 mg
Vitamin K3	50 mg

DOSAGE
For oral administration.
Poultry: 1 litre per 4000 litre of drinking water or as advised by a veterinarian
Cows, horses, camels, and calves: 20 mL per animal/day.
Sheep: 15 mL per animal/day.
Lamb: 10 mL per animal/day.
Young camel: 15 mL per animal/day.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING
AD3E-CK is available in 1L bottles

FORM	CODE
Liquid	AKS13



Liquid Oral Solution

AD3E-PLUS

COMBINATION OF VITAMINS FOR PREVENTION, AND STRESS TREATMENT ORAL SOLUTION FOR POULTRY.

BROAD-SPECTRUM MEDICINE

AD3E-PLUS are the type prevention and treatment of stress.

BENEFITS
AD3E PLUS is a vitamins that are essential for the proper operation of numerous physiological functions.

- Prevention or treatment of vitamin deficiencies in farm animals.
- Prevention or treatment of stress (caused by vaccination, diseases, transport, high humidity, high temperatures, or extreme temperature changes).
- Improvement of feed conversion.

ACTIVE INGREDIENTS
AMINO ACID
ORGANIC ACIDS

COMPOSITION
Contains per ml:

Vitamin A, retinol palmitate	12 000 I.U.	Vitamin C, ascorbic acid	50 mg
Vitamin D3, cholecalciferol	2 000 I.U.	Vitamin K3	2 mg
Vitamin E, a-tocopherol acetate	60 mg	D-panthenol	20 mg
Vitamin B1, thiamine hydrochloride	3 mg	Nicotinamide	40 mg
Vitamin B2, riboflavine sodium phosphate	6 mg	Biotin	150 µg
Vitamin B6, pyridoxine hydrochloride	4 mg	Folic acid	1 mg
Vitamin B12, cyanocobalamin	30 µg	Choline chloride	110 mg
		Glycine	10 mg

DOSAGE
For oral administration.
1 litre per 4000 litre of drinking water or as advised by a veterinarian.
Horses, cattle : 5 – 10 ml per animal during 2 – 3 days.
Foals, calves : 5 ml per animal during 2 – 3 days.
Pigs, sheep, goats : 2 – 3 ml per animal during 2 – 3 days.
Medicated drinking water should be used within 24 hours.

WITHDRAWAL TIMES
- None.

PRECAUTIONS!
For veterinary use only. Keep out of reach of children. Store in a cool and dry place.

PACKING
AD3E-Plus is available in 1L bottles and 5L cans.

FORM	CODE
Liquid	AKS13



Liquid Oral Solution

IMMUSOL

COMBINATION OF VITAMINS

IMMUSOL contains a combination Mixed extract of medicinal plants is better for immunomodulatory response against ND, IB, and IBD and to reduce coccidial oocysts burden, without affecting growth of the broilers.

COMPOSITION

Each 1 liter contains:

seaweed extract	42,000 mg
Astragalus polysaccharide extract	30,000 mg
Star Anise Oil	50,000 mg
Thymol	50,000 mg
Black seed Oil	50,000 mg
Oregano extract	50,000 mg
Licorice extract	30,000 mg
Cinnamon oil	30,000 mg
Riboflavin	3000 mg
Vitamin E	20,000 mg

INDICATIONS

– Black Seed bears an excellent potential as alternative to antibiotics and vaccines to improve immunity.the ability to defend and fight against foreign bodies or pathogens.
-Control and protection against viral, bacterial or fungal infections.
-During incidence of diseases to improve health, immunity and bird performance.
-Before, during or after vaccination to stimulate immunity and get the maximum results from vaccines.
-After antibiotics use to strengthen immunity and intestinal function.

DOSAGE

For oral administration via drinking water.
Poultry :250ML ml per 1000 L of drinking water during 5 – 7 days.

PRECAUTIONS!

For veterinary use only.
Keep out of reach of children.
Store in a cool and dry place.

PACKING

IMMUSOL is available in 1L bottles

FORM

Liquid

Agrikima Sdn. Bhd.



Soluble Powder

DL-METHIONINE

FEED GRADE 84%

QUALITY FEED ADDITIVES

DL-METHIONINE - AMINO ACID
Dl-Methionine is an essential amino acid that serves as a nutrient facilitating the efficient production of high-quality chick meat. It also reduces the amount of nitrogen excreted by the livestock.

SPECIFICATIONS

Appearance	White granular	Dl-Methionine, %	≥ 84.0
Molecular Formula	C5H11NO2S	Loss on drying , %	≤ 0.3
Molecular Weight	149.21 gm/mol	Chloride (NaCl), %	≤ 0.2
Cas No.	59-51-8	Pb (mg/kg)	≤ 20
Chemical Structure	CH3S-CH2-CH2-CH(NH2)-COOH	As (mg/kg)	≤ 2

INDICATIONS

• Plays an important role for metabolism processes in animals.
• Helps to increase the strength of animal bones.
• For overall proper growth, reproduction and performance.

DOSAGE

500 gm /each 1 MT finish feed continuously or as advised by a veterinarian.

TARGET SPECIES

Poultry and Livestock (Cattle, Sheep, Goat, and Horse)

PRECAUTIONS!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.
- Keep away from direct exposure to sunlight.

PACKING

25KG

FORM

Powder

Making Growth Happen



Soluble Powder

CHOLINE CHLORIDE 70%

QUALITY FEED ADDITIVES

CHOLINE CHLORIDE PLAYS A SIGNIFICANT ROLE IN NUTRITION, IS USED IN THE FEED INCREASE GROWTH RATE, STRENGTHEN IMMUNITY AND REDUCING FATTY LIVER SYNDROME OF THE POULTRY.

COMPOSITION
Choline chloride 70% feed grade

DESCRIPTION
Choline chloride Essential for perosis condition and liver enlargement in chicks Acts as lipotropic agent and prevents the abnormal fatty infiltration in liver (fatty liver syndrome). Ensure proper metabolism of the body & effective utilization or the nutrition. . It plays a significant role in nutrition, but its daily requirement seems to be hundreds of times greater than that of other vitamins. Choline Chloride is the most common and the most economical source of choline for animal feed. Choline chloride is used in the feed increase growth rate, strengthen immunity and reducing fatty liver syndrome of the poultry.

INDICATIONS
Choline chloride recommended for increase animal growth and improve feed peformence
Choline chloride help for creating acetylcholine, which in this case has an important function in the transmission of stimuli in the nervous system (neurotransmitter), as well as creating lecithin (phosphatidylcholine). Lecithin is one of the basic constituents of animal cell membranes. Choline chloride building block of ceramides, which are present in the brain tissues. Interference in the enzymatic synthesis or degradation of these membrane building blocks results in metabolic disorders.

HOW TO USE
500mg / each 1 MT of finish feed, 1-3 weeks continuously

PRECAUTIONS!
- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.
- Keep away from direct exposure to sunlight.

PACKING
25KG

FORM
Powder

Agrikima Sdn. Bhd.



Soluble Powder

THERIONINE 65%

QUALITY FEED ADDITIVES

THREONINE IS THE THIRD LIMITING ESSENTIAL AMINO ACID AFTER METHIONINE AND LYSINE IN CORN-SOYBEAN BASED DIETS OF BROILERS.

COMPOSITION
Each 1 gm contains :
Threonine 65%
Moisture: Max 2%

INDICATIONS
Threonine, it is clear that inclusion of dietary Threonine, enhances the growth performance and improves gut morphology, immunity and carcass characteristics in broilers.
Threonine improves the efficiency of protein utilization in animal feeding.
It increases the efficiency of animal protein production.
It promotes the meat quality & increases the growth rate of Broiler. due to continuous improvement in genetic potential and management practices for poultry production, dietary Threonine requirements are changing.

BENEFITS:
To prevent deficiency of THERIONINE.

DOSAGE
100-50 gm / 100 kg feed continue Or, according to registered veterinary doctor or poultry consultant.

PRECAUTIONS!
- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.
- Keep away from direct exposure to sunlight.

PACKING
25KG

FORM
Powder

Making Growth Happen



Soluble Powder

BETAINE 50%

QUALITY FEED ADDITIVES

PROMOTES HEALTH AND GROWTH FOR ANIMALS

SPECIFICATIONS

Items	Specifications
Assay, %	≥ 50
Loss on drying, %	≤ 2.0
Heavy metals (Pb), %	≤ 0.001
Arsenic (As), %	≤ 0.0002
Ignite residue, %	≤ 1.0

Betaine HCL is a quaternary ammonium salt, lactone alkaloids, with active N-CH3 and within the structure of fat. It takes part in the biochemical reaction of animal and provide methyl, it is helpful to the synthesis and metabolism of protein and nucleic acid.

FUNCTIONS

• Promote the metabolism of fat and increase the lean meat rate of livestock and poultry.
• Improve the quality of meat and lower the ratio of feed against meat.
• Improve the appetite of animals and promote the growth rate plus improve productivity.
• Betaine can be the buffering substance for the stress reaction.
• Maintain the stability of vitamins, especially Vitamin A and Vitamin B in feed.
• Used for feeding promotion, relieve stress, and replace a part of choline chloride.

DOSAGE

1 Kg / MT or as advised by a veterinarian.

PRECAUTIONS!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.
- Keep away from direct exposure to sunlight.

PACKING

25KG

FORM

Powder

Agrikima Sdn. Bhd.



agrikima
Making Growth Happen

agrikima
Making Growth Happen

Innovative Agro-Vet Products
Agrikima Sdn. Bhd.

OPTIMUM ANIMAL NUTRITION



40+ PREMIUM PRODUCTS

SUSTAINABLE VETERINARY AGRICULTURE

AGRIKIMA.COM

Agrikima Sdn. Bhd.
A63, Jalan FZ2, Precint 3, Klang,
KS12 42920, Pelabuhan Klang,
Selangor D.E., Malaysia.