

PREMIUM Certificate

no. c5785k-20

Customer:

Dätwyler IT Infra GmbH
Auf der Roos 4-12
65795 Hattersheim, Germany

VALID TO FEBRUARY 2025

Level 2

Test sample(s):

Cord:
DATWYLER FO duplex patch cord OS2 LCD

Part-no.: 423311-423320 (LC PC - LC PC)
423384-423399 (LC PC - LC PC)
423370 (LC PC - LC PC)
423323xx, 423308 (LC PC - LC PC)
423812-423818, 423820, 423823xx, 423825, 423821 (LC PC - LSH APC)

Applied standard(s):

GHMT PVP Testplan-optical fibre Ed-2.0 (2018-11)

Result(s):

The sample meets the limits of the applied standards and regulations with respect to the parameters indicated above.

Cord, optical fibre, Level 2

GHMT PREMIUM Verification Program, GHMT PVP

Ongoing compliance with the specifications is monitored within the framework of regular sampling, which cannot be influenced by the customer, thus defining high standards as regards continuous manufacturing quality.

This Certificate refers to the comprehensive test report no. R5785k-20 and shall only be applicable in conjunction with the test report.

Bexbach, 28.08.2024



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

PO box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.

Certificate

No. c9735a-25

Customer:

Dätwyler IT Infra AG
Gotthardstrasse 31
6460 Altdorf, Switzerland

Class Ea

Test sample(s):

data cable:

DATWYLER CU 6552 4P AWG23 F/FTP Cat.6A FRNC/LSOH

Part no.: 191454xxxx

balanced cord:

DATWYLER patch cords Cat.6A (IEC) shielded, wiring 1:1

Part no.: 653526xxxx

CP-cable:

DATWYLER patch cords Cat.6A (IEC) shielded, wiring 1:1 with

DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less, shielded

Part no.: 653516xxxx with 418069

connecting hardware:

DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less-shielded

Part no.: 418069

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)

DIN EN 50173-1 (2018-10)

Result(s):


The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

6 Connector Permanent Link, Copper, Class Ea GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report **no. R9735a-25** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 29.09.2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

P.O. box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

**RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.**

PREMIUM Certificate

no. c6472h-21

Customer:

Dätwyler IT Infra GmbH
Auf der Roos 4-12
65795 Hattersheim, Germany

VALID TO FEBRUARY 2025

Category 6A

Test sample(s):

Balanced cord:
DATWYLER patch cord Cat.6A (IEC) shielded, wiring 1:1
Part-no.: 653xxxxxxx (1m-25m); 65034500DY

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)
IEC 61935-2 Ed.3.0 (2010-07)

Result(s):

The sample meets the limits of the applied standards and regulations with respect to the parameters indicated above.

Balanced cord, copper, Category 6A

GHMT PREMIUM Verification Program, GHMT PVP

Ongoing compliance with the specifications is monitored within the framework of regular sampling, which cannot be influenced by the customer, thus defining high standards as regards continuous manufacturing quality.

This Certificate refers to the comprehensive test report **no. R6472h-21** and shall only be applicable in conjunction with the test report.

Bexbach, 27. August 2024



Dirk Wilhelm, engineer
(Chairman of the Managing Board)

**GHMT AG**

In der Kolling 320
66450 Bexbach / Germany

PO box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

Certificate

No. c8225a-23

Customer:

Dätwyler IT Infra AG
Gotthardstrasse 31
6460 Altdorf, Switzerland

Class Ea**Test sample(s):**

data cable:

DATWYLER CU 6502 4P AWG23 U/FTP Cat.6A FRNC/LSOH

Part no.: 191453xxxx

CP-cable:

**DATWYLER patch cords Cat.6A (IEC) shielded, wiring 1:1 with
DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less, shielded**

Part no.: 653516xxxx with 418069

connecting hardware:

DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less-shielded

Part no.: 418069

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)

DIN EN 50173-1 (2018-10)

Result(s):

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

4 Connector Permanent Link, Copper, Class Ea GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **R8225a-23** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 17. October 2023



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

P0 box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

**RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.**

Zertifikat

Nr. z8225a-23

Auftraggeber:

Dätwyler IT Infra AG
Gotthardstrasse 31
6460 Altdorf, Schweiz

Prüfling(e):

Symmetrisches Kupferkabel:
DATWYLER CU 6502 4P AWG23 U/FTP Cat.6A FRNC/LSOH
Art.-Nr.: 191453xxxx

CP-Kabel:

DATWYLER patch cords Cat.6A (IEC) shielded, wiring 1:1 mit
DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less, geschirmt
Art.-Nr.: 653516xxxx mit 418069

Steckverbinder:

DATWYLER RJ45 Modul KS-TC Plus Cat.6A (IEC) toolless geschirmt
Art.-Nr.: 418069

Bewertungsstandard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)

Resultat:

Der Prüfling hält bei den im Prüfbericht genannten Prüfparametern die Grenzwerte der besagten Bewertungsstandards ein.

Klasse E_A

4 Connector Permanent Link, Kupfer, Klasse E_A GHMT Type Approval

Die bei der Prüfung ermittelten Ergebnisse beziehen sich auf den beschriebenen und vom Auftraggeber vorgelegten Prüfling. Zukünftige technische Änderungen der geprüften Produkte unterliegen dem Verantwortungsbe-
reich der Hersteller.

Dieses Zertifikat verweist auf den ausführlichen Prüfbericht
Nr. R8225a-23 und ist nur in Verbindung mit diesem gültig.
Dieses Zertifikat ist nach Prüfdatum 24 Monate gültig.

Bexbach, 17. Oktober 2023



Dipl.-Ing. Dirk Wilhelm
(Vorstandsvorsitzender)



Durch die DAkkS nach DIN EN ISO/IEC 17025:2018 akkreditiertes Prüflaboratorium.
Die Akkreditierung gilt für die in der Urkunde (D-PL-17559-01-00) aufgeführten Prüfverfahren.

GHMT AG

In der Kolling 320
D-66450 Bexbach

Postfach 11 16
D-66442 Bexbach

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

**HOCHVERFÜGBARKEIT IM GANZEN
BEDINGT PRÄZISION IM DETAIL.**

Certificate

No. c8130a-23

Customer:

Dätwyler IT Infra AG
Gotthardstrasse 31
6460 Altdorf, Switzerland

Class Ea

Test sample(s):

data cable:

DATWYLER CU 6502 4P AWG23 U/FTP Cat.6A FRNC

Part no.: 191453xxx

connecting hardware:

DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less-shielded

Part no.: 418069

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)

DIN EN 50173-1 (2018-10)

Result(s):

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

2 Connector Permanent Link, Copper, Class Ea

GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **R8130a-23** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 04.08.2023



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

P.O. box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

**RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.**

Zertifikat

Nr. z8130a-23

Auftraggeber:

Dätwyler IT Infra AG
Gotthardstrasse 31
6460 Altdorf, Schweiz

Prüfling(e):

Symmetrisches Kupferkabel:
DATWYLER CU 6502 4P AWG23 U/FTP Cat.6A FRNC
Art.-Nr.: 191453xxx

Steckverbinder:

DATWYLER RJ45 Modul KS-TC Plus Cat.6A (IEC) toolless geschirmt
Art.-Nr.: 418069

Klasse E_A

Bewertungsstandard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)

Resultat:

Der Prüfling hält bei den im Prüfbericht genannten Prüfparametern die Grenzwerte der besagten Bewertungsstandards ein.

2 Connector Permanent Link, Kupfer, Klasse E_A

GHMT Type Approval

Die bei der Prüfung ermittelten Ergebnisse beziehen sich auf den beschriebenen und vom Auftraggeber vorgelegten Prüfling. Zukünftige technische Änderungen der geprüften Produkte unterliegen dem Verantwortungsbe- reich der Hersteller.

Dieses Zertifikat verweist auf den ausführlichen Prüfbericht Nr. **R8130a-23** und ist nur in Verbindung mit diesem gültig. Dieses Zertifikat ist nach Prüfdatum 24 Monate gültig.

Bexbach, 04.08.2023



Dipl.-Ing. Dirk Wilhelm
(Vorstandsvorsitzender)



GHMT AG

In der Kolling 320
D-66450 Bexbach

Postfach 11 16
D-66442 Bexbach

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

PREMIUM Certificate

no. c6173k-20

Customer:

Dätwyler IT Infra GmbH
Auf der Roos 4-12
65795 Hattersheim, Germany

VALID TO DECEMBER 2025

Level 2

Test sample(s):

Universal Cable:

DATWYLER FO Universal ZGGFR / U-DQ(ZN)BH 1xn OS2

Part-no. OS2: 19020300DZ (1x4); 19020400DZ (1x6); 19342100DZ (1x6)
19020500DZ (1x8); 19007700DZ (1x12)

DATWYLER FO Universal ZGGFR / U-DQ(ZN)BH 1xn OM3/OM4

Part-no. OM3: 18598900DZ (1x4); 19011200DZ (1x6); 19342500DZ (1x6)
18595900DZ (1x8); 18635000DZ (1x12); 19342600DZ (1x12)

Part-no. OM4: 19271200DZ (1x4); 19336000DZ (1x6); 19342900DZ (1x6)
18736300DZ (1x8); 19442200DZ (1x8); 19125100DZ (1x12)
19343000DZ (1x12)

Applied standard(s):

GHMT PVP Testplan-optical fibre cables Ed. 2.0 (2022-06)

Result(s):

The sample meets the limits of the applied standards and regulations with respect to the parameters indicated above.


Universal Cable, optical fibre, Level 2

GHMT PREMIUM Verification Program, GHMT PVP

Ongoing compliance with the specifications is monitored within the framework of regular sampling, which cannot be influenced by the customer, thus defining high standards as regards continuous manufacturing quality.

This Certificate refers to the comprehensive test report no. R6173k-20 and shall only be applicable in conjunction with the test report.

Bexbach, 02.07.2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

P0 box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.

PREMIUM Certificate

no. c6610i-21

Customer:

Dätwyler IT Infra GmbH
Auf der Roos 4-12
65795 Hattersheim, Germany

VALID TO DECEMBER 2025

Level 2

Test sample(s):

Universal Cable:
FO Universal ZGGFR / U-DQ(ZN)BH 2x12 E9/125 G.652.D OS2
Part-no.: 19007100DZ

Applied standard(s):

GHMT PVP Testplan-optical fibre cables Ed. 2.0 (2022-06)

Result(s):

The sample meets the limits of the applied standards and regulations with respect to the parameters indicated above.

Universal Cable, optical fibre, Level 2

GHMT PREMIUM Verification Program, GHMT PVP

Ongoing compliance with the specifications is monitored within the framework of regular sampling, which cannot be influenced by the customer, thus defining high standards as regards continuous manufacturing quality.

This Certificate refers to the comprehensive test report **no. R6610i-21** and shall only be applicable in conjunction with the test report.

Bexbach, 02.07.2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



Test laboratory accredited by DAkkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate **D-PL-17559-01-00**.

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

PO box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.

Certificate

No. c9736a-25

Customer:

Dätwyler IT Infra AG
Gotthardstrasse 31
6460 Altdorf, Switzerland

Class Ea**Test sample(s):**

data cable:

DATWYLER CU 6502 4P AWG23 U/FTP Cat.6A FRNC/LSOH

Part no.: 191453xxxx

CP-cable:

**DATWYLER patch cords Cat.6A (IEC) shielded, wiring 1:1 with
DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less, shielded**

Part no.: 653516xxxx with 418069

connecting hardware:

DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less-shielded

Part no.: 418069

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)

DIN EN 50173-1 (2018-10)

Result(s):

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

4 Connector Permanent Link, Copper, Class Ea

GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **R9736a-25** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 29.09.2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



Test laboratory accredited by DAkkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate **D-PL-17559-01-00**.

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

P0 box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

**RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.**

PREMIUM Certificate

no. c6173j-20

Customer:

Dätwyler IT Infra GmbH
Auf der Roos 4-12
65795 Hattersheim, Germany

VALID TO JUNE 2025

Level 2

Test sample(s):

Universal Cable:

DATWYLER FO Universal ZGGFR / U-DQ(ZN)BH 1xn OS2

Part-no. OS2: 19020300DZ (1x4); 19020400DZ (1x6); 19342100DZ (1x6)
19020500DZ (1x8); 19007700DZ (1x12)

DATWYLER FO Universal ZGGFR / U-DQ(ZN)BH 1xn OM3/OM4

Part-no. OM3: 18598900DZ (1x4); 19011200DZ (1x6); 19342500DZ (1x6)
18595900DZ (1x8); 18635000DZ (1x12); 19342600DZ (1x12)

Part-no. OM4: 19271200DZ (1x4); 19336000DZ (1x6); 19342900DZ (1x6)
18736300DZ (1x8); 19442200DZ (1x8); 19125100DZ (1x12)
19343000DZ (1x12)

Applied standard(s):

GHMT PVP Testplan-optical fibre cables Ed. 2.0 (2022-06)

Result(s):

The sample meets the limits of the applied standards and regulations with respect to the parameters indicated above.

Universal Cable, optical fibre, Level 2

GHMT PREMIUM Verification Program, GHMT PVP

Ongoing compliance with the specifications is monitored within the framework of regular sampling, which cannot be influenced by the customer, thus defining high standards as regards continuous manufacturing quality.

This Certificate refers to the comprehensive test report no. R6173j-20 and shall only be applicable in conjunction with the test report.

Bexbach, 15.01.2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

P0 box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.

PREMIUM Certificate

no. c5964j-20

Customer:

Dätwyler IT Infra GmbH
Auf der Roos 4-12
65795 Hattersheim, Germany

VALID TO APRIL 2025

Category 6A

Test sample(s):

Connecting hardware:
DATWYLER RJ45 module KS-TC Plus Cat.6A (IEC) tool-less shielded
Part-no.: 418069

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)
DIN EN 50173-1 (2018-10)
ANSI/TIA-568.2-D (2018-09)
IEC 60603-7-51 Ed.1.0 (2010-03)

Result(s):

The sample meets the limits of the applied standards and regulations with respect to the parameters indicated above.

Connecting hardware, copper, Category 6A

GHMT PREMIUM Verification Program, GHMT PVP

Ongoing compliance with the specifications is monitored within the framework of regular sampling, which cannot be influenced by the customer, thus defining high standards as regards continuous manufacturing quality.

This Certificate refers to the comprehensive test report no. **R5964j-20** and shall only be applicable in conjunction with the test report.

Bexbach, 18.10.2024



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



*Test laboratory accredited by DAkKS in accordance with DIN EN ISO/IEC 17025:2018.
The accreditation is valid for the test methods listed in certificate D-PL-17559-01-00.*

GHMT AG

In der Kolling 320
66450 Bexbach / Germany

PO box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de

RELIABILITY IN TOTAL
REQUIRES ACCURACY IN DETAIL.