# Congenital anomalies of the urinary bladder and ureter


## 1- Persistence of a patent urachus:

- ***Urachal fistula:*** persistence of the whole urachus patent.


- ***Urachal sinus:*** persistence of the distal part.

-***Urachal diverticulum:*** persistent proximal part of urachus

- ***Urachal cyst:*** persistence of an isolated segment of the urachus patent.




# Congenital anomalies of the urinary bladder and ureter



# Congenital anomalies of the urinary bladder and ureter

**2- Uro-rectal fistula:** Malformation of the urorectal septum can lead to several different types of fistula (rectovescical & rectourethral fistula).




ANU MEDICAL SCHOOL PROGRAM

# Congenital anomalies of the urinary bladder and ureter

**3- Ectopia vesicae (Exstrophy of the bladder):**

- Ventral body wall defect in which the bladder mucosa is exposed


- Due to defective formation of the infraumbilical part of the anterior abdominal wall,




ANU MEDICAL SCHOOL PROGRAM

# Congenital anomalies of the urinary bladder and ureter


**4- Epispadias:** The urethra opens on the dorsum of the penis. It is a rare anomaly.




ANU MEDICAL SCHOOL PROGRAM

# Congenital anomalies of the urinary bladder and ureter

**5- Hypospadius:** The urethra opens on the under surface of the glans penis due to incomplete fusion of the urethral folds . It might be perineal (scrotal), penile, or terminal. It is a common anomaly that might be an isolated defect or may be associated with other anomalies of the male genital system.




ANU MEDICAL SCHOOL PROGRAM