True of false

A. Base of mammary gland extends from 2nd to 6th ribs.
B. Peau d'orange is due to invasion of lactiferous ducts.
C. Milk ridge extends from the axilla to the inguinal region.
D. Breast abscess is incised transversely.

ANU MEDICAL SCHOOL PROGRAM

True of false

A. Base of mammary gland extends from 2nd to 6th ribs. T
B. Peau d'orange is due to invasion of lactiferous ducts. F
C. Milk ridge extends from the axilla to the inguinal region. T
D. Breast abscess is incised transversely. F

Test Your Self

The following arteries supply the female breast except:

A. Internal mammary artery.
B. Lateral thoracic artery.
C. Suprascpular artery.
D. Underlying intercostal arteries.


Test Your Self

The main lymphatic drainage of the lateral quadrants of the breast is:

A. Subscapular axillary
B. Pectoral axillary
C. Parasternal
D. Lateral axillary

References

- Gray's Anatomy, 42th ed. ;2020
- Gray's Anatomy For Students,, 4th ed. ;2019
- Snell's Clinical Anatomy, 9th ed.; 2011
- Netter Atlas Of Human Anatomy



ANU MEDICAL SCHOOL PROGRAM



ANU
MEDICAL
SCHOOL
PROGRAM