Perineum II

Prof. Wafaa Abdel Rahman

Prof. of Anatomy and Embryology

ALEXANDRIA NATIONAL UNIVERSITY
ALEXANDRIA
جامعة الإسكندرية الأهلية

ANU
MEDICAL
SCHOOL
PROGRAM

ILOs

1- Identify the boundaries and contents of the recto-anal triangle.

2- Illustrate the internal pudendal vessels and its distribution.

3- Identify the pudendal nerve and its distribution.


4- Appraise the clinical importance of the perineal body.

ALEXANDRIA NATIONAL UNIVERSITY
ANU MEDICAL SCHOOL PROGRAM


Perineum

- It is the lowermost part of the trunk that includes the structures that occupy the pelvic outlet.

Anatomical Borders:




Surface Borders:



ANU MEDICAL SCHOOL PROGRAM

- A transverse line joining the anterior ends of the ischial tuberosities divides the diamond-shaped perineum into two triangles.

1. The anal triangle.
2. The urogenital triangle.



Recto-anal triangle


Boundaries :

1. Anterior : imaginary line between the ischial tuberosities.
2. Lateral : sacrotuberous ligaments.
3. Posterior : tip of the coccyx.

Contents :

1- Lower part of anal canal.

2- Ischiorectal fossa on each side.



ANU MEDICAL SCHOOL PROGRAM