Blood supply

- **Arterial supply :**

1- ovarian artery.

2- uterine artery.

- **Venous drainage :**

1- uterine vein.

2- ovarian vein.

- **Lymphatic drainage :**


1- para-aortic lymph nodes.

2- superficial inguinal lymph nodes.

Vagina

- It is a muscular tube that joins the reproductive tract with the external environment.

- **Length :** 7cm to 10 cm.
- It descends antero-inferiorly from the cervix of uterus to the vestibule of vagina.
- Its orifice is partially closed by a membrane (hymen).




Relations of the vagina


- Anterior : base of the urinary bladder and urethra.

- Posteriorly : upper ¼th is covered by peritoneum of Douglas pouch, its middle 2/4th are related to the rectum, its lower ¼th is separated from anal canal by the perineal body.

- The cervix is inserted into the anterior wall of the vagina and the vaginal cavity around the cervix is called fornix.

- There are 4 vaginal fornices : anterior; Posterior and 2 lateral.






Vagina

- Supports of the vagina :
- Pelvic floor muscles, ligaments of the cervix & perineal body.
- Blood supply :
• Vaginal artery & vaginal br. of uterine artery.
• Vaginal vein: drains into Internal Iliac vein
- Lymphatic drainage :
1- External iliac lymph nodes.
2- Internal iliac lymph nodes.
3- Superficial inguinal lymph nodes .

Clinical notes

- Paracentesis :

- collections of body fluid, blood or, pus in Douglas pouch could be easily drained by introducing a needle through the posterior fornix of the vagina.



aspiration of fluid in the posterior fornix

Female external genitalia

- 2 lateral folds called labia majora.
- 2 medial folds called labia minora.
- A protrusion called clitoris.
- Vestibule of the vagina is the space between the 2 labia minora where the urethra, vagina and ducts of greater vestibular glands open.

