
# Lymphatic drainage

1. ***Superficial lymphatics*** draining the skin

   & form subareolar lymphatic plexus.

1. ***Deep lymphatics :***


- The **lateral quadrants** of the breast drain into the anterior axillary or pectoral group of nodes
- The **medial quadrants** drain along the course of the internal thoracic artery into the parasternal lymph nodes.




ANU MEDICAL SCHOOL PROGRAM

# Lymphatic drainage

- some vessels communicate with the lymph vessels of the opposite breast and with those of the anterior abdominal wall.
- **Axillary tail** drains into the subscapular group of axillary lymph nodes.




ANU MEDICAL SCHOOL PROGRAM


# Clinical notes


## *1- Cancer breast:*

- Is one of the common malignant tumors in females. The diagnostic signs are :

**a.Dimpling of the skin :** due to invasion and shortening of the suspensory ligaments.

**b.Inversion (retraction) of the nipple :** due to invasion and shortening of the lactiferous ducts.


dimpling of skin


retacted nipple

ANU MEDICAL SCHOOL PROGRAM

# Clinical notes

- **Peau d’ orange:** due to blockage of the lymphatics and lymph could not be drained so that skin of the breast becomes thick, edematous and pitted resembling the skin of an orange.





- **Fixation of the breast :** due to invasion of the underlying structures

ANU MEDICAL SCHOOL PROGRAM

# Clinical notes

***2- Breast abscess*** should be incised radially to minimize injury of the lactiferous ducts.

***3- Gynecomastia*** is enlargement of the male breast.




ANU
MEDICAL
SCHOOL
PROGRAM