Congenital anomalies of the urinary bladder and ureter


1- Persistence of a patent urachus:

- ***Urachal fistula:*** persistence of the whole urachus patent.


- ***Urachal sinus:*** persistence of the distal part.

-***Urachal diverticulum:*** persistent proximal part of urachus

- ***Urachal cyst:*** persistence of an isolated segment of the urachus patent.




Congenital anomalies of the urinary bladder and ureter



Congenital anomalies of the urinary bladder and ureter

2- Uro-rectal fistula: Malformation of the urorectal septum can lead to several different types of fistula (rectovescical & rectourethral fistula).



ANU MEDICAL SCHOOL PROGRAM

Congenital anomalies of the urinary bladder and ureter

3- Ectopia vesicae (Exstrophy of the bladder):

- Ventral body wall defect in which the bladder mucosa is exposed


- Due to defective formation of the infraumbilical part of the anterior abdominal wall,



ANU MEDICAL SCHOOL PROGRAM

Congenital anomalies of the urinary bladder and ureter


4- Epispadias: The urethra opens on the dorsum of the penis. It is a rare anomaly.



ANU MEDICAL SCHOOL PROGRAM

Congenital anomalies of the urinary bladder and ureter

5- Hypospadius: The urethra opens on the under surface of the glans penis due to incomplete fusion of the urethral folds . It might be perineal (scrotal), penile, or terminal. It is a common anomaly that might be an isolated defect or may be associated with other anomalies of the male genital system.



ANU MEDICAL SCHOOL PROGRAM