Statistics Question Bank

Second Paper

Abdullah Al Mahmud

Updated on: November 30, 2023



Contents

Chapter	1 Probability 1
1.1	Creative Questions
1.2	Short Questions
Chapter	2 Random Variable and Probability Function 4
2.1	Creative Questions
2.2	Short Questions
Chapter	3 Mathematical Expectation 7
3.1	Creative Questions
3.2	Short Questions
Chapter	4 Binomial Distribution
4.1	Creative Questions
4.2	Short Questions
Chapter	5 Poisson Distribution 10
5.1	Creative Questions
5.2	Short Questions
Chapter	6 Normal Distribution 11
6.1	Creative Questions
6.2	Short Questions
Chapter	7 Index Number 12
7.1	Creative Questions
7.2	Short Questions
Chapter	8 Sampling 13
8.1	Creative Questions
8.2	Short Questions
Chapter	9 Vital Statistics 14
9.1	Creative Questions
9.2	Short Questions
Conclus	ion 15

Probability

Justify.

1.1 Creative Questions

1. A quality control analyst in an industry tracks the no. of defective items produced per day. He observes 150 successive days and then prepares a table.

No. of items	0	1	2	3	4
Frequency	30	32	40	28	20

(a) What is the formula of classical probability? 1 (b) Explain the difference between Priori Approach and Empirical Approach of probability. (c) What is the probability that less than 2 defective items would be produced on a particular (d) Explain the relationship between independency and mutual excluvity in the light of the stem. 2. It is observed that 50% of mails are spam. A software filters spam mail before reaching the inbox. Its accuracy for detecting a spam mail is 99% and chances of tagging a non-spam mail as spam mail is 5%. 1 (a) What is a disjoint event? (b) For two independent events, what does the Bayes' theorem reduce to? 2 (c) What is the probability that a mail is tagged as spam? 3 4 (d) If a certain mail is tagged as spam, find the probability that it is not a spam mail. 3. A dope test correctly identifies a drug user as positive 90% of the time, but incorrectly identifies 20% non-users as users. The probability of drug use is 0.05. (a) Write down the formula of conditional probability. 1 2 (b) Express P(A|B) in terms of P(B|A). (c) Find the probability of testing positive in the test. 3 (d) If the test shows a user positive, what is the probability that the person is actually a user? 4 4. A red and a blue dice are thrown once. The dice are absolutely neutral and independent. (a) What is a simple event? 1 (b) Give an example of a certain event using set theory. 2 (c) Find the probability that the difference of two digits from two dices is less than 3. 3

(d) Are the probabilities of getting greater digit from the blue die and that from the red die equal?

5.	An	unbiased coin is tossed 10 times.	
	(b) (c)	If a coin is flung 3 times, how many outcomes are generated? If a coin is flung n times, show how many outcomes are generated. What is the probability of getting a) at least 3 heads, b) at most 3 heads? Are these probabilities equal? a) Getting at least 2 heads & b) Getting at least 2 tails. Also justify logically.	1 2 3
6.		s observed that in a college, there are 100 students, of whom 30 play football, a cricket, and 20 play both.	40
	(b)	What is the range of probability? What is the relationship between independence and mutual excluvity? Are the probabilities of playing ericlet and that of feetball independent? Prove	1 2
	` ′	Are the probabilities of playing cricket and that of football independent? Prove. If a student is selected randomly, and if he does not play cricket, what is the probability the plays football?	3 at 4
7.	A b	ox contains four blue and 6 green balls. 3 balls are drawn randomly.	
	(a)	What is the value of ${}^{n}C_{r}$?	1
	(b)	Illustrate the difference between permutation and combination with an example.	2
	(c)	What is the probability that all balls are green?	3
	(d)	What is the probabilith that one ball has a different color?	4
8.		man has an urn with 5 red and 4 white balls. He has randomly drawn two baln the urn.	lls
	(a)	What is the probability of an uncertain event?	1
	(b)	Write the third axiom of probability.	2
	(c)	What is the probability that both the balls drawn by Sadman are white?	3
	(d)	Are the probabilities of both balls being same color and different color equal? Analyze.	4
9.	Two	o dice are thrown together. The dice are named A and B.	
	(a)	What is $P(A=7)$?	1
	(b)	Create the sample space.	2
	(c)	What is the probability that the outcomes of A & B are different?	3
	(d)	Determine the probability that the summation of outcome of two dice is a prime number.	4
10.		nagician draws two cards from a pack (i) with replacement and then (ii) without lacement. The cards were well-shuffled before drawing.	ut
	(a)	What is the probability of an impossible event?	1
	(b)	How to determine the probability of a joint event?	2
	(c)	As per (i), what is the probability that the cards have different color?	3
	(d)	As per (ii), what is the probability that the cardsare aces of same color?	4
11.	P(A	$(1) = \frac{3}{10}, P(B) = \frac{2}{5}, P(B \cup A) = \frac{1}{2}$	
	(a)	What is an independent event?	1
	(b)	What is the relationship between independency and mutual excluvity?	2
	(c)	Find $P(A B)$ and $P(B A)$	3
	(d)	Verify the equality mathematically & empirically: $P(B) = P(A) \cdot P(B A) + P(\bar{A}) \cdot P(B \bar{A})$	4
12.	P(A	$A(B) = \frac{1}{8}, P(A) = \frac{1}{2}, P(B) = \frac{1}{5}$	

2. Question

3. Question4. Question

2

3

4

Random Variable and Probability Function

2.1 Creative Questions

- 1. A deck of 52 card is well-shuffled and three cards are drawn from them at random. The number of kings obtained is denoted by x.
 - (a) What are equaly likely events?
 - (b) Differentiate between with replacement and without replacement drawings.
 - (c) Form the probability function using the above information and then form the distribution. 3
 - (d) Examine the statement: $P(1 \le x \le 3) = F(3) F(1)$
- 2. The joint probability function of two random variables X and Y is given below:

$$P(X,Y) = \frac{x+2y}{16}; x = 0, 1; y = 0, 1, 2, 3$$

- (a) Write down the formula of conditional proibability.
- (b) What is the relationship between marginal and joint probability?

1

1 2

- (c) Find P(X).
- (d) Find P(X|Y) and P(X|0).
- 3. The probability distributions of a random variable X in dtwo different cases are given below:

Table 2.1: **Distribution - A**

Table 2.2: **Distribution - B**

- (a) What is a probability mass function?
- (b) Can we determine the probability of a certain value of a discrete random variable?
- (c) What is the value of w?

(d) Which table is a proper probability distribution? Justify with mathematical reasoning. 4

4. A continuou random variable X follows the following probability density function (pdf).

$$f(x) = 6x(x-1); 0 \le x \le 1$$

- (a) Give an example of a continuous random variable.
- (b) Examine whether the given function is a pdf.
- (c) If P(X > a) = P(X < a), find the value of a.
- (d) Should $P(0.5 \le X \le 1)$ be equal to 0.5?

5. A fair coin is tossed five times. Number of heads appearing are noted, considering it a discrete random variable.

- (a) Give a real life example of a discrete random variable.
- (b) Can discrete variable have infinite number of possible outcomes?
- (c) Find the probability distribution from the stem.
- (d) Construct the distribution function and hence find $F(X \leq 3)$.

6. The probability density function of a continuous random variable is

$$f(x) = \begin{cases} k(x+1), & 0 \le x \le 1\\ 0, & otherwise \end{cases}$$

- (a) What is a random variable?
- (b) Find the value of k 2
- (c) Find the probability that the values of x would lie between 0 and 0.5.
- (d) What is the probability that X is greater than 0.8?

7. The probability density function of a continuous random variable is

$$f(x) = \begin{cases} kx(x-1), & 1 \le x \le 4\\ 0, & otherwise \end{cases}$$

- (a) What is the range of probability?
- (b) Find the value of k
- (c) Justify the pdf property of the fucntion.
- (d) What is the probability that X is greater than 3?

8. The probability distribution of a discrete random variable X is given below:

- (a) What is $\Sigma P(x)$?
- (b) Find the value of k. 2
- (c) Find $P(X \ge 0)$ and P(X < 1).
- (d) Find the cumulative distribution function, F(X) and F(2) and explain.

9. The joint probability function of two random variables X & Y is given below:

$$P(x,y) = \frac{1}{21}(x+y); x = 1,2,3 \& y = 1,2$$

CHAPTER 2. RANDOM VARIABLE AND PROBABILITY FUNCTION	6
(a) What is a probability density function (pdf)?	1
(b) What is P(X=a) in a pdf, where a is an aribitrary number?	2
(c) Find the marginal probabilities.	3
(d) Find $P(x y), P(x 1)$ and $P(y 4)$	4
10. The probability density function of a continuos random variable X is given as:	
$f(x) = \frac{1}{b-a}; a \le x \le b$	
(a) In this distribution, what is P(a)?	1
(b) What is the shape of the distribution?	2
(c) Find $P(a \le x \le b)$.	3
(d) Find and explain the median of the distribution.	4
11. The probability density function of a continuous random variable is	
$f(x) = \begin{cases} kx^2 + kx + \frac{1}{8}, & 0 \le x \le 2\\ 0, & otherwise \end{cases}$	
(a) What is a continuous random variable?	1
(b) Find the value of k	2
(c) Find the probability that the values of x would lie between 1 and 3.	3
(d) Find the 40th percentile of the distribution and explain.	4
2.2 Short Questions	
1. What is a continuous random variable?	1
2. Question	1
3. Question	1
4. Question	1

Mathematical Expectation

3.1 Creative Questions

1. The probability distribution of a random X is provided below:

- (a) What is the expectation of a constant m? 1 2 (b) Find E(X). (c) Find E(Y), where $Y = \frac{X}{2}$ 3 (d) Find Variance of (2X+3). 4 2. $P(X) = \frac{3-|4-x|}{k}$; x = 2, 3, 4, 5, 6(a) What is the Expectation equivalent to? 1 (b) Find the value of k. 2 (c) Determine the value of the expectation. 3 (d) Find V(2X-1)
- 3. The probability distributions of demand of mobile phones of two operating systems (OS) Android (X) and iPhone OS (iOS) (Y) are:

Demand	100	200	300	400	500
P(X)	0.1	0.4	m	0.15	0.1
P(Y)	0.09	0.45	0.32	0.11	0.03

- (a) What is Expectation?
 (b) Can Expectation be negative?
 (c) Find m from the table.
 (d) Which OS has higher demand? Analyze.
- 4. An umbrella seller earns a revenue of BDT. 5000 if it rains. If it does not rain, he loses BDT. 1000. The probability that it rains on a given day is 0.04.
 - (a) Write down the formula of Expectation for a continuous random variable.
 - (b) Can the value of Expectation be zero?
 - (c) What is the umbrella seller's expected revenue?
 - (d) What should be the minimum probability of raining for him to achieve revenue greater than zero?

HAPTER 3. MATHEMATICAL EXPECTATION	8	
5. A box contains 5 red and 6 white balls. 3 balls are drawn at random. X is the nu of white balls drawn.	ımber	
(a) What does variance measure?	1	
(b) Can the variance be smaller than standard deviation?	2	
(c) Find the E(X) from the stem.	3	
(d) Find the variance from the stem assuming X is the number of red balls drawn.	4	
6. A professor showed a probability distribution in a class:		
$\frac{x}{p(x)} \frac{1}{0.1} \frac{2}{a} \frac{3}{0.3} \frac{4}{b} \frac{5}{0.2}$ The value of the arithmetic mean of the distribution is 3.		
(a) What is the formula of expectation?	1	
(b) What is the variance of a constant? Explain logically.	2	
(c) What are the values of a & b?	3	
(d) Find and explain the variance of the distribution.		
7. X is a random variable having the below functional form: $P(X) = \frac{6- 7-x }{k}; x=1,2,\cdots,10$		
κ , κ , κ , κ		

Y is another variable having the relationship y = 3x+5

- (a) What is joint probability? 1 (b) What is the minimum possible value of variance? Why? 2 3 (c) Find the value of k. (d) Find E(X) and E(Y). Why are they different? 4
- 8. Various sales and their probabilities of a grocery store is given below

- (a) Can the expectation of a random variable be negative? 1 2 (b) Find the expected sales of the store on a given day. (c) Compute the dispersion of sales f the store. 3 4 (d) To make the expected sale 280, what sale does the store need in place of 200?
- 9. A survey of Television (TV) users at Gulshan in Dhaka was conducted to find how many sets each family use. The following data were obtained:

(a) What is Expectation equivalent to? 1 (b) Can Variance be negative? Why or why not? 2 (c) Find the variance of the number of TV sets. 3 (d) Find and compoare between arithmetic mean and expectation. 4

3.2Short Questions

Binomial Distribution

4.1 Creative Questions

- 1. A farmer plans to store rice seeds for future use. It was found that 8 out of 20 seeds are rotten. He then collected a sample of 15 seeds.
 - (a) What is Bernoulli trial?
 (b) How are Bernoulli and Binomial distributions related?
 (c) What is the probability that at least one seed is rotten out of 15?
 (d) What is the probability that the number of rotten seeds is greater than the arithmetic mean?
- 2. The number of defective pen produced by a company follows a binomial distribution with expectation 1.5 and variance 1.125..
 - (a) What is the mean of binomial distribution
 (b) Can variance be greater than mean in binomial distribution?
 (c) Determine the probability function of the number of defective items produced by the company.
 3

4

(d) What is the probability that the number of defective items is no less than 3?

4.2 Short Questions

Poisson Distribution

5.1 Creative Questions

1. A can manufacturer observes that 0.1% of the produced cans are faulty. The cans are packaged in carton boxes, with 500 cans in each box. A wholeseller purchases 100 boxes from the manufacturer.

	(a) What is shape of Poisson distribution?	1
	(b) For a Poisson distribution, $P(2) = P(3)$. What is $P(2)$?	2
	(c) Find the probability of exactly one defective can.	3
	(d) Find the expected number of boxes with no defective cans.	4
2.	In winter, the probability that it rains on a particular day is 0.015 . An analyst obs 100 winter days.	serves
	(a) What is an experiment?	1
	(b) When can the Poisson distribution be approximated by the Binomial distribution?	2
	(c) Find, using Binomial distribution, the probability that it would not rain at all on the observed days.	3
	(d) Find the probability in 3(c) using Poisson distribution.	4
J.	BTCL receives 2.5 telephone calls on average from 4 pm to 6 pm. The number o received is a random variable. (a) When is Poisson variate applicable?	1
	(b) Show conversion criteria and method from Binomial to Poisson distribution.	2
	(c) Find the probability of receiving no more than 3 calls.	3
	(d) Find the pattern of calls and show on graph paper. Hint: Find probabilities: $P(0)$, $P(1)$,	4
4.	The number of customers coming at a shop per minute follows a Poisson distribution whose mean is 3.	ution,
	(a) What is a Poisson variate?	1
	(b) Can the mean of Poisson distribution be negative?	2
	(c) Find the probability that the number of customers coming is between 1 and 2.	3
	(d) Are the probabilities of coming to 2 and 3 customers equal?	4

5.2 Short Questions

Normal Distribution

- 6.1 Creative Questions
- 6.2 Short Questions

Index Number

- 7.1 Creative Questions
- 7.2 Short Questions

Sampling

- 8.1 Creative Questions
- 8.2 Short Questions

Vital Statistics

9.1 Creative Questions

1. A reseracher uses the following data to know about some demographic characterisics.

(a) What is General Fertility Rate?	1
(b) What is the difference between GRR and NRR?	2
(c) Compute the population density.	3
(d) Are TFR and GRR same for this data?	4

2. For projection of population in a future time period, demographers use simple, geometric or exponential growth technique. Each method has its advantages and disadvantages.

disadvantages.		
(a) What is geometric growth?		

(b) In geometric growth method, obtain the formula for time required for the population to get doubled [denote rate as r].

1

- (c) In exponential method, how much unit of time is required for the population to get tripled? 3
- (d) For projecting (predicting future values), is geometric growth method better than the exponential method? Justify.

3. Population of Dhaka and Sylhet by different age groups and areas are given below:

Division		Age		Area (km^2)
	0-14	15-64	65+	
Dhaka	10,000,00	5,00,000	5,80,000	1,880
Sylhet	7,00,000	2,70,000	4,70,000	2,319

(a)	Write down the formula of dependency ratio.	1
(b)	What is meant by $NRR = 0.983$?	2
(c)	Find and compare between the dependency ratios of the cities.	3
(d)	Based on data, which city is more comfortable for living?	4

9.2 Short Questions

Conclusion

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Contents