

Statistics MCQ Question Bank

Second Paper

Abdullah Al Mahmud

www.statmania.info

Contents

1	Introduction to Probability	2
1.1	Permutation-Combination	2
1.2	Conceptual Questions	2
1.3	Numbers	4
1.4	Coin-Die	4
1.5	Balls-Cards	5
1.6	Set-Problems	6
1.7	Situation Set	9
1.8	Multiple Completion	9
2	Random Variables	10
2.1	Concept of Random Variable	10
2.2	Situation Set	12
2.3	Multiple Completion	15
3	Mathematical Expectation	16
3.1	Situation Set	19
3.2	Multiple Completion	21
4	Binomial Distribution	22
4.1	Situation Set	23
4.2	Multiple Completion	24
5	Poisson Distribution	24
5.1	Multiple Completion	26
5.2	Problems	27
6	Normal Distribution	27
6.1	Mathematical Problems	28
7	Index Number	28
8	Sampling	28
9	Vital Statistics	29
9.1	Growth Rates	31

1 Introduction to Probability

1.1 Permutation-Combination

1. Three objects can be placed in 2 positions in – ways.
(a) 3 (b) 4 (c) 6 (d) 8
2. In how many ways can a team of 2 be formed from 4 people?
(a) 4 (b) 6 (c) 8 (d) 12
3. ${}^n p_r =$
(a) $\frac{n!}{(n-r)!}$ (b) $\frac{n!}{(n+r)!}$ (c) $\frac{n!}{r!}$ (d) $\frac{n!}{(r-n)!}$
4. ${}^n C_r =$
(a) $\frac{n!}{(n-1)!(n+r)!}$ (b) $\frac{r!}{n!(n-r)!}$ (c) $\frac{n!(n-1)!}{r!}$ (d) $\frac{n!}{(r-n)!}$

1.2 Conceptual Questions

5. What is the probability that at least one item in a sample space will occur?
(a) 0 (b) 0.5 (c) 1 (d) Undefined
6. The probability of two disjoint sets happening together is:
(a) 0.5 (b) 0 (c) 1 (d) $0 \leq x < 1$
7. How many additive laws of probability are there?
(a) 1 (b) 2 (c) 3 (d) 4
8. $P(A \cup B) = P(A) + P(B)$ implies A & B are –
(a) Disjoint (b) Independent (c) Joint (d) Independent
9. $P(A \cap B) = P(A) \times P(B)$ implies A & B are –
(a) Disjoint (b) Independent (c) Joint (d) Independent
10. Which is the formula of classical approach of probability?
(a) $P = \frac{\text{No. of favorable outcomes}}{\text{Total no. of possible outcomes}}$ (b) $P = \frac{\text{No. of total outcomes}}{\text{No. of favorable outcomes}}$
(c) $P = \lim_{n(S) \rightarrow \infty} \frac{n(A)}{n(S)}$ (d) $P = \lim_{n(A) \rightarrow \infty} \frac{n(A)}{n(S)}$
11. Which is the formula of empirical/relative frequency approach of probability?
(a) $P = \frac{\text{No. of favorable outcomes}}{\text{Total no. of possible outcomes}}$ (b) $P = \frac{\text{No. of total outcomes}}{\text{No. of favorable outcomes}}$
(c) $P = \lim_{n(S) \rightarrow \infty} \frac{n(A)}{n(S)}$ (d) $P = \lim_{n(A) \rightarrow \infty} \frac{n(A)}{n(S)}$
12. What is the correct formula for conditional probability?
(a) $P(A|B) = \frac{P(A \cap B)}{P(B|A)}$ (b) $P(A|B) = \frac{P(A \cap B)}{P(A)}$ (c) $P(A|B) = \frac{P(A \cap B)}{P(B)}$ (d) $P(A|B) = \frac{P(B|A)}{P(B|A)}$
13. The third axiom of probability is –
(a) $0 \leq P(A) \leq 1$ (b) $P(S) = 1$
(c) $P(A_1 \cup A_2 \cup \dots \cup A_n) = \sum_{i=1}^{\infty} P(A_i)$ (d) $P(A) = 1 - P(A)$

14. **Possible value of probability**
 i. -1 ii. 0.5 iii. 0
Which one is correct?
 (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii
15. **An act repeated under some specific conditions is called –**
 (a) Event (b) Experiment (c) Sample (d) Sample space
16. **$P(0)$ implies –**
 (a) A certain event (b) An uncertain event (c) An impossible event (d) A probable event
17. **Events having some common elements are called –**
 (a) Complementary events (b) Mutually exclusive events
 (c) Exhaustive events (d) Non-Mutually exclusive events events
18. **The minimum value of probability is**
 (a) $-\alpha$ (b) 1 (c) 0 (d) -1
19. **Each element of sample space is called–**
 (a) Trial (b) Experiment (c) Variable (d) Sample Point
20. **Two events not occurring together are called–**
 (a) dependent Events (b) Independent Events
 (c) Mutually Exclusive Events (d) Marginal Events
21. **If A and B are independent, which formula is correct?**
 (a) $P(A \cap B) = P(A) \cdot P(B)$ (b) $P(A \cap B) = P(\bar{A}) \cdot P(B)$
 (c) $P(A \cap B) = P(A) \cdot P(\bar{B})$ (d) $P(A \cap \bar{B}) = P(A) \cdot P(B)$
22. **Which of the following are disjoint events?**
 (a) $A = \{1, 2, 3\}, B = \{4, 5\}$ (b) $A = \{a, b\}, B = \{b, c\}$
 (c) $A = \{0\}, B = \{0, 1\}$ (d) $A = \{x, y\}, B = \{x, y\}$
23. **Which of the following are disjoint events?**
 (a) $P = \{1, 2\}, Q = \{2, 3\}$ (b) $P = \{x\}, Q = \{x, y\}$
 (c) $P = \{1, 3\}, Q = \{3, 5\}$ (d) $P = \{m, n\}, Q = \{p, q\}$
24. **Let the sample space be $S = \{1, 2, 3, \dots, 10\}$. Which of the following pairs of events are disjoint?**
 i. A: Number is prime, B: Number is greater than 3
 ii. A: Number is even, B: Number is divisible by 3
 iii. A: Number is less than 5, B: Number is greater than 6
Which one is correct?
 (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii
25. **Let $S = \{1, 2, \dots, 10\}$. Which of the following event pairs are disjoint?**
 i. A: Number is divisible by 2, B: Number is divisible by 5
 ii. A: Number is less than 7, B: Number is odd
 iii. A: Number is a prime, B: Number is a multiple of 4
Which one is correct?
 (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

26. Let the sample space be $S = \{1, 2, 3, \dots, 10\}$. Which of the following pairs of events are disjoint?

- i. A : Number is a multiple of 4, B : Number is odd
- ii. A : Number is less than 4, B : Number is greater than 8
- iii. A : Number is a square, B : Number is even

Which one is correct?

- (a) i and ii
- (b) i and iii
- (c) ii and iii
- (d) i, ii and iii

27. Let $S = \{1, 2, 3, \dots, 10\}$. Which of the following pairs of events are disjoint?

- (a) A : Multiples of 3, B : Multiples of 5
- (b) A : Prime numbers, B : Even numbers greater than 2
- (c) A : Numbers less than 4, B : Numbers greater than 6
- (d) All of the above

1.3 Numbers

28. A number is randomly chosen from a list of 10 consecutive positive integers. What is the probability that the number selected is greater than the average (arithmetic mean) of all 10 integers?

- (a) $\frac{1}{3}$
- (b) $\frac{3}{4}$
- (c) $\frac{4}{10}$
- (d) $\frac{1}{2}$

29. 10 out of each 100 people in a city walk to the office. If one is picked randomly, what is the probability s/he does not walk to the office?

- (a) 0.95
- (b) 0.10
- (c) 0.90
- (d) 0.01

30. In a school, 15 out of 100 students prefer online classes over in-person classes. If a student is selected randomly, what is the probability that they prefer in-person classes?

- (a) 0.15
- (b) 0.85
- (c) 0.75
- (d) 0.25

31. A factory reports that 8 out of every 100 manufactured items are defective. If an item is chosen at random, what is the probability that it is not defective?

- (a) 0.08
- (b) 0.92
- (c) 0.80
- (d) 0.12

32. A hospital study finds that 12% of patients do not prefer evening appointments. If a patient is selected at random, what is the probability that they prefer evening appointments?

- (a) 0.12
- (b) 0.78
- (c) 0.88
- (d) 0.18

33. A survey shows that 5 out of every 200 customers in a store pay with cash. If a customer is picked randomly, what is the probability that they pay using another method?

- (a) 0.050
- (b) 0.500
- (c) 0.975
- (d) 0.025

1.4 Coin-Die

34. Tossing a die r times generates how many outcomes?

- (a) $6 \times r$
- (b) r^6
- (c) 6^r
- (d) 2^r

35. Tossing a coin r times generates how many outcomes?

- (a) $2 \times r$
- (b) r^2
- (c) 2^r
- (d) 6^r

36. A coin is thrown thrice. How many outcomes are generated?
 (a) 3 (b) 4 (c) 8 (d) 9
37. A coin is thrown twice. What is the probability of getting 2 heads?
 (a) $\frac{1}{4}$ (b) $\frac{1}{3}$ (c) $\frac{1}{2}$ (d) $\frac{2}{4}$
38. A fair coin is tossed twice. What is the probability of getting at least one tail?
 (a) $\frac{1}{4}$ (b) $\frac{1}{2}$ (c) $\frac{3}{4}$ (d) $\frac{1}{3}$
39. Two fair coins are tossed simultaneously. What is the probability of getting exactly one head?
 (a) $\frac{1}{4}$ (b) $\frac{1}{2}$ (c) $\frac{3}{4}$ (d) $\frac{1}{3}$
40. A coin is flipped twice. What is the probability of getting heads first and tails second?
 (a) $\frac{1}{4}$ (b) $\frac{1}{3}$ (c) $\frac{1}{2}$ (d) $\frac{2}{4}$
41. If two fair coins are tossed together, what is the probability of getting at least one head?
 (a) $\frac{1}{2}$ (b) $\frac{1}{3}$ (c) $\frac{3}{4}$ (d) $\frac{1}{4}$
42. A fair coin is tossed twice. What is the probability of getting two tails?
 (a) $\frac{1}{2}$ (b) $\frac{1}{3}$ (c) $\frac{1}{4}$ (d) $\frac{2}{4}$
43. Two fair coins are tossed. What is the probability that at least one of them lands on tails?
 (a) $\frac{3}{4}$ (b) $\frac{1}{2}$ (c) $\frac{1}{4}$ (d) $\frac{1}{3}$
44. A die is thrown twice. This is called –
 (a) An experiment (b) sample space (c) A random experiment (d) A trial
45. If a neutral die is thrown, the probability of having a digit greater than 6 is
 (a) $\frac{1}{6}$ (b) $\frac{0}{6}$ (c) $\frac{2}{3}$ (d) $\frac{3}{6}$
46. Tossing a coin twice generates how many outcomes?
 (a) 4 (b) 16 (c) 8 (d) 2
47. A die is rolled twice. How many possible outcomes are there?
 (a) 6 (b) 12 (c) 36 (d) 18

1.5 Balls-Cards

48. There are 3 red, 4 black, and 5 white balls in an urn. If two balls are randomly taken, what is the probability that both are red?
 (a) $\frac{1}{66}$ (b) $\frac{1}{22}$ (c) $\frac{2}{22}$ (d) $\frac{3}{11}$
49. There are 3 red, 4 black, and 5 white balls in an urn. If two balls are randomly taken, what is the probability that neither is red?
 (a) $\frac{5}{11}$ (b) $\frac{6}{11}$ (c) $\frac{3}{11}$ (d) $\frac{5}{22}$
50. A jar contains 6 blue and 4 green marbles. If two marbles are drawn at random, what is the probability that both are blue?
 (a) $\frac{5}{18}$ (b) $\frac{1}{3}$ (c) $\frac{1}{2}$ (d) $\frac{1}{4}$

51. A box has 7 black and 5 white balls. If one ball is drawn at random, what is the probability that it is not black?

- (a) $\frac{7}{12}$ (b) $\frac{5}{12}$ (c) $\frac{1}{2}$ (d) $\frac{1}{3}$

52. A bag contains 8 red and 6 white balls. If two balls are drawn at random, what is the probability that they are of different colors?

- (a) $\frac{24}{91}$ (b) $\frac{58}{91}$ (c) $\frac{48}{91}$ (d) $\frac{72}{91}$

53. A box contains 9 blue and 3 red balls. If two balls are randomly picked, what is the probability that at least one is red?

- (a) $\frac{3}{11}$ (b) $\frac{1}{3}$ (c) $\frac{18}{33}$ (d) $\frac{5}{11}$

Answer the next THREE questions based on the following information.

A card is drawn from of pack of playing cards.

54. What is the probability that the card is a King?

- (a) 0.0192 (b) 0.25 (c) 0.5 (d) 0.0769

55. $P(\text{The card is not from Diamonds})$ –

- (a) $\frac{1}{2}$ (b) 0 (c) $\frac{3}{4}$ (d) $\frac{1}{4}$

56. $P(\text{The card is red or Clubs})$

- (a) $\frac{1}{4}$ (b) $\frac{1}{2}$ (c) $\frac{2}{3}$ (d) $\frac{3}{4}$

Answer the next THREE questions based on the following information.

A card is drawn at random from a standard deck of 52 playing cards.

57. What is the probability that the card is a Queen?

- (a) 0.0192 (b) 0.0769 (c) 0.25 (d) 0.5

58. $P(\text{The card is not a Spade})$

- (a) $\frac{1}{4}$ (b) $\frac{1}{2}$ (c) $\frac{3}{4}$ (d) $\frac{1}{3}$

59. $P(\text{The card is black or a Heart})$

- (a) $\frac{1}{2}$ (b) $\frac{3}{4}$ (c) $\frac{1}{3}$ (d) $\frac{1}{4}$

Answer the next TWO questions based on the following information.

An urn contains 5 red, 7 blue, and 8 green balls.

60. What is the probability that the ball drawn is red?

- (a) 0.26 (b) 0.25 (c) 0.2 (d) 0.4

61. $P(\text{The ball drawn is not blue})$ –

- (a) $\frac{13}{20}$ (b) 0.5 (c) $\frac{7}{20}$ (d) $\frac{8}{20}$

1.6 Set-Problems

62. In a class of 40 students, 23 passed in Mathematics, 25 passed in English, and 10 failed in both the subjects. A student is randomly selected. What is the probability that the student passed in at least one subject

- (a) $\frac{1}{3}$ (b) $\frac{1}{4}$ (c) $\frac{3}{4}$ (d) $\frac{4}{5}$

Answer the next two questions based on the following information

In a class of 40 students, 23 passed in Mathematics, 25 passed in English, and 10 failed in both the subjects. A student is randomly selected.

63. What is the probability that the student passed in at least one subject?
 (a) $\frac{1}{3}$ (b) $\frac{1}{4}$ (c) $\frac{3}{4}$ (d) $\frac{4}{5}$
64. What is the probability that the student passed in both the subjects?
 (a) $\frac{11}{20}$ (b) $\frac{9}{20}$ (c) $\frac{4}{5}$ (d) $\frac{19}{20}$
65. What is the probability that the student passed in passed in Mathematics alone?
 (a) $\frac{1}{8}$ (b) $\frac{9}{20}$ (c) $\frac{3}{10}$ (d) $\frac{6}{13}$
66. **For two independent events A and B , which one is correct?**
 (a) $P(A \cap B) = P(A) \times P(B)$ (b) $P(A \cup B) = P(A) + P(B)$
 (c) $P(A \cap B) = P(A) - P(B)$ (d) $P(A \cup B) = P(A) \times P(B)$
67. **For two mutually exclusive events A and B , which one is correct?**
 (a) $P(A \cap B) = P(A) \times P(B)$ (b) $P(A \cup B) = P(A) + P(B)$
 (c) $P(A \cap B) = P(A) - P(B)$ (d) $P(A \cup B) = P(A) \times P(B)$
68. **Which of the following correct?**
 (a) $\frac{P(A)}{P(B)} = \frac{P(B|A)}{P(A|B)}$ (b) $\frac{P(A)}{P(A|B)} = \frac{P(B|A)}{P(B)}$ (c) $\frac{P(A)}{P(B)} = \frac{P(B|A)}{P(B)}$ (d) $\frac{P(A)}{P(B)} = \frac{P(A|B)}{P(B|A)}$
69. **The probability of rain is $\frac{1}{6}$ for any given day next week. What is the probability that it will rain on both Monday and Tuesday?**
 (a) $\frac{1}{6}$ (b) $\frac{1}{36}$ (c) $\frac{5}{6}$ (d) $\frac{1}{17}$
70. **Given $P(A \cup B) = 0.7$, $P(A \cap B) = 0.2$, what are $P(A)$ and $P(B)$?**
 (a) $P(A) = 0.5$ and $P(B) = 0.4$ (b) $P(A) = 0.4$ and $P(B) = 0.6$
 (c) $P(A) = 0.4$ and $P(B) = 0.3$ (d) $P(A) = 0.7$ and $P(B) = 0.3$
71. **If $P(A) = 0.4$, $P(B) = 0.5$, and $P(A \cup B) = 0.7$, what is $P(A \cap B)$?**
 (a) 0.2 (b) 0.1 (c) 0.3 (d) 0.4
72. **Given $P(A) = 0.3$, $P(A \cup B) = 0.6$, and $P(A \cap B) = 0.1$, what is $P(B)$?**
 (a) 0.6 (b) 0.4 (c) 0.3 (d) 0.2
73. **If $P(A) = 0.5$, $P(B) = 0.6$, and $P(A \cap B) = 0.3$, what is $P(A \cup B)$?**
 (a) 0.8 (b) 0.9 (c) 0.7 (d) 1
74. **If $P(A) = 0.2$, $P(B) = 0.3$, and $P(A \cup B) = 0.4$, what is $P(A \cap B)$?**
 (a) 0.9 (b) 0.2 (c) 0.3 (d) 0.1
75. **Given $P(A) = 0.7$, $P(A \cup B) = 0.9$, and $P(A \cap B) = 0.5$, what is $P(B)$?**
 (a) 0.8 (b) 0.6 (c) 0.7 (d) 0.5

Answer the next two questions based on the following information

For two exhaustive evenst A & B , $P(A) = 0.7$ and $P(B) = 0.4$

76. $P(A \cap B) = ?$
 (a) 0.1 (b) 0.3 (c) 0.6 (d) 1

77. The events A & B are –

- i. independent
- ii. dependent
- iii. not mutually exclusive

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

Answer the next three questions using the following information

$$P(A) = \frac{1}{3}, P(B) = \frac{1}{2} \text{ \& } P(A \cup B) = \frac{7}{12}$$

78. $P(A \cap B) = ?$

- (a) $\frac{5}{12}$ (b) $\frac{1}{2}$ (c) $\frac{1}{4}$ (d) $\frac{15}{16}$

79. $P(A \cap \bar{B}) = ?$

- (a) $\frac{1}{4}$ (b) $\frac{3}{4}$ (c) $\frac{5}{6}$ (d) $\frac{1}{12}$

80. What is the probability that B occurs or A does not occur?

- (a) $\frac{3}{4}$ (b) $\frac{7}{12}$ (c) $\frac{5}{12}$ (d) $\frac{11}{12}$

Answer the next three questions using the following information

$$P(C) = \frac{2}{5}, P(D) = \frac{3}{4} \text{ \& } P(C \cup D) = \frac{9}{10}$$

81. $P(C \cap D) = ?$

- (a) $\frac{1}{10}$ (b) $\frac{1}{4}$ (c) $\frac{7}{20}$ (d) $\frac{4}{5}$

82. $P(C \cap \bar{D}) = ?$

- (a) $\frac{1}{10}$ (b) $\frac{2}{5}$ (c) $\frac{3}{20}$ (d) $\frac{3}{10}$

83. What is the probability that D occurs or C does not occur?

- (a) $\frac{17}{20}$ (b) $\frac{7}{10}$ (c) $\frac{3}{4}$ (d) $\frac{11}{20}$

Answer the next three questions using the following information:

$$P(E) = \frac{1}{3}, P(F) = \frac{1}{4} \text{ \& } P(E \cap F) = \frac{1}{10}$$

84. $P(E \cup F) = ?$

- (a) $\frac{1}{58}$ (b) $\frac{3}{10}$ (c) $\frac{58}{60}$ (d) $\frac{58}{120}$

85. $P(E \cap \bar{F}) = ?$

- (a) $\frac{7}{40}$ (b) $\frac{7}{30}$ (c) $\frac{3}{10}$ (d) $\frac{1}{30}$

86. What is the probability that F occurs or E does not occur?

- (a) $\frac{11}{30}$ (b) $\frac{19}{30}$ (c) $\frac{13}{40}$ (d) $\frac{23}{30}$

87. An un contains 10 red and 5 black balls. Two balls are drawn; what is the probability of getting two red balls?

- (a) $\frac{3}{7}$ (b) $\frac{4}{7}$ (c) $\frac{20}{21}$ (d) $\frac{2}{21}$

1.7 Situation Set

Answer the next two questions based on the following information

For two comprehensive events A and B , $P(A) = 0.8$, and $P(B) = 0.6$;

88. What is the value of $P(A \cap B)$?

- (a) 0.1 (b) 0.2 (c) 0.3 (d) 0.4

89. The events A and B are –

- i. independent
ii. dependent
iii. non-disjoint

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

1.8 Multiple Completion

90. $P(A) = \frac{2}{3}$, $P(B) = \frac{1}{5}$, and $P(A \cap B) = \frac{1}{6}$

- i. A and B are independent
ii. $P(A \cup B) = \frac{7}{10}$
iii. $P(\bar{A}) = \frac{1}{3}$

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

91. $P(A) = 0$ implies

- i. A is an impossible event
ii. A would occur in extreme cases
iii. $P(\bar{A})$ is a certain event

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

92. If A is an uncertain event, which one is possible?

- i. $0 < P(A) < 1$
ii. $P(A) = 0.1$
iii. $P(A) = 0$

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

93. If a die is thrown once, the probability of getting even numbers is –

- i. A certain event
ii. A composite event
iii. An uncertain event

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

2 Random Variables

2.1 Concept of Random Variable

94. Which is a discrete random variable?
- (a) Age of students (b) Amount of Production in a factory
(c) Height of workers (d) Page size in word processing softwares
95. A set of sample points tabulated along with their respective probabilities is an example of –
- (a) Probability distribution (b) Probability function
(c) Frequency distribution (d) Marginal probability distribution
96. How many conditions does a probability density function have?
- (a) 2 (b) 3 (c) 4 (d) 5
97. A coin is tossed twice and no. of heads appeared is denoted by X . How many possible values of X are there?
- (a) 1 (b) 2 (c) 0 (d) 3
98. A die is thrown thrice and the number of times a 6 appears is denoted by X . How many possible values can X take?
- (a) 1 (b) 2 (c) 3 (d) 4
99. Which one is a property of marginal probability density function?
- (a) $\int_x f(x^2) dx = 1$ (b) $\int_x f(x^2) dx = 0.5$ (c) $\int_x f(x) dx = 1$ (d) $P(x \geq 1)$
100. Which one is NOT an example of a continuous random variable –
- (a) Weight (b) Height (c) Time (d) Size of television
101. Integrated value of $\frac{1}{4}x^4$ –
- (a) $\frac{1}{20}x^5$ (b) $\frac{1}{20}x^5 + c$ (c) $\frac{1}{5}x^4$ (d) $\frac{5}{4}x^5$
102. The conditions of a probability distribution are–
- i. $\sum P(X) = 1$
ii. $\sum P(X) = 0$
iii. $0 \leq P(X) \leq 1$
- Which one is correct?
- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii
103. The conditions for a cumulative distribution function (CDF) are–
- i. $F(x)$ is non-decreasing.
ii. $0 \leq F(x) \leq 1$
iii. $\lim_{x \rightarrow \infty} F(x) = 1$
- Which one is correct?
- (a) i and ii (b) ii and iii (c) i and iii (d) i, ii, and iii

104. **The properties of a discrete probability distribution table are—**
 i. $\sum P(X) = 1$
 ii. $P(X) \geq 0$ for all X
 iii. Each probability corresponds to a discrete value.
Which one is correct?
 (a) i and ii (b) ii and iii (c) i and iii (d) i, ii, and iii
105. **What is $F(\infty)$ for a distribution function $F(x)$?**
 (a) $-\infty$ (b) -1 (c) 0 (d) 1
106. **What is $F(-\infty)$ for a distribution function $F(x)$?**
 (a) $-\infty$ (b) -1 (c) 0 (d) 1
107. **How many types of random variables are there?**
 (a) 2 (b) 3 (c) 4 (d) 5
108. **Which of the following is not a discrete random variable?**
 (a) number of students (b) Weight
 (c) Number of heads in coin toss (d) Population
109. **Which one is a property of a probability distribution?**
 (a) $P(x_i) = 0$ (b) $P(x_i \neq 1)$ (c) $\sum P(x_i) = 1$ (d) $\int_x P(X)dx \leq 1$
110. **Which one is not a discrete random variable?**
 (a) Summation two die throw outcome (b) Weight
 (c) Number of heads in five coin tosses (d) Released version number of a software
111. **Which one is not a discrete random variable?**
 (a) Number of students in a class (b) Weight of a package
 (c) Shoe size (d) Total goals scored in a match
112. **Which variable type can skip certain whole numbers?**
 (a) Number of chapters read in a day (b) Weight of a person
 (c) Number of floors in a building (d) Number of people boarding a train
113. **Which one is an example of a discrete random variable?**
 (a) The amount of liquid in a glass (b) Temperature readings at noon
 (c) Number of defective items in a batch (d) Exact age in years
114. **Identify which one is not a discrete variable.**
 (a) Number of cookies eaten (b) Height of students
 (c) Total cars in a parking lot (d) Number of siblings
115. **Which one is a property of joint probability distribution?**
 (a) $P(X_i, Y_j) < 1$ (b) $P(X_i, Y_j) = 0$ (c) $P(X_i, Y_j) < 0$ (d) $0 \leq P(X_i, Y_j) \leq 1$

X	0	1	2
P(x)	$\frac{1}{2}$	$\frac{1}{4}$	$\frac{1}{4}$

2.2 Situation Set

Answer the next two questions based on the following information

116. What is $F(1)$

- (a) 0.65 (b) 0.75 (c) 0.5 (d) 1

117. $P(X \leq 1 \leq 3) =$

- (a) 0.75 (b) 0.70 (c) 0.95 (d) 1

Answer the next three questions based on the following information

X	1	2	3
P(x)	$\frac{1}{3}$	$\frac{1}{6}$	$\frac{1}{2}$

118. What is $P(X \geq 2)$?

- (a) $\frac{1}{3}$ (b) $\frac{1}{2}$ (c) $\frac{2}{3}$ (d) $\frac{5}{6}$

119. Find the cumulative probability $F(2)$.

- (a) $\frac{1}{3}$ (b) $\frac{1}{2}$ (c) $\frac{1}{6}$ (d) $\frac{2}{3}$

120. $P(X = 1 \text{ or } X = 3)$ equals

- (a) $\frac{1}{3}$ (b) $\frac{1}{2}$ (c) $\frac{5}{6}$ (d) $\frac{2}{3}$

Answer the next three questions based on the following information

A fair six-sided die is rolled once. Let X be the number on the uppermost face.

121. What is $P(X > 4)$?

- (a) $\frac{1}{3}$ (b) $\frac{1}{6}$ (c) $\frac{1}{2}$ (d) $\frac{2}{3}$

122. Find $P(X \text{ is even})$.

- (a) $\frac{1}{3}$ (b) $\frac{1}{2}$ (c) $\frac{2}{3}$ (d) $\frac{5}{6}$

123. $P(X \leq 2 \text{ or } X \geq 5)$ equals

- (a) $\frac{1}{3}$ (b) $\frac{1}{2}$ (c) $\frac{2}{3}$ (d) $\frac{5}{6}$

Answer the next three questions based on the following information

X	0	1	2	3
P(X)	$\frac{1}{4}$	m	$\frac{1}{3}$	$\frac{1}{6}$

124. What is the value of m?

- (a) $\frac{1}{3}$ (b) $\frac{5}{12}$ (c) $\frac{1}{4}$ (d) $\frac{1}{6}$

125. Find $F(2)$.

- (a) $\frac{1}{2}$ (b) $\frac{3}{4}$ (c) $\frac{5}{6}$ (d) $\frac{2}{3}$

126. What is $P(X > 1)$?

- (a) $\frac{1}{2}$ (b) $\frac{5}{12}$ (c) $\frac{1}{3}$ (d) $\frac{7}{12}$

Answer the next three questions based on the following information

X	1	2	3	4	5
P(X)	$\frac{1}{5}$	c	$\frac{1}{4}$	$\frac{1}{6}$	$\frac{1}{3}$

127. What is the value of c?

- (a) $\frac{1}{3}$ (b) $\frac{1}{4}$ (c) $\frac{1}{20}$ (d) $\frac{1}{6}$

128. Find $P(2 < X \leq 4)$.

- (a) $\frac{5}{12}$ (b) $\frac{1}{2}$ (c) $\frac{5}{6}$ (d) $\frac{2}{3}$

129. What is $P(X \leq 3)$?

- (a) $\frac{9}{20}$ (b) $\frac{7}{10}$ (c) $\frac{1}{2}$ (d) $\frac{3}{4}$

Answer the next three questions based on the following information

x	1	2	3
P(x)	$\frac{1}{3}$	a	$\frac{1}{6}$

130. What is the value of a?

- (a) $\frac{2}{3}$ (b) $\frac{5}{6}$ (c) $\frac{1}{2}$ (d) 1

131. Find $P(2 < X \leq 3)$

- (a) $\frac{5}{6}$ (b) $\frac{2}{3}$ (c) $\frac{1}{2}$ (d) $\frac{1}{6}$

132. What is $P(X < 3)$?

- (a) $\frac{5}{6}$ (b) $\frac{2}{5}$ (c) $\frac{1}{9}$ (d) $\frac{1}{7}$

Answer the next two questions based on the following information

x	1	2	3
P(x)	$\frac{1}{3}$	$\frac{1}{2}$	$\frac{1}{6}$

133. What is $F(2)$?

- (a) $\frac{2}{3}$ (b) $\frac{5}{6}$ (c) $\frac{1}{2}$ (d) 1

134. $P(1 < X \leq 2)$

- (a) $\frac{5}{6}$ (b) $\frac{2}{3}$ (c) $\frac{1}{2}$ (d) $\frac{1}{6}$

Answer the next two questions based on the following information

$$f(x) = kx; 0 < x < 5$$

135. What is the value of $P(2 < x < 3)$

- (a) $\frac{4}{5}$ (b) $\frac{3}{5}$ (c) $\frac{2}{5}$ (d) $\frac{1}{5}$

136. $P(X > 0)$

- (a) 0.99 (b) 0.5 (c) 1 (d) 0

Answer the next two questions using the following information

x	1	2	3	4	5	6
P(x)	k	2k	3k	4k	5k	6k

137. What is the value of k?

- (a) $\frac{7}{21}$ (b) $\frac{5}{21}$ (c) $\frac{1}{21}$ (d) 1

138. What is the type of variable X?

- (a) Discrete (b) Discrete random (c) Continuous (d) Continuous random

Answer the next THREE questions using the following information

$$P(x) = \frac{x+1}{k}; x = 1, 2, 3, 4$$

139. What is the value of k?

- (a) 10 (b) 11 (c) 14 (d) 15

140. $F(2) = -$

- (a) $\frac{2}{14}$ (b) $\frac{3}{11}$ (c) $\frac{5}{14}$ (d) $\frac{5}{11}$

141. $P(x)$ is a -

- (a) Joint probability distribution (b) Cumulative probability distribution
(c) Probability mass function (d) Probability Density function

142. $f(x) = 2x; 0 < X < 3$; What is $F(3)$?

- (a) 3 (b) 0 (c) 1 (d) 0

143. $f(x) = 3x; 0 < X < 2$; What is $F(2)$?

- (a) 6 (b) 3 (c) 1 (d) 0

144. $f(x) = x^2; 0 < X < 4$; What is $F(4)$?

- (a) 16 (b) 0 (c) 4 (d) 1

145. $f(x) = 4 - x; 1 < X < 5$; What is $F(5)$?

- (a) 3 (b) 0 (c) 1 (d) 4

Answer the next two questions based on the following information:

$$P(x, y) = \frac{1}{21}(x + y); x = 1, 2, 3 \text{ and } y = 1, 2$$

146. $P(x) = ?$

- (a) $P(x) = \frac{2x+3}{21}$ (b) $P(x) = \frac{x+3}{27}$ (c) $P(x) = \frac{4x+3}{21}$ (d) $P(x) = \frac{2x+5}{21}$

147. $P(y) = ?$

- (a) $\frac{y+2}{7}$ (b) $\frac{y+3}{7}$ (c) $\frac{3y+2}{7}$ (d) $\frac{y+2}{9}$

Answer the next two questions based on the following information.

x	4	5	6	3	2	1
P(X)	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$

148. The value of $P(3 < X < 5)$ is:

- (a) $\frac{1}{2}$ (b) $\frac{1}{6}$ (c) $\frac{1}{3}$ (d) 0

149. $P(x \neq 2)$ is :

- (a) $\frac{5}{6}$ (b) 0
(c) 1 (d) Can't be found from this information

2.3 Multiple Completion

150. If $f(x) = kx^3$; $-1 \leq x \leq 1$, then k is

- i) positive
- ii) negative
- iii) lies from -1 to 1

(a) i (b) ii (c) iii (d) i and ii

151. The example of a discrete random variable is–

- i. Binomial variate
- ii. Poisson variate
- iii. Normal variate

Which one is correct?

(a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

152. For a discrete random variable X with probability mass function $p(x)$:

- i. $P(a \leq X \leq b) = \sum_{x=a}^b p(x)$
- ii. $\sum_x p(x) = 1$
- iii. $p(x) \geq 0$ for all x

Which one is correct?

(a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

153. For any random variable X with cumulative distribution function $F(x)$:

- i. $F(x)$ is a non-decreasing function
- ii. $\lim_{x \rightarrow -\infty} F(x) = 0$ and $\lim_{x \rightarrow +\infty} F(x) = 1$
- iii. $P(X > a) = 1 - F(a)$

Which one is correct?

(a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

154. For the probability density function $f(x)$ of a continuous random variable X :

- i. $P(a \leq X \leq b) = \int_a^b f(x) dx$
- ii. $f(x) \geq 0$ for all x
- iii. $\int_{-\infty}^{\infty} f(x) dx = 1$

Which one is correct?

(a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

155. For a continuous random variable X with PDF $f(x) = 2x$, defined on $[0, 1]$:

- i. $f(x) \geq 0$ for all $x \in [0, 1]$
- ii. $\int_0^1 f(x) dx = 1$
- iii. $P(X > 1) = 0$

Which one is correct?

(a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

156. For a continuous random variable X with PDF $f(x) = k(2 - x)$ defined on $0 \leq x \leq 2$:

- i. The value of k is 1.
- ii. The cumulative distribution function $F(x) = x - \frac{x^2}{4}$ for $0 \leq x \leq 2$.
- iii. $P(1 < X < 2) = \frac{3}{8}$

Which one is correct?

(a) i (b) i and ii (c) ii (d) i, ii and iii

3 Mathematical Expectation

157. $E(X+Y) = ?$
(a) $E(X) - E(Y)$ (b) $E(X) + E(Y)$ (c) $2E(X) - E(Y)$ (d) $E(X) \times E(Y)$
158. $E(4x+2Y) = ?$
(a) $E(X) - E(Y)$ (b) $4E(X) + 2E(Y)$ (c) $2E(X) + 4E(Y)$ (d) $E(X) \times E(Y)$
159. If $V(X) = 2$, what is the variance of $(X + 2m)$, where m is a constant?
(a) 0 (b) 2 (c) 4 (d) $2 + 4m$
160. If $V(X) = 2$, what is the variance of $(2X + m)$, where m is a constant?
(a) 0 (b) 2 (c) 4 (d) 8
161. What is the expected value of the squared deviation of the value of the random variable from their mean?
(a) Arithmetic Mean (b) Expectation (c) Variance (d) Co-variance
162. What is the minimum value of variance a random variable?
(a) $-\infty$ (b) 1 (c) 0 (d) -1
163. If $y = ax + b$, what is the value of $V(y)$?
(a) $aV(X)$ (b) $a^2V(X)$ (c) $V(X)$ (d) a^2
164. If $y = ax + b$, what is the value of $E(y)$?
(a) $aE(X) + b$ (b) $a^2E(X)$ (c) $E(X)$ (d) b
165. What is the value of $V(5)$?
(a) 0 (b) 25 (c) 5 (d) 1
166. If $P(x) = \frac{1}{n}; x = 1, 2, 3, \dots, n$, what is the value of $E(X)$?
(a) $\frac{n}{2}$ (b) $\frac{n-1}{2}$ (c) $\frac{n+1}{2}$ (d) $n + 1$
167. If $P(x) = \frac{4 - |5 - x|}{k}; x = 2, 3, 4, \dots, 8$, what is the value of k ?
(a) 5 (b) 8 (c) 16 (d) 24
168. Expected value of a constant a is –
(a) 1 (b) Variance (c) a (d) $a+1$
169. The variance of a constant m is –
(a) 0 (b) 1 (c) m (d) m^2
170. What is $V(X - Y)$ equal to?
(a) $V(X) + V(Y)$ (b) $V(X) + V(Y) - 2Cov(X, Y)$
(c) $V(X) - V(Y)$ (d) $V(X) + V(Y) + 2Cov(X, Y)$
171. What is the value of $V(2X+5)$?
(a) $4V(X) - 5$ (b) 20 (c) $4V(X)$ (d) 0
172. If $P(x) = \frac{1}{20}; x = 1, 2, 3, \dots, 20$, what is the standard deviation?
(a) 1 (b) 5.77 (c) 7.75 (d) 12.57

173. **Expectation measures –**

- (a) Dispersion (b) Skewness (c) Kurtosis (d) Central tendency

174. **If $E(X) = -0.5$, then $E(1 - 2X) = ?$**

- (a) 0 (b) -1 (c) 2 (d) 1

175. **If $P(X) = \frac{1}{10}; x = 1, 2, \dots, 10$, then $E(X) = ?$**

- (a) 10 (b) 5.5 (c) 0 (d) 11

176. **Which formula of variance is correct?**

- (a) $V(X + Y) = V(X) + V(Y) - 2Cov(X, Y)$ (b) $V(X + Y) = V(X) + V(Y) + 2Cov(X, Y)$
(c) $V(X + Y) = V(X) + V(Y) - 2Cov(X, Y)$ (d) $V(X + Y) = V(X) - V(Y) + 2Cov(X, Y)$

177. **X is a constant; what is the value of $V(\frac{X}{2})$?**

- i) 0
ii) $\frac{1}{2}$
iii) $\frac{1}{4}$

- (a) ii (b) i (c) iii (d) i and iii

178. **If $E(X) = 2, E(X^2) = 8, V(X) = --$**

- (a) 0 (b) 2 (c) 4 (d) 8

179. **If $E(X) = 3, E(X^2) = 11, V(X) = --$**

- (a) 2 (b) 5 (c) 6 (d) 4

180. **If $E(X) = 4$, what is $E(3X - 2)$?**

- (a) 10 (b) 8 (c) 7 (d) 6

181. **If $E(X) = 5, E(X^2) = 30, V(X) = --$**

- (a) 3 (b) 5 (c) 4 (d) 6

182. **If $E(X) = 6$, what is $E(\frac{X}{2} + 1)$?**

- (a) 4 (b) 3 (c) 2 (d) 5

183. **If $E(X) = 2, E(X^2) = 10, V(X) = --$**

- (a) 5 (b) 6 (c) 7 (d) 4

184. **If $E(X) = 7$, what is $E(4X + 3)$?**

- (a) 28 (b) 30 (c) 31 (d) 29

185. **If $E(X) = 3$, what is $E(5 - X)$?**

- (a) 2 (b) 3 (c) 4 (d) 5

186. **If $E(X) = 4$ and $V(X) = 5$, what is $E(X^2)$?**

- (a) 9 (b) 16 (c) 21 (d) 25

187. **If $E(X) = 3$ and $V(X) = 7$, what is $E(X^2)$?**

- (a) 9 (b) 10 (c) 16 (d) 18

188. **If $E(X) = 5$ and $E(X^2) = 34$, what is $V(X)$?**

- (a) 6 (b) 9 (c) 10 (d) 7

189. If $E(X) = 2$ and $E(X^2) = 14$, what is $V(X)$?
 (a) 10 (b) 9 (c) 8 (d) 7
190. If $E(X) = 6$ and $V(X) = 12$, what is $E(X^2)$?
 (a) 36 (b) 40 (c) 48 (d) 50
191. If $P(x) = \frac{4-|5-x|}{k}; x = 2, 3, 4, \dots, 8$, what is the value of $E(X)$?
 (a) 3 (b) 8 (c) 16 (d) 5
192. If $P(x) = \frac{6-|7-x|}{k}; x = 2, 3, 4, \dots, 12$, what is the value of $E(X)$?
 (a) 6 (b) 9 (c) 13 (d) 36
193. If $P(x) = \frac{3-|4-x|}{k}; x = 2, 3, 4, \dots, 6$, what is the value of k ?
 (a) 6 (b) 9 (c) 10 (d) 40
194. If the variance of X is 3, what is the variance of $V(3)$?
 (a) 1 (b) 2 (c) 3 (d) 0
195. If $V(X) = 5$, what is $V(X + 5)$?
 (a) 0 (b) 5 (c) 10 (d) 25
196. If $V(X) = 5$, what is $V(2X + 5)$?
 (a) 20 (b) 5 (c) 10 (d) 25
197. If $E(X) = 2$ and $E(X^2) = 8$, then the value of the $V(X) = ?$
 (a) 0 (b) 2 (c) 4 (d) 8
198. If $E(X^2) = 20$ and $V(X) = 11$, what is $E(X)$?
 (a) 3 (b) 4 (c) 5 (d) 6
199. If $E(X^2) = 50$ and $V(X) = 14$, what is $E(X)$?
 (a) 5 (b) 6 (c) 7 (d) 8
200. If $E(X^2) = 25$ and $V(X) = 9$, what is $E(X)$?
 (a) 2 (b) 3 (c) 4 (d) 5
201. If $E(X^2) = 45$ and $V(X) = 21$, what is $E(X)$?
 (a) $4\sqrt{3}$ (b) $2\sqrt{6}$ (c) $6\sqrt{2}$ (d) $7\sqrt{2}$
202. If $E(X^2) = 13$ and $V(X) = 4$, what is $E(X)$?
 (a) 2 (b) 3 (c) 4 (d) 5
203. If $E(X) = 3$, what is $E(2X - 5)$?
 (a) 1 (b) 3 (c) 5 (d) 7
204. If $E(X) = 4$, what is $E(\frac{X}{2} + 3)$?
 (a) 4 (b) 5 (c) 6 (d) 7
205. If $E(X) = -2$, what is $E(3X + 7)$?
 (a) 1 (b) -1 (c) -2 (d) 4
206. If $E(X) = 6$, what is $E(5 - X)$?
 (a) 1 (b) 0 (c) -1 (d) 2

207. If $E(X) = 10$, what is $E(4X - 8)$?

- (a) 12 (b) 40 (c) 28 (d) 32

208. If $P(x) = \frac{1}{15}; x = 1, 2, 3, \dots, 15$, what is the value of the expectation?

- (a) 8.5 (b) 7.5 (c) 7 (d) 8

3.1 Situation Set

Answer the next **THREE** questions based on the following information

X	0	1	2
P(x)	$\frac{1}{3}$	$\frac{1}{4}$	$\frac{5}{12}$

209. What is the value of $E(X)$?

- (a) $\frac{15}{12}$ (b) $\frac{13}{12}$ (c) $\frac{1}{12}$ (d) $\frac{11}{13}$

210. What is the value of $E(X^2)$?

- (a) $\frac{25}{12}$ (b) $\frac{13}{12}$ (c) $\frac{23}{12}$ (d) $\frac{25}{13}$

211. What is $V(2X)$?

- (a) 2.93 (b) 2.91 (c) 1.97 (d) 2.97

Answer the next **TWO** questions based on the following information

X	1	2	4
P(x)	0.5	0.3	0.2

212. What is $E(X)$?

- (a) 1.5 (b) 1.9 (c) 2.0 (d) 2.1

213. What is $V(X)$?

- (a) 1.09 (b) 1.29 (c) 1.49 (d) 1.69

Answer the next **TWO** questions based on the following information

X	1	2	3
P(x)	0.5	0.3	0.2

214. What is $E(X^2)$?

- (a) 3.6 (b) 4.2 (c) 5.0 (d) 5.6

215. What is $V(2X)$?

- (a) 2.24 (b) 3.36 (c) 4.48 (d) 5.60

Answer the next **TWO** questions based on the following information

216. What is $E(X)$?

- (a) 2.5 (b) 3.4 (c) 4.0 (d) 4.6

217. What is $V(X)$?

- (a) 2.04 (b) 2.44 (c) 2.84 (d) 3.24

Answer the next **TWO** questions based on the following information

X	2	4	6
P(x)	0.5	0.3	0.2

X	0	1	4
P(x)	0.4	0.4	0.2

218. What is $E(X^2)$?

- (a) 1.2 (b) 2.0 (c) 3.6 (d) 4.8

219. What is $V(X)$?

- (a) 2.24 (b) 2.64 (c) 3.04 (d) 3.44

Answer the next TWO questions based on the following information

The probability mass function of a discrete random variable X is given by

$$P(X = x) = \frac{x}{10}, \quad x = 1, 2, 3, 4.$$

220. What is $E(X)$?

- (a) 2.0 (b) 2.5 (c) 3.0 (d) 3.5

221. What is $V(X)$?

- (a) 0.50 (b) 0.75 (c) 1.00 (d) 1.25

Answer the next TWO questions based on the following information

The probability mass function of a discrete random variable X is given by

$$P(X = x) = \frac{x}{6}, \quad x = 1, 2, 3.$$

222. What is $E(X)$?

- (a) 1.33 (b) 2.00 (c) 2.33 (d) 3.00

223. What is $V(X)$?

- (a) 0.33 (b) 0.56 (c) 0.89 (d) 1.11

Answer the next TWO questions based on the following information

Let X be a continuous random variable uniformly distributed on the interval $[2, 6]$.

224. What is $E(X)$?

- (a) 2 (b) 3 (c) 4 (d) 5

225. What is $V(X)$?

- (a) $\frac{4}{3}$ (b) $\frac{8}{3}$ (c) $\frac{16}{3}$ (d) $\frac{5}{3}$

Answer the next THREE questions based on the following information

X	1	2	3
P(x)	$\frac{1}{6}$	$\frac{1}{2}$	$\frac{1}{3}$

226. What is the value of $E(X)$?

- (a) 2.00 (b) 2.17 (c) 2.33 (d) 2.50

227. What is the value of $E(X^2)$?

- (a) 5.17 (b) 4.83 (c) 5.00 (d) 5.33

228. What is $V(3X)$?

- (a) 9.67 (b) 11.33 (c) 12.67 (d) 4.25

Answer the next two questions based on the following information

The probability function of random variable x is given below:

$$P(x) = \frac{x}{k}; x = 1, 2, 3, 4$$

229. What is the value of k ?

- (a) 6 (b) 10 (c) 15 (d) 20

230. What is $E(X)$?

- (a) 2.25 (b) 3.5 (c) 2.5 (d) 3.0

Answer the next three questions based on the following information

The probability function of random variable x is given below:

$$P(x) = \frac{2x+1}{k}; x = 1, 2, 3, 4$$

231. What is the value of k ?

- (a) 18 (b) 25 (c) 12 (d) 24

232. What is $E(X)$?

- (a) 1.75 (b) 2.92 (c) 3.25 (d) 2.25

233. What is $V(X)$?

- (a) 1.05 (b) 3.0 (c) 1.5 (d) 1.25

Answer the next two questions based on the following information

The probability function of random variable x is given below

$$P(x) = \frac{x-1}{k}; x = 2, 3, 4, 5$$

234. What is the value of k ?

- (a) 2 (b) 5 (c) 10 (d) 25

235. What is $E(X)$?

- (a) 0.425 (b) 0.525 (c) 0.725 (d) 0.625

3.2 Multiple Completion

236. The possible relationship between $E(X)$ and $E(X^2)$

- i. $E(X) \geq E(X^2)$
- ii. $E(X) \leq E(X^2)$
- iii. $E(X) = E(X^2)$

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

4 Binomial Distribution

237. How many parameters are there in a binomial distribution?
(a) 1 (b) 2 (c) 3 (d) 4
238. What is the Mean of Binomial Distribution?
(a) np (b) npq (c) nq (d) $\sqrt{npq}$
239. What is the Variance of Binomial Distribution?
(a) np (b) npq (c) nq (d) $\sqrt{npq}$
240. What is the Standard Deviation of Binomial Distribution?
(a) np (b) npq (c) nq (d) $\sqrt{npq}$
241. What is the Coefficient of Variation of Binomial Distribution?
(a) np (b) npq (c) $\frac{q}{np}$ (d) $\sqrt{npq}$
242. Which is true of mean (np) of Binomial Distribution?
(a) $np = 0$ (b) $np < 0$ (c) $np > 0$ (d) $np \neq 0$
243. In a Binomial distribution, how are mean and variance related?
(a) $Mean > Variance$ (b) $Mean < Variance$
(c) $Mean = Variance$ (d) $Mean = 2 \times Variance$
244. When does Binomial distribution tend to Poisson distribution?
(a) $n \rightarrow \infty$ and $p \rightarrow 0$ (b) $n \rightarrow 0$ and $p \rightarrow 0$ (c) $n \rightarrow \infty$ and $p \rightarrow 0$ (d) $n \rightarrow 0$ and $p \rightarrow \infty$
- Answer the next two questions based on the following information.
 X is a binomial variate with expectation 4 and standard deviation $\sqrt{3}$.
245. What are the values of the parameters (mean and probability)?
(a) $16, \frac{1}{4}$ (b) $16, \frac{3}{4}$ (c) $15, \frac{1}{4}$ (d) $10, \frac{1}{4}$
246. What is $P(X \neq 0)$?
(a) 0 (b) 0.01 (c) 0.99 (d) 1
247. The characteristics of binomial distribution—
i. $E(X) > V(X)$
ii. $E(X) = V(X)$
iii. $E(X) = np$
Which one is correct?
(a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii
248. What is true of binomial distribution?
(a) There is one parameter (b) Number of trial is fixed
(c) Mean is greater than variance (d) Skewness is negative
249. What is the skewness of binomial distribution?
(a) $\frac{(q-p)^2}{np}$ (b) $\frac{(q-p)^2}{np}$ (c) $\frac{(p+1)^2}{npq}$ (d) $\frac{(q+p)^2}{npq}$

250. When is a binomial distribution positively skewed?

- (a) $p > q$ (b) $p = q$ (c) $p < q$ (d) $p+q < 1$

Answer the next two questions based on the following information

In a binomial distribution, $P(x = 4) = \frac{1}{2}P(x = 5); n = 10$

251. What is the mean?

- (a) 6.25 (b) 5.15 (c) 8.52 (d) 5.22

252. $P(x = 2) = \text{---}$

- (a) 0.0053 (b) 0.0069 (c) 0.0085 (d) 0.94

253. In a binomial distribution with $p = 0.3$ and $n = 10$, what is $P(2)$?

- (a) 0.2335 (b) 0.2668 (c) 0.3828 (d) 0.1211

254. In a binomial distribution with $p = 0.4$ and $n = 12$, what is $P(3)$?

- (a) 0.0896 (b) 0.2131 (c) 0.1419 (d) 0.2942

255. In a binomial distribution with $p = 0.5$ and $n = 8$, what is $P(4)$?

- (a) 0.2734 (b) 0.3125 (c) 0.2070 (d) 0.0898

256. In a binomial distribution with $p = 0.2$ and $n = 15$, what is $P(5)$?

- (a) 0.1789 (b) 0.1887 (c) 0.1032 (d) 0.2413

257. In a binomial distribution with $p = 0.6$ and $n = 9$, what is $P(6)$?

- (a) 0.2007 (b) 0.2508 (c) 0.2311 (d) 0.7682

258. In a binomial distribution with $p = 0.3$ and $P(x) = 0.2508, n = 9, x = ?$

- (a) 18 (b) 10 (c) 13 (d) 6

259. In a binomial distribution with $p = 0.4$ and $P(x) = 0.1419$, what is n ?

- (a) 5 (b) 6 (c) 12 (d) 15

260. In a binomial distribution with $p = 0.5$ and $P(2) = 0.1093$, what is n ?

- (a) 15 (b) 1 (c) 8 (d) 12

261. In a binomial distribution with $p = 0.2$ and $P(x) = 0.9389, n = ?$

- (a) 7 (b) 12 (c) 11 (d) 15

262. In a binomial distribution with $p = 0.6$ and $P(5) = 0.02449, n = ?$

- (a) 3 (b) 9 (c) 10 (d) 15

4.1 Situation Set

Answer the next THREE questions based on the following information

The mean of a Binomial distribution is 40 and standard deviation 6.

263. What is the value of n ?

- (a) 200 (b) 300 (c) 400 (d) 500

264. What is the value of $1 - q$?

- (a) 0.5 (b) 0.2 (c) 0.3 (d) 0.1

265. What is the value of $P(X \leq 40)$?

- (a) 0.52 (b) 0.54 (c) 0.45 (d) 0.91

4.2 Multiple Completion

266. In a binomial distribution with parameters n and p :

- i. The expected value is given by $E(X) = np$.
- ii. The variance is given by $V(X) = np(1 - p)$.
- iii. The standard deviation is given by $\sqrt{np}$.

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

267. Which of the following statements about a binomial distribution are true?

- i. The probability of success remains constant for each trial.
- ii. The trials are dependent on each other.
- iii. The number of trials is fixed in advance.

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

268. Consider a binomial experiment. Which of the following statements is/are true?

- i. Each trial results in exactly one of two possible outcomes.
- ii. The expected value is always greater than the variance.
- iii. The probability mass function of a binomial distribution can be computed using the binomial formula.

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

269. Which of the following is/are correct about the binomial distribution?

- i. The variance is maximized when $p = 0.5$.
- ii. If $p = 1$, the distribution becomes degenerate.
- iii. The standard deviation is given by $\sqrt{np(1 - p)}$.

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

5 Poisson Distribution

270. The no. of parameters in a Poisson distribution is —

- (a) 1 (b) 2 (c) 3 (d) 4

271. What is the mean of Poisson distribution

- (a) $\frac{1}{\sqrt{m}}$ (b) m (c) $\frac{1}{m}$ (d) $1 + \frac{1}{m}$

272. Which relationship between mean and variance of Poisson Distribution is correct?

- (a) $Mean > Variance$ (b) $Mean < Variance$ (c) $Mean = Variance$ (d) $Mean \neq Variance$

273. What is the Variance of Poisson Distribution(with parameter m)?

- (a) $\frac{1}{\sqrt{m}}$ (b) $\frac{1}{m}$ (c) m (d) $\frac{1}{m+1}$

274. What is the Standard Deviation of Poisson Distribution(with parameter m)?

- (a) $\frac{1}{\sqrt{m}}$ (b) $\frac{1}{m}$ (c) $\sqrt{m}$ (d) $\frac{1}{m+1}$

275. Which one is true of the parameter (m) of Poisson Distribution?

- (a) $m = 0$ (b) $m < 0$ (c) $m > 0$ (d) $m = 1$

276. The parameter of a Poisson Distribution is 5. What is its mean?
 (a) 2 (b) 5 (c) 2.24 (d) 25
277. When does Binomial Distribution tend to Poisson Distribution?
 (a) $n \rightarrow \infty, p \rightarrow 0$ & np is finite (b) $n \rightarrow \infty, p \rightarrow 0$ & np is infinite
 (c) $n \rightarrow \infty, p \rightarrow \infty$ & np is finite (d) $n \rightarrow 0, p \rightarrow \infty$ & np is infinite
278. The parameter of a Poisson variate is 2. What is its variance?
 (a) 0 (b) 4 (c) $\sqrt{2}$ (d) 2
279. The parameter of a Poisson variate is 5. What is its variance?
 (a) 10 (b) 5 (c) $\sqrt{5}$ (d) 25
280. A Poisson distribution has a mean of 3. What is the variance?
 (a) 9 (b) 3 (c) $\sqrt{3}$ (d) 0
281. X is a Poisson variate. $P(2) = P(4)$. What is the value of the parameter?
 (a) 12 (b) 3.46 (c) 3.6 (d) 4
282. X is a Poisson variate. $P(3) = P(5)$. What is the value of the parameter?
 (a) 4.5 (b) 5 (c) 2.3 (d) 4.1
283. For a Poisson variate X, if $P(1) = P(3)$, what is the variance?
 (a) 2.5 (b) 3.2 (c) 2.45 (d) 4.5
284. For a Poisson variate X, if $P(2) = P(3)$, what is the variance?
 (a) 3 (b) 4 (c) 5 (d) 6
- Answer the next two questions based on the following information**
 For a Poisson variate X, if $P(2) = P(5)$.
285. What is standard deviation?
 (a) 1.978 (b) 1.998 (c) 1.989 (d) 1.889
286. What is the value of $P(2)$?
 (a) 0.25 (b) 0.14 (c) 0.15 (d) 0.02
287. The standard deviation of a poisson distribution is 2. What is the parameter?
 (a) 2 (b) 3 (c) 4 (d) 5
288. Mean of a Poisson variate is a. What is its standard deviation?
 (a) 0 (b) a (c) $a^{\frac{1}{2}}$ (d) a^2
289. The standard deviation of a Poisson distribution is 3. What is the parameter?
 (a) 6 (b) 9 (c) 3 (d) 4
290. For a Poisson distribution with a mean of 5, what is the variance?
 (a) 5 (b) 10 (c) 25 (d) 15
291. If the variance of a Poisson distribution is 4, what is $P(2)$?
 (a) 0.1465 (b) 0.1954 (c) 0.1839 (d) 0.2184

292. If the variance of a Poisson distribution is 3.5, what is $P(1)$?
 (a) 0.1465 (b) 0.1057 (c) 0.1839 (d) 0.2184
293. A Poisson distribution has a mean of 7. What is the standard deviation?
 (a) 3.2 (b) 4.1 (c) 2.65 (d) 1.78
294. If $P(2)$ in a Poisson distribution with parameter λ equals 0.2240, what is the parameter λ ?
 (a) 2.4551 (b) 1.2515 (c) 1.2115 (d) 2.5112
295. A Poisson distribution has a mean of 4. What is $P(3)$?
 (a) 0.1465 (b) 0.1954 (c) 0.1839 (d) 0.2381
296. If the variance of a Poisson distribution is 3, what is the mean?
 (a) 3 (b) $\sqrt{3}$ (c) 2 (d) 6
297. For a Poisson distribution with mean 6, what is the probability of $P(0)$?
 (a) 0.0895 (b) 0.012 (c) 0.0454 (d) 0.0024
298. The mean of a Poisson distribution is 10. What is its standard deviation?
 (a) 5 (b) $\sqrt{10}$ (c) 10 (d) $\sqrt{20}$
299. Given that the parameter of a Poisson distribution is 8, what is the variance?
 (a) 4 (b) 8 (c) $\sqrt{8}$ (d) 16

5.1 Multiple Completion

300. For a Poisson-distributed variable with mean $\lambda = 4$, which of the following is true?
 i. $E(X) = 4$
 ii. $V(X) = 2$
 iii. $E(X^2) = 18$
Which one is correct?
 (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii
301. If $X \sim \text{Poisson}(m = 3)$, which of the following holds?
 i. $E(X) = 3$
 ii. $V(X) = 3$
 iii. $E(X^2) = 12$
Which one is correct?
 (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii
302. For a Poisson distribution, which of the following statements are true?
 i. The mean and variance are always equal.
 ii. The distribution is always symmetric.
 iii. The probability of zero occurrences is given by e^{-m} .
Which one is correct?
 (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

303. A Poisson-distributed random variable has mean $\lambda = 6$. Among the following properties —

- i. $E(X) = 6$
- ii. $V(X) = 6$
- iii. $P(X = 0) = e^{-6}$

Which one is correct?

- (a) i and ii
- (b) i and iii
- (c) ii and iii
- (d) i, ii and iii

304. For a Poisson process with $\lambda = 5$, which of the following is true?

- i. The standard deviation is $\sqrt{5}$.
- ii. $P(X \geq 1) = 1 - e^{-5}$.
- iii. $E(X^2) = 30$

Which one is correct?

- (a) i and ii
- (b) i and iii
- (c) ii and iii
- (d) i, ii and iii

5.2 Problems

305. On average, 1 in 1000 houses in a city gets a fire-burn in a year. If there are 2000 houses, what is the probability that, in a certain year, exactly 5 house will be burnt?

- (a) 0.036
- (b) 0.040
- (c) 0.027
- (d) 0.091

6 Normal Distribution

306. What is the range of the Normal distribution?

- (a) -1 to 1
- (b) 0 to 1
- (c) 0 to ∞
- (d) $-\infty$ to ∞

307. What is the probability of a certain value of the Normal distribution?

- (a) 0
- (b) 1
- (c) 0.5
- (d) 0.1

308. What is the range of the mean of the Normal distribution?

- (a) $(-\infty, \infty)$
- (b) $(0, \infty)$
- (c) $(0, 1)$
- (d) $(-\infty, 0)$

309. What is the relationship between the normal and standard normal distribution?

- (a) $Z = \frac{X+\mu}{\sigma}$
- (b) $Z = \frac{X-\mu}{\sigma}$
- (c) $Z = \frac{X-\sigma}{\mu}$
- (d) $Z = \frac{X-\mu}{\sigma^2}$

310. What is the mean of standard normal distribution?

- (a) -1
- (b) 1
- (c) 0
- (d) ∞

311. In the standard normal distribution, how many parameters are there?

- (a) 1
- (b) 2
- (c) 0
- (d) 3

312. What is the maximum value of the probability density function of a normal distribution?

- (a) μ
- (b) $\frac{1}{\sigma\sqrt{2\pi}}$
- (c) σ
- (d) σ^2

313. What is the skewness of the Normal distribution?

- (a) 0
- (b) 1
- (c) 2
- (d) 3

314. How many parameters does the Normal distribution have?

- (a) 0
- (b) 1
- (c) 2
- (d) 3

6.1 Mathematical Problems

Answer the next two questions based on the following information

A Normal distribution has mean 12 and standard deviation 2.

315. $P(10 < X < 13.5) = \dots$
(a) 0.50 (b) 0.56 (c) 0.64 (d) 0.45
316. $P(X \text{ is between } 6 \text{ and } 18) = \dots$
(a) 0.002 (b) 0.976 (c) 0.997 (d) 0.590

7 Index Number

317. If Laspeyres' index is 80 and and Fisher's index is 120, what is the value of Paasche's index?
(a) 97.97 (b) 100 (c) 180 (d) 200
318. The year for which an index number is calculated is called –
(a) Base year (b) Index year (c) Quantity year (d) Current year
319. Which Index Number satisfies the time and factor reversal test?
(a) Laspeyres' index number (b) Paasche's index number
(c) Fisher's index number (d) Marshal-Edgeworth index number
320. Which index number shows an upward trend?
(a) Laspeyres' index number (b) Bowley's index number
(c) Fisher's index number (d) Marshal-Edgeworth index number

8 Sampling

321. A sample characteristic is known as a –
(a) Quantity (b) Statistic (c) Parameter (d) Unit
322. The complete enumeration of all items in a target population is –
(a) Pilot survey (b) Sample survey (c) Census (d) Sampling frame
323. An unknown constant of the population is called –
(a) Quantity (b) Statistic (c) Parameter (d) Unit
324. In which sampling method are all items equally likely
(a) Simple random sampling (b) Quota sampling
(c) Stratified sampling (d) Cluster sampling
325. How many samples of size 4 can be drawn with replacement from a population of size 10?
(a) 200 (b) 220 (c) 210 (d) 10000
326. How many samples of size 4 can be drawn without replacement from a population of size 10?
(a) 200 (b) 220 (c) 210 (d) 550

327. In sampling with replacement, the probability of each selected sample is –

- (a) $\frac{1}{N^n}$ (b) $\frac{1}{NC_n}$ (c) $\frac{1}{N \times n}$ (d) $\frac{n}{N}$

328. Which of the following are true about stratified sampling?

- i. The population is divided into homogeneous subgroups called strata
- ii. Samples are drawn independently from each stratum
- iii. The strata are heterogenous

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

9 Vital Statistics

329. What is the called the ratio of the dependent population to the earning population?

- (a) Dependency ratio (b) Sex ration (c) Population density (d) Growth rate

330. Which of the following best describes the dependency ratio?

- (a) The ratio of the elderly population to the working-age population
- (b) The ratio of the combined non-working (0-14 and 65+) population to the working-age (15-64) population
- (c) The proportion of young dependents (0-14) in the population
- (d) The total population divided by the number of children (0-14)

331. City A has 12,000 individuals aged 0-14, 35,000 aged 15-64, and 5,000 aged 65+. What is the dependency ratio?

- (a) 0.31 (b) 0.48 (c) 0.60 (d) 0.25

332. A City has a dependency ratio of 0.52. If its working-age population (15-64) is 50,000, what is the total number of dependents (0-14 and 65+)?

- (a) 15,600 (b) 20,000 (c) 26,000 (d) 30,000

Answer the following 2 questions based on the information given below.

City	Population (in thousands)	Area (in km ²)
Gamma	1200	400
Delta	800	320

333. What is the population density of City Delta?

- (a) 2 people/km² (b) 4 people/km² (c) 2.5 people/km² (d) 2.2 people/km²

334. Which city is less densely populated?

- (a) Gamma (b) Delta
- (c) Both are equal (d) Cannot be determined

Answer the following two questions based on the information given below.

In a city, the total number of live births in a year was 2,400. The number of women aged 15-49 years in the population was 48,000.

335. Calculate the General Fertility Rate (GFR) for the city.

- (a) 40 per 1,000 women (b) 50 per 1,000 women (c) 60 per 1,000 women (d) 30 per 1,000 women

336. If live births increase to 3,000 while the number of women aged 15-49 remains the same, what is the new GFR?

- (a) 55 per 1,000 women (b) 65 per 1,000 women (c) 50 per 1,000 women (d) 62.5 per 1,000 women

337. The population of a city is 500,000, and the number of live births recorded in a year is 8,000. What is the Crude Birth Rate (CBR)?

- (a) 12 per 1,000 (b) 16 per 1,000 (c) 20 per 1,000 (d) 22 per 1,000

338. What is the formula of population density?

- (a) $\frac{M}{F} \times 100$ (b) $\frac{F}{M} \times 100$ (c) $\frac{B}{P} \times 100$ (d) $\frac{P}{A}$

339. In the following data, what is the dependency ratio?

Age	0-14	15-24	25-34	35-44	45-54	55-64	65+
Populataion	31,500	40,000	48,000	41,000	32,000	25,000	16,000

- (a) 35.54% (b) 25.54% (c) 23.24% (d) 31.25%

340. Crude Birth Rate (CBR) is:

- (a) $\frac{B}{P} \times 100$ (b) $\frac{B}{P} \times 1000$ (c) $\frac{P}{B} \times 100$ (d) $\frac{F}{P} \times 100$

341. Which one is a measure of reproduction?

- i) CBR
ii) CDR
iii) NRR

- (a) i (b) ii (c) iii (d) i and ii

342. The number of people living per unit area is called–

- (a) Population Index (b) Population Density
(c) Human Development Index (d) Dependency Ratio

343. Which formula of GFR is accurate?

- (a) $GFR = \frac{B}{P} \times 1000$ (b) $GFR = \frac{B}{F_{15-49}} \times 1000$
(c) $GFR = \frac{B_i}{F_i} \times 1000$ (d) $GFR = \frac{G_i}{F_{15-49}} \times 1000$

344. Total number of children born to each 1000 people in any country or region is called –

- (a) TFR (b) GFR (c) CBR (d) GRR

345. A city has a dependency ratio of 0.48. If the working-age population (15–64) is 62,500, what is the number of dependents (ages 0–14 and 65+)?

- (a) 30,000 (b) 25,000 (c) 22,000 (d) 20,000

346. The dependency ratio of a town is 0.60. If there are 40,000 people aged 15–64, how many individuals are considered dependents?

- (a) 22,000 (b) 26,500 (c) 24,000 (d) 25,000

347. Which one is correct?

- (a) $TFR > GRR > NRR$ (b) $TFR = GRR = NRR$ (c) $TFR < GRR < NRR$ (d) $NRR > GRR > TFR$

348. Which reflectes an unchanging population?

- (a) $GRR = 1$ (b) $NRR > 1$ (c) $GRR < 1$ (d) $GRR = NRR$

9.1 Growth Rates

349. If n in $P_n = P_o(1 + r)^n$ is split into infinite parts and r adjusted accordingly, what type of growth do we have?

- (a) Simple growth (b) Arithmetic growth (c) Exponential growth (d) Geometric growth

Answer the next two questions based on the following information

Year	1	2	3	4
Population	100	110	120	130

350. Which type of growth is seen here?

- (a) Arithmetic growth (b) Geometric growth (c) Exponential growth (d) None

351. What is the rate of increase?

- (a) 1 (b) 0.1 (c) 10 (d) 1%

352. In exponential growth, when is a population doubled?

- (a) $\frac{\log_{10} 2}{r}$ (b) $\frac{\log_e 2}{r}$ (c) $\frac{\log_e 2}{r^2}$ (d) $\frac{\log_e 3}{r}$

353. If a population exponentially declines, when is it reduced to half?

- (a) $\frac{\log_{10} 2}{r}$ (b) $\frac{\log_e 2}{r}$ (c) $\frac{\log_e 2}{r^2}$ (d) $\frac{\log_e 3}{r}$

354. How long does it take for a population to triple in exponential growth?

- (a) $\frac{\log_{10} 3}{r}$ (b) $\frac{\log_e 3}{r}$ (c) $\frac{\log_e 3}{r^2}$ (d) $\frac{\log_e 2}{r}$

Answer the next two questions based on the following information

Statement

355. Vital statistics records –

- i. marriage
- ii. birth
- iii. sickness and death

Which one is correct?

- (a) i and ii (b) i and iii (c) ii and iii (d) i, ii and iii

356. A population of 5000 grows at a geometric rate of 3% per annum. What will be the population after 6 years?

- (a) $5000 \times (1.03)^5$ (b) $5000 \times (1.03)^6$
(c) $5000 \times 6 \times 1.03$ (d) $5000 + 5000 \times 0.03 \times 6$

357. A population grows arithmetically from 10,000 to 12,000 in 5 years. What is the annual absolute increase?

- (a) 200 (b) 400 (c) 600 (d) 800

358. A bacterial culture grows exponentially with a growth rate constant of $r = 0.2$ per hour. How many hours will it take to triple?

- (a) $\frac{\ln 3}{0.2}$ (b) $\frac{\ln 2}{0.2}$ (c) $0.2 \times \ln 3$ (d) $0.2 \times \ln 2$

Answer Key:

1. (c) 6
2. (b) 6
3. (a) $\frac{n!}{(n-r)!}$
4. (a) $\frac{n!}{(n-1)!(n+r)!}$
5. (c) 1
6. (b) 0
7. (b) 2
8. (a) Disjoint
9. (b) Independent
10. (a) $P = \frac{\text{No. of favorable outcomes}}{\text{Total no. of possible outcomes}}$
11. (a) $P = \frac{\text{No. of favorable outcomes}}{\text{Total no. of possible outcomes}}$
12. (a) $P(A|B) = \frac{P(A \cap B)}{P(B|A)}$
13. (c) $P(A_1 \cup A_2 \cup \dots \cup A_n) = \sum_{i=1}^{\infty} P(A_i) - \sum_{i < j} P(A_i \cap A_j) + \dots$
14. (c) ii and iii
15. (b) Experiment
16. (c) An impossible event
17. (a) Complementary events
18. (c) 0
19. (d) Sample Point
20. (c) Mutually Exclusive Events
21. (a) $P(A \cap B) = P(A) \cdot P(B)$
22. (a) $A = \{1, 2, 3\}, B = \{4, 5\}$
23. (d) $P = \{m, n\}, Q = \{p, q\}$
24. (c) ii and iii
25. (a) i and iii
26. (a) i and ii
27. (d) All of the above
28. (d) $\frac{1}{2}$
29. (c) 0.90
30. (b) 0.85
31. (b) 0.92
32. (c) 0.88
33. (c) 0.975
34. (c) 6^r
35. (c) 2^r
36. (c) 8
37. (a) $\frac{1}{4}$
38. (c) $\frac{3}{4}$
39. (b) $\frac{1}{2}$
40. (a) $\frac{1}{4}$
41. (c) $\frac{3}{4}$
42. (c) $\frac{1}{4}$
43. (a) $\frac{3}{4}$
44. (a) An experiment
45. (b) $\frac{0}{6}$
46. (a) 4
47. (c) 36
48. (b) $\frac{1}{22}$
49. (b) $\frac{6}{11}$
50. (b) $\frac{1}{3}$
51. (b) $\frac{5}{12}$
52. (c) $\frac{48}{91}$
53. (d) $\frac{5}{11}$
54. (d) 0.0769
55. (c) $\frac{3}{4}$
56. (d) $\frac{3}{4}$
57. (b) 0.0769
58. (c) $\frac{3}{4}$
59. (a) $\frac{1}{2}$
60. (a) 0.26
61. (a) $\frac{13}{20}$
62. (c) $\frac{3}{4}$
63. (c) $\frac{3}{4}$
64. (b) $\frac{9}{20}$
65. (a) $\frac{1}{8}$
66. (a) $P(A \cap B) = P(A) \times P(B)$
67. (b) $P(A \cup B) = P(A) + P(B)$
68. (d) $\frac{P(A)}{P(B)} = \frac{P(A|B)}{P(B|A)}$
69. (b) $\frac{1}{36}$
70. (a) $P(A) = 0.5$ and $P(B) = 0.4$

- | | | |
|--|--|------------------------------------|
| 71. (a) 0.2 | 96. (b) 3 | 121. (a) $\frac{1}{3}$ |
| 72. (b) 0.4 | 97. (d) 3 | 122. (b) $\frac{1}{2}$ |
| 73. (c) 0.7 | 98. (d) 4 | 123. (b) $\frac{1}{2}$ |
| 74. (d) 0.1 | 99. (c) $\int_x f(x) dx = 1$ | 124. (c) $\frac{1}{4}$ |
| 75. (c) 0.7 | 100. (d) Size of television | 125. (c) $\frac{5}{6}$ |
| 76. (a) 0.1 | 101. (b) $\frac{1}{20}x^5 + c$ | 126. (a) $\frac{1}{2}$ |
| 77. (c) ii and iii | 102. (b) i and iii | 127. (c) $\frac{1}{20}$ |
| 78. (c) $\frac{1}{4}$ | 103. (d) i, ii, and iii | 128. (a) $\frac{5}{12}$ |
| 79. (a) $\frac{1}{4}$ | 104. (d) i, ii, and iii | 129. (c) $\frac{1}{2}$ |
| 80. (d) $\frac{11}{12}$ | 105. (d) 1 | 130. (c) $\frac{1}{2}$ |
| 81. (b) $\frac{1}{4}$ | 106. (c) 0 | 131. (d) $\frac{1}{6}$ |
| 82. (c) $\frac{3}{20}$ | 107. (a) 2 | 132. (a) $\frac{5}{6}$ |
| 83. (a) $\frac{17}{20}$ | 108. (b) Weight | 133. (b) $\frac{5}{6}$ |
| 84. (c) $\frac{58}{60}$ | 109. (c) $\sum P(x_i) = 1$ | 134. (c) $\frac{1}{2}$ |
| 85. (b) $\frac{7}{30}$ | 110. (d) Released version number of a software | 135. (d) $\frac{1}{5}$ |
| 86. (d) $\frac{23}{30}$ | 111. (b) Weight of a package | 136. (c) 1 |
| 87. (a) $\frac{3}{7}$ | 112. (c) Number of floors in a building | 137. (c) $\frac{1}{21}$ |
| 88. (d) 0.4 | 113. (c) Number of defective items in a batch | 138. (b) Discrete random |
| 89. (c) ii and iii | 114. (b) Height of students | 139. (c) 14 |
| 90. (c) ii and iii | 115. (d) $0 \leq P(X_i, Y_j) \leq 1$ | 140. (c) $\frac{5}{14}$ |
| 91. (b) i and iii | 116. (b) 0.75 | 141. (c) Probability mass function |
| 92. (a) i and ii | 117. (a) 0.75 | 142. (c) 1 |
| 93. (b) i and iii | 118. (c) $\frac{2}{3}$ | 143. (c) 1 |
| 94. (d) Page size in word processing softwares | 119. (d) $\frac{1}{2}$ | 144. (d) 1 |
| 95. (a) Probability distribution | 120. (c) $\frac{5}{6}$ | 145. (c) 1 |

146. (a) $P(x) = \frac{2x+3}{21}$
147. (c) $\frac{3y+2}{7}$
148. (b) $\frac{1}{6}$
149. (a) $\frac{5}{6}$
150. (a) i
151. (a) i and ii
152. (d) i, ii and iii
153. (d) i, ii and iii
154. (d) i, ii and iii
155. (d) i, ii and iii
156. (c) ii
157. (b) $E(X) + E(Y)$
158. (b) $4E(X) + 2E(Y)$
159. (b) 2
160. (d) 8
161. (c) Variance
162. (c) 0
163. (b) $a^2V(X)$
164. (a) $aE(X) + b$
165. (a) 0
166. (c) $\frac{n+1}{2}$
167. (c) 16
168. (c) a
169. (a) 0
170. (c) $V(X) - V(Y)$
171. (c) $4V(X)$
172. (a) 1
173. (d) Central tendency
174. (c) 2
175. (b) 5.5
176. (b) $V(X + Y) = V(X) + V(Y) + 2Cov(X, Y)$
177. (b) i
178. (c) 4
179. (a) 2
180. (a) 10
181. (b) 5
182. (a) 4
183. (b) 6
184. (c) 31
185. (a) 2
186. (c) 21
187. (c) 16
188. (b) 9
189. (a) 10
190. (c) 48
191. (d) 5
192. (d) 36
193. (b) 9
194. (d) 0
195. (b) 5
196. (a) 20
197. (c) 4
198. (a) 3
199. (b) 6
200. (c) 4
201. (b) $2\sqrt{6}$
202. (c) 4
203. (a) 1
204. (b) 5
205. (a) 1
206. (c) -1
207. (d) 32
208. (d) 8
209. (b) $\frac{13}{12}$
210. (b) $\frac{13}{12}$
211. (d) 2.97
212. (b) 1.9
213. (b) 1.29
214. (a) 3.6
215. (b) 3.36
216. (b) 3.4
217. (b) 2.44
218. (c) 3.6
219. (a) 2.24
220. (c) 3.0
221. (c) 1.00
222. (c) 2.33

223. (b) 0.56
224. (c) 4
225. (a) $\frac{4}{3}$
226. (b) 2.17
227. (a) 5.17
228. (d) 4.25
229. (b) 10
230. (d) 3.0
231. (d) 24
232. (b) 2.92
233. (a) 1.05
234. (c) 10
235. (c) 0.725
236. (d) i, ii and iii
237. (b) 2
238. (a) np
239. (b) npq
240. (d) $\sqrt{npq}$
241. (c) $\frac{q}{np}$
242. (c) $np > 0$
243. (a) $Mean > Variance$
244. (c) $n \rightarrow \infty$ and $p \rightarrow 0$
245. (a) $16, \frac{1}{4}$
246. (c) 0.99
247. (b) i and iii
248. (c) Mean is greater than variance
249. (a) $\frac{(q-p)^2}{np}$
250. (c) $p < q$
251. (a) 6.25
252. (b) 0.0069
253. (c) 0.3828
254. (c) 0.1419
255. (a) 0.2734
256. (c) 0.1032
257. (b) 0.2508
258. (b) 10
259. (c) 12
260. (c) 8
261. (d) 15
262. (b) 9
263. (c) 400
264. (d) 0.1
265. (b) 0.54
266. (a) i and ii
267. (b) i and iii
268. (d) i, ii and iii
269. (d) i, ii and iii
270. (a) 1
271. (b) m
272. (c) $Mean = Variance$
273. (c) m
274. (c) $\sqrt{m}$
275. (c) $m > 0$
276. (b) 5
277. (a) $n \rightarrow \infty, p \rightarrow 0$ & np is finite
278. (d) 2
279. (b) 5
280. (b) 3
281. (b) 3.46
282. (a) 4.5
283. (c) 2.45
284. (a) 3
285. (a) 1.978
286. (c) 0.15
287. (c) 4
288. (c) $a^{\frac{1}{2}}$
289. (b) 9
290. (a) 5
291. (a) 0.1465
292. (b) 0.1057
293. (c) 2.65
294. (b) 1.2515
295. (b) 0.1954
296. (a) 3
297. (d) 0.0024
298. (b) $\sqrt{10}$
299. (b) 8

300. (b) i and iii
301. (d) i, ii and iii
302. (b) i and iii
303. (d) i, ii and iii
304. (d) i, ii and iii
305. (a) 0.036
306. (d) $-\infty$ to ∞
307. (a) 0
308. (a) $(-\infty, \infty)$
309. (b) $Z = \frac{X-\mu}{\sigma}$
310. (c) 0
311. (c) 0
312. (b) $\frac{1}{\sigma\sqrt{2\pi}}$
313. (a) 0
314. (c) 2
315. (b) 0.56
316. (c) 0.997
317. (c) 180
318. (d) Current year
319. (d) Marshal-Edgeworth index number
320. (a) Laspeyres' index number
321. (b) Statistic
322. (c) Census
323. (c) Parameter
324. (a) Simple random sampling
325. (d) 10000
326. (c) 210
327. (a) $\frac{1}{N^n}$
328. (a) i and ii
329. (a) Dependency ratio
330. (b) The ratio of the combined non-working (0-14 and 65+) population to the population
331. (b) 0.48
332. (c) 26,000
333. (b) 4 people/km²
334. (b) Delta
335. (b) 50 per 1,000 women
336. (d) 62.5 per 1,000 women
337. (b) 16 per 1,000
338. (d) $\frac{P}{A}$
339. (b) 25.54%
340. (b) $\frac{B}{P} \times 1000$
341. (c) iii
342. (b) Population Density
343. (b) $GFR = \frac{B}{F_{15-49}} \times 1000$
344. (c) CBR
345. (a) 30,000
346. (c) 24,000
347. (a) TFR>GRR>NRR
348. (a) GRR=1
349. (c) Exponential growth
350. (a) Arithmetic growth
351. (b) 0.1
352. (b) $\frac{\log_e 2}{r}$
353. (b) $\frac{\log_e 2}{r}$
354. (b) $\frac{\log_e 3}{r}$
355. (d) i, ii and iii
356. (b) $5000 \times (1.03)^6$
357. (b) 400
358. (a) $\frac{\ln 3}{0.2}$