



SecPlatform

Security Asset Inventory & Vulnerability Management —
product overview and use cases

Internal document · 31 August 2026

Screenshots taken from a running instance with representative data

What SecPlatform is

SecPlatform is the system of record for application security at the bank. It answers four questions that were previously spread across spreadsheets, Jira projects and individual memory: **what applications do we run, what is their security position, what work is outstanding and who owns it, and can we prove any of it.**

It holds the standardised application inventory, the pipeline of security assessments, the register of findings with their remediation deadlines, and a full audit trail. It connects to Jira so that security work raised elsewhere is pulled in automatically — and, because requesters rarely use the inventory's official application names, each incoming ticket is analysed to work out which application it concerns, what the work covers, and which parts of it need a security assessment.

WHO USES IT

System Administrator	Full access to every function and all configuration.
Security Administrator	Configuration, integrations, imports, audit and mapping review.
Security Manager	Owns the work: assigns assessments and findings, accepts risk, sets SLA policy, and sees the applications in their business unit.
Security Engineer	Performs assessments and remediates findings; progresses workflow but does not assign or accept risk.
Application Owner	Sees the applications they own and their security position.
Developer	Sees the findings they are responsible for fixing.
Auditor / Executive	Read-only access to posture, reporting and the audit trail.
Read-only	Reporting access only.

Access is scoped, not just hidden. What a user can see and do is enforced at the page, the interface and the data layer. A security manager, for example, sees the applications and findings belonging to their own business unit and cannot act on records outside it.

Contents

1	Asset Inventory	9	Executive Dashboard
2	Application 360° View	10	Operations Dashboard
3	Security Assessment Management	11	My Workspace
4	Assessment Record & Workflow	12	Integration Administration
5	Vulnerability Management & SLA Tracking	13	SLA Policy
6	Breached SLA View	14	Audit Trail
7	Finding Record & Remediation	15	Cross-Entity Search
8	Jira Integration & AI Ticket Triage		

HOW THIS DOCUMENT WAS PRODUCED

Every screenshot is a capture of the running application against a representative data set — five applications, nine findings across the severity range, five assessments and six synchronised Jira tickets. No screen has been mocked up or edited.

TECHNOLOGY

Application	Next.js 16 (App Router), React 19, TypeScript
Data	PostgreSQL with Prisma; Redis for caching and background queues
Background work	BullMQ workers for Jira synchronisation, ticket triage, SLA recalculation and daily metric snapshots
Access control	Role-based permissions with attribute-based data scoping by business unit and ownership
AI	Claude, used for ticket triage and application resolution; disabled by default and falls back to deterministic rules
Languages	English and Vietnamese throughout

1 Asset Inventory

WHAT THIS FEATURE ENTAILS

The authoritative register of every application the bank runs. Each record carries its standardised identifier and name, business unit, criticality, internet exposure, data classification and owner, together with live counts of open findings and the date its next security assessment falls due. Because ticketing systems and scanners each use their own names for the same system, every application also holds a set of *aliases* — the names it is known by elsewhere — which is what lets work arriving from other tools be attributed to the right system.

USE CASE

Actor

Security Manager, Application Owner

Trigger

A new application is approved for production, or the quarterly inventory review begins.

1. Open **Applications**. The register lists every system in scope, filtered automatically to the business units the signed-in user is responsible for.

2. Filter by criticality, exposure or assessment state — for example every internet-facing Critical application that has never been assessed.

3. Add the application, or import the register in bulk from the existing Excel workbook.

4. Record its aliases so findings raised elsewhere resolve to this record.

Outcome.

A single register that answers “what do we run, how important is it, and when was it last looked at”.

ABBank | SECOPS

Q Search applications, assessments, vulnerabilities...

VI SA System Administrator

MY WORK

My queue

Mapping Review 3

Breached SLA 2

INVENTORY

Applications 5

Assessments 4

Vulnerabilities 7

INSIGHT

Posture

Operations

Analytics

Ask the data

Administration

SLA policy

Import inventory

Applications 5

Critical Active

Never Assessed

Overdue Assessments

All

+ filter

Copy link

Application ↑	Application ID	BUSINESS UNIT	Criticality	Status	OPEN VULNS	CRITICAL
☐ Core Banking System	APP-0003	Technology	HIGH	• Active	1	0
☐ Customer Relationship Management	APP-0005	Finance	HIGH	• Active	1	0
☐ Internet Banking Portal	APP-0001	Technology	CRIT	• Active	2	1
☐ Mobile Banking Application	APP-0002	Technology	HIGH	• Active	2	1
☐ Payment Gateway Service	APP-0004	Technology	CRIT	• Active	1	0

Showing 1–5 of 5

Rows per page 25

Figure 1 – Asset Inventory

2 Application 360° View

WHAT THIS FEATURE ENTAILS

Everything known about one application on a single screen: its profile, the open findings broken down by severity, its assessment history and when the next one is due, the aliases it answers to, and a timeline of what has happened to it. Overdue assessments and SLA breaches are called out rather than left to be inferred from dates.

USE CASE

Actor

Security Manager, Application Owner, Auditor

Trigger

Preparing for a release, an audit request, or a question about a specific system.

1. Open an application from the inventory or from search.

2. Read the current position: criticality, exposure, open findings by severity, SLA breaches.

3. Check assessment history — when it was last assessed and whether the next one is overdue.

4. Move between its assessments, its findings and its timeline without losing context.

Outcome.

One place that answers “what is the security position of this application right now”.




Figure 2 – Application 360° View

3 Security Assessment Management

WHAT THIS FEATURE ENTAILS

The work queue for security reviews: go-live assessments, periodic reviews, penetration tests, code and architecture reviews. Each assessment carries a type, priority, owner, due date and workflow state, and is linked to the applications it covers. Assessments can be raised in the platform or arrive from Jira through the integration.

USE CASE

Actor

Security Manager (assigns), Security Engineer (performs)

Trigger

A request for a security review arrives, or a periodic review falls due.

1. Review the backlog and see what is unassigned, in progress or overdue.

2. Assign work to an engineer; the assessment moves to **Assigned** automatically.

3. The engineer advances it through the workflow as the review proceeds.

4. Findings raised during the review are recorded against the application.

Outcome.

A managed pipeline of security reviews with clear ownership and due dates.

ABBank | SECOPS

Q Search applications, assessments, vulnerabilities...

VI 🔔 SA System Administrator

MY WORK

My queue

Mapping Review3

Breached SLA2

INVENTORY

Applications5

Assessments4

Vulnerabilities7

INSIGHT

Posture

Operations

Analytics

Ask the data

Administration

SLA policy

Import inventory

Assessments 5

Overdue AssessmentsActive AssessmentsPending ReviewAll

+ filterCopy link

Key	Title	TYPE	APPLICATION	ASSIGNEE	Status	SLA	FINDINGS
☐ ASM-0005	LOW Periodic review - CRM	PERIODIC	Customer Relationship Management	Security Engineer	Done	-30d	0
☐ ASM-0004	MED Code review - Core Banking interfaces	CODEREVIEW	Core Banking System	Unassigned	queued	21d	0
☐ ASM-0003	HIGH Penetration test - Mobile Banking Application	PENTEST	Mobile Banking Application	Security Engineer	In Progress	-2d	0
☐ ASM-0002	HIGH Annual review - Internet Banking Portal	PERIODIC	Internet Banking Portal	Security Engineer	In Progress	10d	0
☐ ASM-0001	CRIT Go-live security assessment - Payment Gateway Service	GOLIVE	Payment Gateway Service	Security Engineer	Assigned	3d	0

Showing 1-5 of 5

Rows per page25

Figure 3 – Security Assessment Management

4 Assessment Record & Workflow

WHAT THIS FEATURE ENTAILS

One assessment in full: scope, type, owner, dates, the applications covered, the findings it produced, and a complete history of every status change and who made it. Status moves are constrained by a configurable workflow, so a record can only take a path the organisation permits.

USE CASE

Actor Security Engineer

Trigger Work begins on an assigned assessment.

1. Open the assessment from **My queue**.
2. Change its status — only the moves the workflow allows are offered.
3. Record findings against the applications in scope.
4. Complete the assessment; the completion date is stamped automatically.

Outcome. Progress is visible to the manager without being asked for, and every change is attributable.

The screenshot displays the ABBank SECOPS interface. On the left is a sidebar with navigation links: MY WORK (My queue, Mapping Review, Breached SLA), INVENTORY (Applications, Assessments, Vulnerabilities), and INSIGHT (Posture, Operations, Analytics, Ask the data, Administration, SLA policy, Import inventory). The main content area shows the 'Annual review - Internet Banking Portal' assessment, which is 'In Progress'. It includes a search bar, a status dropdown set to 'IN_PROGRESS', and an 'Assign' button. The assessment details are organized into three columns: 'Assessment Info' (Type: Periodic Security Assessment, Priority: High, Complexity: --, Findings: 0), 'Timeline' (Created: 8/1/2026, Due Date: 9/10/2026, Started: 8/21/2026, Completed: --), and 'People' (Requester: System Administrator, Assignee: Security Engineer). Below these is an 'Applications' section showing 'Internet Banking Portal' (APP-0001) with a 'Critical' severity. At the bottom, there is a 'Findings (0)' section with a 'Status History' tab, indicating 'No findings documented yet'.

Figure 4 – Assessment Record & Workflow

5 Vulnerability Management & SLA Tracking

WHAT THIS FEATURE ENTAILS

The findings queue. Each finding carries a severity, workflow status, the application it affects, a fix owner and a remediation deadline derived from configurable SLA policy. The SLA column shows the time remaining as a bar and a figure — negative when the deadline has passed — so the queue can be read by time pressure rather than by reading dates. Saved views cover the questions asked daily: breached, critical and new, awaiting verification.

USE CASE

Actor

Security Manager, Security Engineer, Developer

Trigger

A finding is raised by an assessment, a scan or a penetration test.

1. Open **Vulnerabilities** and sort by severity, due date or age; filter by severity, status or SLA state.

2. Select several findings and assign them, or change their status, in one action.

3. Open a finding to record remediation, or accept the risk formally where a fix is not proportionate.

4. Track it through to verification and closure.

Outcome.

Remediation is driven by risk and deadline rather than by whoever shouts loudest.

ABBank | SECOPS

Q Search applications, assessments, vulnerabilities...

VI SA System Administrator

MY WORK

My queue

Mapping Review 3

Breached SLA 2

INVENTORY

Applications 5

Assessments 4

Vulnerabilities 7

INSIGHT

Posture

Operations

Analytics

Ask the data

Administration

SLA policy

Import inventory

Vulnerabilities 9

+ New Vulnerability

Breached Critical New Awaiting Verification All

+ filter

Copy link

Key	Severity	Finding	APPLICATION	Status	FIX OWNER	SLA	Age
☐ VLN-0009	HIGH	Unrestricted file upload in CRM attachments	Customer Relationship Management	Triaged	System Administrator	14d	8d
☐ VLN-0003	MED	Outdated TLS ciphers on public load balancer	Internet Banking Portal	Triaged	System Administrator	30d	10d
☐ VLN-0004	LOW	Verbose error messages disclose stack traces	Core Banking System	Ready to verify	System Administrator	45d	15d
☐ VLN-0005	CRIT	IDOR on transaction history API	Mobile Banking Application	In Progress	System Administrator	1d	20d
☐ VLN-0002	HIGH	Missing rate limiting on OTP verification endpoint	Mobile Banking Application	In Progress	System Administrator	2d	25d
☐ VLN-0006	HIGH	Hardcoded credentials in deployment script	Payment Gateway Service	Assigned	System Administrator	-4d	35d
☐ VLN-0001	CRIT	Stored XSS in customer message centre	Internet Banking Portal	New	System Administrator	-12d	40d
☐ VLN-0007	HIGH	Session fixation after password change	Internet Banking Portal	Closed	System Administrator	-5d	60d
☐ VLN-0008	MED	Weak password policy on admin console	Core Banking System	Closed	System Administrator	-15d	70d

Showing 1–9 of 9

Rows per page 25

Figure 5 – Vulnerability Management & SLA Tracking

6 Breached SLA View

WHAT THIS FEATURE ENTAILS

A permanent, one-click view of every finding past its remediation deadline, oldest first, with the count carried as a live badge in the navigation. It is a saved view of the findings queue rather than a separate screen, so the same filters, bulk actions and shareable links apply.

USE CASE

Actor

Security Manager

Trigger

Daily triage, or before a risk committee meeting.

1. Click **Breached SLA** in the sidebar — the badge shows how many there are.

2. The queue opens filtered to breached findings, ordered by how long they have been overdue.

3. Assign owners or escalate; copy the link to share exactly this view with someone else.

Outcome.

Overdue risk is one click away and cannot be quietly forgotten.




Figure 6 – Breached SLA View

7 Finding Record & Remediation

WHAT THIS FEATURE ENTAILS

One finding in full: description, evidence, recommendation, affected application, CVSS and CWE references, SLA position, and the complete status history. Actions available on the record are determined by the signed-in user's permissions — changing status, reassigning, or recording a formal risk acceptance with justification and expiry.

USE CASE

Actor

Security Engineer (remediates), Security Manager (accepts risk)

Trigger

A finding is picked up for remediation, or a fix is judged disproportionate.

1. Open the finding from the queue or from **My queue**.

2. Advance its status as work proceeds; only permitted transitions are offered.

3. Where a fix is not proportionate, record a risk acceptance with justification and an expiry date — the finding is then marked exempt from SLA.

4. Verify and close; the verification and closure dates are stamped automatically.

Outcome.

A defensible record of what was decided, by whom, and why.




Figure 7 – Finding Record & Remediation

8 Jira Integration & AI Ticket Triage

WHAT THIS FEATURE ENTAILS

Security work arrives as Jira tickets written by requesters who do not use the inventory's standardised application names. On every sync, each ticket is analysed automatically to answer three questions: **which inventory application does this concern**, **what does the work cover**, and **what about it needs a security assessment**. Tickets that are not security work are filtered out before they reach a human. Where the match is certain — an exact application identifier or a known alias — the ticket is linked automatically; where it is not, it arrives in a review queue with the reasoning, the scope, the security focus points and what the requester failed to provide.

USE CASE

Actor Security Manager, Security Engineer
Trigger Scheduled Jira synchronisation, or a manual sync.

- 1. Tickets are fetched and every new or changed one is queued for analysis.
- 2. Each is matched against the inventory; confident matches are linked automatically.
- 3. The rest arrive in **Mapping Review** with the suggested application, the evidence, the analysed scope and the points needing assessment.
- 4. The reviewer confirms, picks a different application, or marks it as no match — and can re-run the analysis after adding an alias.

Outcome. Tickets become attributed, analysed security work instead of an unsorted inbox.




Figure 8 – Jira Integration & AI Ticket Triage

9 Executive Dashboard

WHAT THIS FEATURE ENTAILS

The security posture at portfolio level: applications in inventory, assessment coverage, open findings by severity and SLA compliance, over a selectable reporting window. Every figure states what it was computed from and when it was last synchronised, and every chart can be switched to a table or copied, so numbers taken into a board pack can be traced back.

USE CASE

Actor Executive, Auditor, Security Manager

Trigger Monthly reporting, board preparation, or an audit request.

1. Open **Posture** and choose the reporting window.
2. Read coverage, open risk and SLA compliance; the banner calls out what needs attention now.
3. Switch any chart to its underlying table, or copy the figures for a report.
4. Share the link — the window and filters travel with it.

Outcome. A reportable, traceable view of security posture rather than a hand-assembled spreadsheet.




Figure 9 – Executive Dashboard

10 Operations Dashboard

WHAT THIS FEATURE ENTAILS

The working view for the team that runs the function: assessment backlog, what is waiting to be assigned, what is in progress, active SLA breaches, findings approaching their deadline, the verification backlog, and the current workload of each engineer.

USE CASE

Actor

Security Manager

Trigger

Daily stand-up and weekly planning.

1. Open **Operations**.

2. Check what is unassigned and what is breaching, and rebalance the team's workload.

3. Follow any figure straight through to the queue it came from.

Outcome.

Capacity and pressure are visible before they become escalations.




Figure 10 – Operations Dashboard

11 My Workspace

WHAT THIS FEATURE ENTAILS

The assignee's own screen: the assessments and findings assigned to them, what is overdue, what is approaching its deadline, ordered so the most urgent work is first. It is the landing screen for an engineer, and the count is carried as a badge on **My queue** throughout the application.

USE CASE

Actor

Security Engineer

Trigger

Start of the working day.

1. Sign in — the engineer lands directly on their workspace.

2. Review what is overdue and what is due soon.

3. Open an item and progress it without going through a general queue.

Outcome.

Each person knows what is theirs and what is late, without being told.




Figure 11 – My Workspace

12 Integration Administration

WHAT THIS FEATURE ENTAILS

Configuration and operational control of the Jira connection: connection test, manual synchronisation, full sync history with counts and errors, and the triage backlog — how many synced tickets are still awaiting analysis, with the ability to run a pass on demand.

USE CASE

Actor

Security Administrator

Trigger

Initial setup, a connection problem, or a backlog after an outage.

1. Confirm the connection and review recent sync history.

2. Trigger a synchronisation manually when needed.

3. Check the triage backlog and run an analysis pass on demand.

Outcome.

The integration is observable and recoverable rather than a black box.




Figure 12 – Integration Administration

13 SLA Policy

WHAT THIS FEATURE ENTAILS

Remediation deadlines expressed as policy rather than convention: the number of days allowed per severity, optionally varied by application criticality, together with the warning period that determines when a finding is flagged as approaching its deadline. Changing the policy changes how every finding is measured.

USE CASE

Actor

Security Manager, Security Administrator

Trigger

Annual policy review, or a regulatory change.

1. Open **SLA policy**.

2. Set the days allowed per severity and criticality, and the warning window.

3. Findings are re-evaluated against the new policy.

Outcome.

Deadlines are governed and auditable, not embedded in code.

ABBank | SECOPS

Q Search applications, assessments, vulnerabilities...

VI SA System Administrator

MY WORK

My queue

Mapping Review 3

Breached SLA 2

INVENTORY

Applications 5

Assessments 4

Vulnerabilities 7

INSIGHT

Posture

Operations

Analytics

Ask the data

Administration

SLA policy

Import inventory

SLA Rules

Define and manage service level agreement policies

Create Rule

Name	Entity Type	Severity	App Criticality	Internet Facing	SLA Days	Warning Days	Priority	Status
Critical + Critical App + Internet-Facing	VULNERABILITY	Critical	Critical	Yes	1	undefined	30	Inactive
Critical + Critical App	VULNERABILITY	Critical	Critical	No	5	undefined	20	Inactive
Critical + Internet-Facing	VULNERABILITY	Critical	null	Yes	3	undefined	20	Inactive
Default Critical Vulnerability	VULNERABILITY	Critical	null	No	7	undefined	10	Inactive
Default High Vulnerability	VULNERABILITY	High	null	No	30	undefined	10	Inactive
Default Low Vulnerability	VULNERABILITY	Low	null	No	90	undefined	10	Inactive
Default Medium Vulnerability	VULNERABILITY	Medium	null	No	60	undefined	10	Inactive
Default Informational Vulnerability	VULNERABILITY	Info	null	No	180	undefined	5	Inactive

Figure 13 – SLA Policy

14 Audit Trail

WHAT THIS FEATURE ENTAILS

An immutable record of every consequential action: status changes, assignments, risk acceptances, mapping decisions, imports and configuration changes — each with the actor, the entity, the before and after, and the time. Searchable and exportable.

USE CASE

Actor

Auditor, Security Administrator

Trigger

Internal audit, regulatory examination, or an incident review.

1. Open **Administration** → **Audit**.

2. Filter by actor, entity type or period.

3. Export the result as evidence.

Outcome.

Every decision can be reconstructed and attributed.

ABBank | SECOPS

Q Search applications, assessments, vulnerabilities...

VI

SA System Administrator

MY WORK

My queue

Mapping Review 3

Breached SLA 2

INVENTORY

Applications 5

Assessments 4

Vulnerabilities 7

INSIGHT

Posture

Operations

Analytics

Ask the data

Administration

SLA policy

Import inventory

Audit Log

Review system activity and changes (26 total)

From mm/dd/yyyy To mm/dd/yyyy Q Action... all Q User...

Timestamp	User	Action	Entity Type	Entity ID	Source	IP Address
8/31/2026, 4:18:05 PM	[object Object]	mapping.confirm	mapping	ba6fc232-c6a3-404b-9784-37f07be3a1af	API	null
8/31/2026, 4:18:05 PM	[object Object]	assessment.assign	assessment	7154e9e0-1f8e-417b-8d8c-a8ca82bf7c38	API	null
8/31/2026, 4:17:04 PM	[object Object]	assessment.status_change	assessment	58ba8254-2759-484c-b81a-06f438eef1b7	API	null
8/31/2026, 4:17:04 PM	[object Object]	assessment.status_change	assessment	58ba8254-2759-484c-b81a-06f438eef1b7	API	null
8/31/2026, 4:17:04 PM	[object Object]	assessment.status_change	assessment	58ba8254-2759-484c-b81a-06f438eef1b7	API	null
8/31/2026, 4:17:04 PM	[object Object]	assessment.status_change	assessment	58ba8254-2759-484c-b81a-06f438eef1b7	API	null
8/31/2026, 4:16:34 PM	[object Object]	vulnerability.risk_acceptance	vulnerability	c2ffd57c-f7bc-482a-91bd-301d46d1b2c3	API	null
8/31/2026, 4:15:41 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:41 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:41 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:41 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:41 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:24 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:24 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:23 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:23 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:23 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null
8/31/2026, 4:15:22 PM	[object Object]	vulnerability.status_change	vulnerability	b52b950a-9b85-4c0e-8594-678c0aca5fc8	API	null

Figure 14 – Audit Trail

15 Cross-Entity Search

WHAT THIS FEATURE ENTAILS

One search box across applications, assessments and findings, matching on names, identifiers and aliases, with results grouped by type and ranked by relevance — so a system can be found by whatever name the person searching happens to know it by.

USE CASE

Actor Everyone
Trigger A question about a system, ticket or finding.

- 1. Type any name, key or alias into the search bar.
- 2. Results are grouped by type with the context needed to pick the right one.
- 3. Jump straight to the record.

Outcome. Finding a record takes seconds and does not require knowing its official name.




Figure 15 – Cross-Entity Search

Current status

The platform is a working system: the screens in this document are live, the workflows run end to end, and access control is enforced. The following are known gaps, recorded here so the document is not read as a claim of completeness.

KNOWN LIMITATIONS

Notifications	The notification and email infrastructure exists and is displayed, but no event currently generates a notification. Assignment and SLA breach alerting is not yet wired.
SLA outcome on closure	When a finding is closed, its SLA result is not yet finalised to met or missed, so the compliance figure does not currently reflect completed remediation.
Alias learning	Confirming a ticket-to-application mapping records the ticket wording as an alias too broadly, which can cause later tickets to be matched incorrectly. This needs tightening before the AI triage is relied upon unsupervised.
Risk acceptance approval	A risk acceptance is recorded and approved by the same person. A separate approver step is not yet implemented.
AI triage	Disabled by default. With external AI switched off the platform falls back to deterministic keyword and name-matching rules, which are weaker for tickets written in Vietnamese.

These are tracked items with known fixes, not architectural problems. Each is contained within a single service.