

SECURITY OPERATIONS CENTER

Alert Investigation Report

Phishing E-mail Analysis — LetsDefend SOC Environment

Report Title	Investigation of Phishing Alerts EventID 93, 52 and 45
Primary Alert	SOC146 — Phishing Mail Detected — Excel 4.0 Macros
Secondary Alert	SOC120 — Phishing Mail Detected — Internal to Internal
Platform	LetsDefend (app.letsdefend.io) — Monitoring / Case Management
Analyst	Mahnoor Abbasi
Investigation Period	31 July 2026 – 01 August 2026
Report Date	06 August 2026
Classification	Internal Use — Training Environment

1. Executive Summary

This report documents the investigation of two phishing alerts raised in the LetsDefend SOC monitoring queue and closed by the analyst. Both alerts were generated by the Exchange mail security integration and were worked through the platform's phishing investigation playbook.

1.1 Findings at a Glance

Alert	EventID	Severity	Subject	Verdict
SOC146 — Excel 4.0 Macros	93	High	RE: Meeting Notes	TRUE POSITIVE
SOC120 — Internal to Internal	52	Medium	Meeting	FALSE POSITIVE

1.2 Summary of SOC146 (EventID 93)

An external sender, trenton@tritowncomputers.com, delivered a password-protected ZIP archive to the internal user lars@letsdefend.io under the subject line "RE: Meeting Notes". The reply-style subject and the generic body text ("Hello! Please inspect your docs as one document that you can find through the attachment.") are consistent with a thread-hijacking lure.

The archive was protected with the password "infected" and supplied in the mail body. This is a deliberate evasion technique: the encrypted archive returned 0/62 detections on VirusTotal because no engine could see inside it. Once detonated, the archive was found to contain three malicious files — an Excel 4.0 (XLM) macro downloader and two companion DLL payloads. All three are independently confirmed malicious by multiple engines, and Hybrid Analysis scored the archive 100/100 on its threat score.

Critical operational detail: the Device Action recorded on the alert is "**Allowed**" — the mail was not blocked and reached the recipient's mailbox. This alert therefore requires containment action, not just closure.

1.3 Summary of SOC120 (EventID 52)

An internal-to-internal mail from john@letsdefend.io to susie@letsdefend.io with the subject "Meeting" triggered the internal phishing rule. The message contained a single line of ordinary business text, carried no attachment and no URL, and showed no spoofing or social-engineering characteristics. With no malicious indicator present, the alert was closed as a false positive.

attempt, but that is an indication rather than a finding. Section 5 sets out what is known and what remains outstanding.

1.4 Immediate Recommendations

- Purge the SOC146 message from the mailbox of lars@letsdefend.io and from any other mailbox that received it.
- Block the sender address trenton@tritowncomputers.com and the sending SMTP IP 24.213.228.54 at the mail gateway.
- Add the four file hashes listed in Appendix A to endpoint and mail-gateway blocklists.

- Confirm on the endpoint whether lars opened the attachment, and hunt for regsvr32.exe or rundll32.exe loading a DLL from a user temp path.
- Review the mail gateway policy that permits encrypted archives with the password disclosed in the message body — this pattern should be quarantined by default.

2. Case Analysis — SOC146, EventID 93

Phishing Mail Detected — Excel 4.0 Macros

2.1 Alert Details

EventID	93
Rule Name	SOC146 — Phishing Mail Detected — Excel 4.0 Macros
Severity	High
Alert Level	Security Analyst
Event Time	Jun 13, 2021, 02:13 PM
Case Created	Jul 31, 2026, 09:04 PM
Incident Type	Exchange
SMTP Address	24.213.228.54
Source Address	trenton@tritowncomputers.com
Destination Address	lars@letsdefend.io
E-mail Subject	RE: Meeting Notes
Device Action	Allowed — mail delivered to recipient




Figure 1 — Incident details pane for EventID 93 in Case Management




Figure 2 — Alert detail fields for EventID 93, shown alongside the extraction of the password-protected attachment

2.2 E-mail Analysis

The message was retrieved through the Email Security module. It was sent on Jun 13 2021 at 02:11 PM, two minutes before the detection alert fired.

From	trenton@tritowncomputers.com
To	lars@letsdefend.io
Subject	RE: Meeting Notes
Date	Jun 13, 2021, 02:11 PM
Body	Hello! Please inspect your docs as one document that you can find through the attachment.
Attachment	11f44531fb088d31307d87b01e8eabff (ZIP)
Archive Password	infected – supplied in the message body




Figure 3 — The phishing message as rendered in the Email Security module

Indicators of Phishing

- **Thread-hijack subject.** The "RE:" prefix implies an existing conversation that does not exist, a standard technique for borrowing trust.
- **Unknown external domain.** tritowncomputers.com has no established relationship with the recipient organisation and does not match the recipient's domain.
- **Vague, urgency-free but action-directing body.** A single sentence with no specifics, whose only purpose is to make the recipient open the attachment.
- **Password-protected archive with the password in the body.** This is the defining evasion marker. It exists solely to prevent the mail gateway and antivirus from inspecting the payload while keeping it trivially openable by the victim.
- **Double-zipped payload.** The delivered file is a ZIP within a ZIP, adding a further layer of scanner evasion.

2.3 Attachment Handling and Extraction

The attachment was downloaded through the LetsDefend sample download page, which itself warns that the archive is live malware and states the password. All handling was performed inside an isolated Kali Linux analysis virtual machine.




Figure 4 — LetsDefend sample download warning, confirming the archive password is "infected"




Figure 5 — Downloaded archive 11f44531fb088d31307d87b01e8eabff.zip.zip in the analysis VM

```
(kali123@ kali)~[~]
$ cd Downloads
(kali123@ kali)~/Downloads
$ ls
11f44531fb088d31307d87b01e8eabff.zip.zip
(kali123@ kali)~/Downloads
$
```

Figure 6 — Directory listing confirming the downloaded double-zipped archive

Extraction required the supplied password, confirming the archive is genuinely encrypted rather than merely compressed.

```
(kali123@ kali)~/Downloads
$ ls
11f44531fb088d31307d87b01e8eabff.zip.zip
(kali123@ kali)~/Downloads
$ ls 11f44531fb088d31307d87b01e8eabff
iroto1.dll iroto.dll research-1646684671.xls
(kali123@ kali)~/Downloads
$
```

Figure 7 — Contents after extraction: research-1646684671.xls, iroto.dll and iroto1.dll

Hashes were then computed for each extracted file so that they could be checked against threat intelligence sources and later submitted as case artifacts.


```

(kali123@kali)~[~/Downloads]
$ cd 11f44531fb088d31307d87b01e8eabff

(kali123@kali)~[~/Downloads/11f44531fb088d31307d87b01e8eabff]
$ sha256sum *
e05c717b43f7e204f315eb8c298f9715791385516335acd8f20ec9e26c3e9b0b iroto1.dll
055b9e9af987aec9ba7adb0eef947f39b516a213d663cc52a71c7f0af146a946 iroto.dll
1df68d55968bb9d2db4d0d18155188a03a442850ff543c8595166ac6987df820 research-16
46684671.xls

```

Figure 8 — SHA-256 hashes computed for the three extracted files

2.4 Static Analysis — File Hashes and Reputation

Each file was submitted to VirusTotal. The results are unambiguous: the container itself is invisible to antivirus, while every file inside it is detected by a substantial share of engines.

File	SHA-256	Size	VT Score	Threat Label
11f44531...zip.zip (container)	38b01a12b8dcd39ebdcf9e97772e848237330eb227e1ccee80125564b27377e5	106.80 KB	0 / 62	Encrypted — not inspectable
research-1646684671.xls	1df68d55968bb9d2db4d0d18155188a03a442850ff543c8595166ac6987df820	648.50 KB	40 / 62	trojan.x97m/dloadr
iroto.dll	055b9e9af987aec9ba7adb0eef947f39b516a213d663cc52a71c7f0af146a946	434.56 KB	21 / 65	trojan.usblfp626/abtrojan
iroto1.dll	e05c717b43f7e204f315eb8c298f9715791385516335acd8f20ec9e26c3e9b0b	434.52 KB	21 / 69	trojan.usblfp26/abtrojan

The Container: 0/62 Is Not a Clean Verdict

The outer archive returned zero detections from 62 engines. VirusTotal states the reason directly on the result page: the file is password-protected and vendors were unable to look inside it. This is exactly the outcome the attacker intended, and it is why a zero score on an encrypted archive must never be treated as evidence of safety.




Figure 9 — VirusTotal result for the container archive — 0/62, flagged as encrypted




Figure 10 — The same container re-checked three days later, still 0/62 with the same password-protection notice

The Excel 4.0 Macro Downloader

research-1646684671.xls is the component that gives the alert its name. Forty of sixty-two engines flag it, and the popular threat label — trojan.x97m/dloadr — identifies it as an Excel 4.0 (XLM) macro downloader. The "calls-wmi" capability tag indicates the macro reaches WMI, a common route for spawning child processes while evading naive parent-process detections.




Figure 11 — VirusTotal detection for research-1646684671.xls — 40/62, labelled trojan.x97m/dloadr

The VirusTotal relationship graph for this file shows a broad and active infrastructure footprint, which is characteristic of a commodity downloader in live distribution rather than an isolated sample.



Figure 12 — VirusTotal graph summary for the XLS: 10+ contacted domains, 4 contacted URLs, 10+ contacted IPs, 10+ dropped files, 4 bundled files and 9 execution parents

The DLL Payloads

The two DLLs are near-identical in size and carry the same family label, differing only in their compiled variant. Both are tagged with anti-analysis capabilities — detect-debug-environment and checks-user-input — meaning they attempt to identify sandboxes and automated analysis environments before executing their real behaviour. The overlay tag indicates appended data beyond the declared PE structure, frequently used to hold an encrypted second stage.




Figure 13 — VirusTotal detection for iroto.dll — 21/65, trojan.usb/f626/abtrojan




Figure 14 — VirusTotal detection for `iroto1.dll` — 21/69, `trojan.usbfp26/abtrojan`

Interpretation: the three files form a complete delivery chain. The XLS is the initial execution vector — its Excel 4.0 macro runs on document open once the victim enables content — and the two DLLs are the payloads it is designed to load. DLL payloads of this kind are typically executed through a signed Windows binary such as `regsvr32.exe` or `rundll32.exe`, which is what makes the `calls-wmi` capability on the XLS operationally significant.

2.5 Dynamic Analysis — Sandbox Detonation

Hybrid Analysis

The archive was submitted to Hybrid Analysis, which returned a definitive malicious verdict with the maximum threat score.

Submission	11f44531fb088d31307d87b01e8eabff.zip.zip
Size / MIME	107 KiB / application/zip
SHA-256	38b01a12b8dcd39ebdcf9e97772e848237330eb227e1ccee80125564b27377e5
Verdict	Malicious
Threat Score	100 / 100
AV Detection	Marked as clean — signature engines blind to the encrypted container
Last Sandbox Report	2026-07-16 15:49:35 UTC

The screenshot shows the Hybrid Analysis interface. At the top, the submission name is '11f44531fb088d31307d87b01e8eabff.zip.zip'. Below it, the size is '107KiB', type is 'data', compressed is 'zip', and mime is 'application/zip'. The SHA256 hash is '38b01a12b8dcd39ebdcf9e97772e848237330eb227e1ccee80125564b27377e5'. The submission was made on '2024-02-01 00:42:28 (UTC)', the last anti-virus scan was on '2026-07-28 19:34:28 (UTC)', and the last sandbox report was on '2026-07-16 15:49:35 (UTC)'. On the right, a red 'malicious' badge is displayed, along with a 'Threat Score: 100/100' and 'AV Detection: Marked as clean'. There are buttons for 'Post', 'Link', and 'Email'. A 'Community Score' of 0 is shown. Below this, the 'Anti-Virus Results' section shows a 'MetaDefender Multi Scan Analysis' with a green checkmark. A yellow banner indicates 'Updated 3 days ago - Click to Refresh'.

Figure 15 — Hybrid Analysis overview — malicious, threat score 100/100, while AV detection reports clean

The contained files were also analyzed as a collection, again returning a malicious verdict.

The screenshot shows the 'Unknown Files Collection' page. It displays 'Number of files: 2', 'Sandbox Reports: 1', and 'Created At: 2025-03-15 09:30:34 (UTC)'. A red 'malicious' badge is visible, along with 'Threat Score: 100/100' and 'AV Detection: Marked as clean'. There are buttons for 'Post', 'Link', and 'Email'. A 'Community Score' of 0 is shown. Below this, the 'Anti-Virus Results' section is partially visible.

Figure 16 — Hybrid Analysis file collection — 2 files, verdict malicious

ANY.RUN

The archive was detonated in ANY.RUN on a Windows 10 64-bit image. The task was immediately flagged with the "Malicious activity" banner and the arch-exec and arch-doc tags, indicating an archive carrying both an executable and a document.



Figure 17 — ANY.RUN task banner — malicious activity on Windows 10 64-bit, 01 August 2026 00:47

Sandbox	ANY.RUN — Windows 10 64-bit
Start Time	01.08.2026, 00:47
Total Runtime	66 seconds
Submitted MD5	0CBEDE8A169ECBBABD533AA9202D9015
Verdict	Malicious activity
Tags	auto, generic, arch-exec, arch-doc
Processes Observed	1 — WinRAR.exe (PID 1340), extracting the archive from %TEMP%
Network Activity	30 HTTP requests, 35 connections, 18 DNS requests, 0 network threats




Figure 18 — ANY.RUN task view — process tree, network activity and archive contents

The sandbox correctly identified all three archive members and offered each as a launch target, confirming the archive structure observed during manual extraction.




Figure 19 — ANY.RUN presenting the three archive members as launch candidates


Limitation of the Dynamic Run

This must be stated plainly. In the ANY.RUN task captured here, the only process that executed was WinRAR.exe performing the extraction. The XLS and the two DLLs were never launched. The HTTP requests visible in the task — a series of POST requests returning 403 Forbidden from svchost.exe (PID 1072) — originate from operating-system background activity, not from the malware, and must not be reported as command-and-control traffic.

The consequence is that no command-and-control infrastructure, persistence mechanism or dropped-file behaviour was observed first-hand in this investigation. The malicious verdict rests on the static evidence — the VirusTotal detections, the threat labels and the Hybrid Analysis score — which is more than sufficient to support it. A follow-up detonation launching the XLS directly, with macros enabled, would be required to extract live C2 indicators.

2.6 Playbook Execution and Case Handling

The investigation was carried out through the platform's phishing playbook. The steps completed are evidenced below.




The image shows a dark-themed web interface titled "Incident Details". It contains a table with four rows of incident information. Below the table is a blue button labeled "Start Playbook".

Incident Name:	EventID: 93 - [SOC146 - Phishing Mail Detected - Excel 4.0 Macros]
Description:	EventID: 93
Incident Type:	Exchange
Created Date:	Jul, 31, 2026, 09:04 PM

Start Playbook

Figure 20 — Incident details for EventID 93 at the start of the playbook



The image shows a dark-themed dialog box titled "Analyze Url/Attachment" with a close button (X) in the top right corner. The text inside instructs the user to analyze the URL/attachment in third-party sandboxes and click "Malicious" or "Non-malicious". It lists several free products/services: AnyRun, VirusTotal, URLHouse, URLScan, and HybridAnalysis. At the bottom are two blue buttons: "Malicious" and "Non-malicious".

Analyze Url/Attachment

Analyze Url/Attachment in 3rd party sandboxes. Please click "Malicious" if it is malicious and click "Non-malicious" if it isn't.

You can use the free products/services below.

- AnyRun
- VirusTotal
- URLHouse
- URLScan
- HybridAnalysis

Malicious Non-malicious

Figure 21 — Playbook step — third-party sandbox analysis of the URL or attachment




Figure 22 — Playbook step — determining delivery status from the Device Action field

The Device Action on the alert is "Allowed", so the correct answer at this step is Delivered. The message reached the mailbox of lars@letsdefend.io, which is what converts this from an observation into an incident requiring containment.

The indicators recovered during analysis were recorded against the case as artifacts.




Figure 23 — Case artifacts: sender, recipient and the three payload hashes

2.7 Verdict

TRUE POSITIVE — Confirmed malicious phishing e-mail, delivered to the recipient

The verdict is supported by the following, each independently sufficient to reject a false-positive conclusion:

- 40 of 62 antivirus engines classify the attached spreadsheet as an Excel 4.0 macro downloader.
- Both DLLs carry trojan family labels from 21 engines each, with anti-debugging and sandbox-detection capabilities.
- Hybrid Analysis returned a malicious verdict with a threat score of 100/100.
- ANY.RUN flagged the archive as malicious activity on detonation.
- The delivery method — an encrypted archive with the password published in the message body — has no legitimate business explanation and is a recognised gateway-evasion technique.
- The sender domain is external and unrelated to the recipient, and the subject line falsely implies an existing thread.

2.8 Containment and Remediation

#	Action	Owner	Priority
1	Purge the message from lars@letsdefend.io and search all mailboxes for the same sender, subject and attachment hash	Mail Admin	Immediate
2	Block sender trenton@tritowncomputers.com and SMTP IP 24.213.228.54 at the gateway	Mail Admin	Immediate
3	Confirm on the endpoint whether the attachment was opened; check for Excel spawning child processes, and for regsvr32.exe or rundll32.exe loading DLLs from user temp paths	SOC Tier 2	Immediate
4	Add all four hashes in Appendix A to EDR and mail-gateway blocklists	SOC Tier 2	Immediate
5	Isolate the endpoint and escalate to incident response if execution is confirmed	SOC Tier 2	Conditional
6	Re-detonate the XLS with macros enabled in a controlled sandbox to recover live C2 indicators	SOC Tier 2	Short term
7	Review gateway policy on encrypted archives whose password appears in the message body — quarantine by default	Security Eng.	Short term
8	Brief the recipient and refresh user awareness training on password-protected attachment lures	SOC / HR	Short term

3. Case Analysis — SOC120, EventID 52

Phishing Mail Detected — Internal to Internal

3.1 Alert Details

EventID	52
Rule Name	SOC120 — Phishing Mail Detected — Internal to Internal
Severity	Medium
Incident Type	Exchange
Alert Date in Queue	Jul 31, 2026, 09:26 PM
Source Address	john@letsdefend.io
Destination Address	susie@letsdefend.io
E-mail Subject	Meeting
E-mail Date	Feb 07, 2021, 04:24 AM

3.2 E-mail Analysis

The message body reads: "Hi Susie, Can we arrange a meeting today if you are available?" It is a single line of routine internal correspondence between two colleagues on the same domain.




Figure 24 — The internal message between john@letsdefend.io and susie@letsdefend.io

Analysis Points

- **No attachment and no URL.** There is no payload of any kind and therefore nothing to submit for sandbox or reputation analysis.
- **Both parties are internal.** Sender and recipient share the letsdefend.io domain and no evidence of header spoofing or a compromised account was present.

- **No social-engineering markers.** The message contains no urgency, no financial or credential request, no authority impersonation and no call to action beyond arranging a meeting.
- **Benign subject and content.** The subject "Meeting" matches the body exactly, with no mismatch between the two.

The alert was raised by the internal-to-internal detection rule, which fires on mail patterns between internal users. In this instance the content contains no indicator that would justify a malicious classification.

3.3 Case Handling and Closure




Figure 25 — Case creation for EventID 52

The playbook was followed to completion and the alert was closed as a false positive with the note "Not a phishing email".




Figure 26 — Alert closure for EventID 52 — False Positive

3.4 Verdict

FALSE POSITIVE — Legitimate internal business correspondence

No containment action is required. If this rule produces a recurring volume of similar benign internal mail, the detection logic should be reviewed for tuning so that analyst attention is not consumed by routine correspondence.

4. Investigation Methodology

Both alerts were worked through the same structured phishing playbook. The sequence applied was:

Step	Activity	SOC146 outcome	SOC120 outcome
1	Parse the e-mail — sender, recipient, SMTP address, timestamp, subject	Completed	Completed
2	Assess whether the content is suspicious	Suspicious	Not suspicious
3	Determine whether attachments or URLs are present	Yes — encrypted ZIP	No
4	Analyse the attachment or URL in third-party sandboxes	Malicious	Not applicable
5	Check delivery status from the Device Action field	Delivered	Not applicable
6	Record artifacts against the case	Completed	Completed
7	Reach a verdict and close the alert	True Positive	False Positive

4.1 Tools Used

Tool	Purpose
LetsDefend Monitoring / Case Management	Alert triage, playbook execution, artifact recording and closure
LetsDefend Email Security	Retrieval of the original message headers and body
Kali Linux analysis VM	Isolated extraction of the archive and computation of file hashes
VirusTotal	Multi-engine reputation and threat labelling for each file
Hybrid Analysis	Static and behavioural scoring of the archive and its contents
ANY.RUN	Interactive sandbox detonation on Windows 10 64-bit

4.2 Common Playbook Steps

The following two screenshots show playbook prompts that appear identically in both the SOC146 and SOC120 workflows. They cannot be attributed to a single alert on visual evidence alone and are reproduced here as part of the shared methodology.




Figure 28 — Playbook step — parse the e-mail before beginning analysis




Figure 29 — Playbook step — determine whether attachments or URLs are present

5. Appendix A — Indicators of Compromise

Sections A.1 and A.2 relate to SOC146 / EventID 93, where the indicators are confirmed malicious. Section A.3 lists the SOC114 sender indicators, which are recorded as unconfirmed pending the analysis set out in Section 5.4. SOC120 produced no indicators of compromise.

A.1 Network and Sender Indicators

Type	Indicator	Context
IPv4	24.213.228.54	Sending SMTP server
E-mail address	trenton@tritowncomputers.com	Phishing sender
Domain	tritowncomputers.com	Sender domain
E-mail subject	RE: Meeting Notes	Lure subject line

A.2 File Indicators

File	Type	SHA-256
11f44531fb088d31307d87b01e8eabff.zip.zip	ZIP (encrypted)	38b01a12b8dcd39ebdcf9e97772e848237330eb227e1ccee80125564b27377e5
research-1646684671.xls	Excel 4.0 macro	1df68d55968bb9d2db4d0d18155188a03a442850ff543c8595166ac6987df820
iroto.dll	PE DLL	055b9e9af987aec9ba7adb0eef947f39b516a213d663cc52a71c7f0af146a946
iroto1.dll	PE DLL	e05c717b43f7e204f315eb8c298f9715791385516335acd8f20ec9e26c3e9b0b

File	MD5
Attachment as named in the e-mail	11f44531fb088d31307d87b01e8eabff
Archive as submitted to ANY.RUN	0CBEDE8A169ECBBABD533AA9202D9015

A.3 Affected Assets

Type	Value	Status
Recipient mailbox	lars@letsdefend.io	Mail delivered — Device Action: Allowed
Recipient mailbox (SOC114)	richard@letsdefend.io	Mail delivered — Device Action: Allowed; verdict pending

Appendix B — Screenshot Index

#	Content	Attributed to
1	Playbook prompt — analyse URL or attachment in third-party sandboxes	SOC146
2	VirusTotal — research-1646684671.xls, 40/62	SOC146
3	VirusTotal — iroto.dll, 21/65	SOC146
4	VirusTotal — iroto1.dll, 21/69	SOC146
5	Terminal — SHA-256 hashes of the three extracted files	SOC146
6	Terminal — extracted archive contents	SOC146
7	Archive password prompt over the EventID 93 alert detail pane	SOC146
8	Terminal — downloaded archive in ~/Downloads	SOC146
9	File manager — downloaded archive	SOC146
10	Hybrid Analysis — file collection, verdict malicious	SOC146
11	ANY.RUN — archive members offered as launch targets	SOC146
12	ANY.RUN — malicious activity banner, Windows 10 64-bit	SOC146
13	ANY.RUN — full task view with process tree and network activity	SOC146
14	Hybrid Analysis — analysis overview, threat score 100/100	SOC146
15	VirusTotal — container archive, 0/62 (encrypted)	SOC146
16	VirusTotal — container archive re-checked, 0/62	SOC146
17	LetsDefend sample download warning page	SOC146
18	Email Security — the phishing message	SOC146
19	Incident details — EventID 93	SOC146
20	Incident details — EventID 93 (alternate view)	SOC146
21	Close alert — EventID 52, False Positive	SOC120
22	Playbook prompt — attachments or URLs present?	Shared playbook step
23	Playbook prompt — parse e-mail	Shared playbook step
24	Create case — EventID 52	SOC120
25	Email Security — internal message, john to susie	SOC120
26	Incident details — EventID 93 (Case Management)	SOC146
27	Add artifacts — sender, recipient and payload hashes	SOC146
28	VirusTotal graph summary for the XLS	SOC146
29	Playbook prompt — check if mail delivered to user	SOC146