Cucumber PDF Report

| Start : Sep 14, 1:37:22.739 am	End : Sep 14, 1:38:46.223 am	Duration : 1 m 23.484 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 8 FAILED - 4 SKIPPED - 0	PASSED - 46 FAILED - 4 SKIPPED - 12

6

12

62

Pass %
66 %

Pass %
66 %

Pass %
74 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Feature to test login and UserProfile screen functionalities	37.413 s	2	1	1	0	10	8	1	1
Feature to test Usermanagement screen functionalities	11.781 s	1	1	0	0	12	12	0	0
Feature to vendor screen functionalities	7.741 s	4	4	0	0	19	19	0	0
Feature to test upload customer data module	2.394 s	1	1	0	0	4	4	0	0
Feature to test work queue screen module	21.903 s	3	0	3	0	14	0	3	11
Feature to verify email threshold functionality	2.022 s	1	1	0	0	3	3	0	0

#	Feature Name	T	P	F	S	Duration
1	Feature to test login and UserProfile screen functionalities	2	1	1	0	37.413 s
2	Feature to test Usermanagement screen functionalities	1	1	0	0	11.781 s
3	Feature to vendor screen functionalities	4	4	0	0	7.741 s
4	Feature to test upload customer data module	1	1	0	0	2.394 s
5	Feature to test work queue screen module	3	0	3	0	21.903 s
6	Feature to verify email threshold functionality	1	1	0	0	2.022 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Feature to test login and UserProfile screen functionalities	Check login with valid credentials	4	4	0	0	26.552 s
2	Feature to test login and UserProfile screen functionalities	UserProfile navigation test	6	4	1	1	10.775 s
3	Feature to test Usermanagement screen functionalities	Check Add and edit user functionality	12	12	0	0	11.781 s
4	Feature to vendor screen functionalities	Check Add vendor functionality	5	5	0	0	2.018 s
5	Feature to vendor screen functionalities	Check assign department functionality	5	5	0	0	0.868 s
6	Feature to vendor screen functionalities	Check add additional information functionality	5	5	0	0	1.294 s
7	Feature to vendor screen functionalities	Check add mapping fields and filters functionality	4	4	0	0	3.426 s
8	Feature to test upload customer data module	Upload customer data file functioanlity	4	4	0	0	2.394 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Feature to test work queue screen module	To add a manual entry for your user	4	0	1	3	1.641 s
10	Feature to test work queue screen module	To verify edit work queue functionality	4	0	1	3	10.131 s
11	Feature to test work queue screen module	To verify view additional information and filter functionality	6	0	1	5	10.077 s
12	Feature to verify email threshold functionality	To set email threshold setting and send email	3	3	0	0	2.022 s

Feature to test login and UserProfile screen functionalities

FAILED	DURATION - 37.413 s	Scenarios		Steps	
		Total - 2		Total - 10	
/ 1:37:22.739 am // 1:38:00.152 am /		Pass - 1	2	Pass - 8	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Check login with valid credentials

| PASSED	DURATION - 26.552 s		Steps	
/ 1:37:22.754 am // 1:37:49.306 am /			Total - 4	
Feature to test login and UserProfile screen functionalities			Pass - 4	4
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	0.273 s
2	When user enters username and password	PASSED	0.457 s
3	And clicks on login button	PASSED	0.127 s
4	Then user is navigated to the Dashboard	PASSED	0.002 s

UserProfile navigation test

FAILED	DURATION - 10.775 s		Steps	
/ 1:37:49.377 am // 1:38:00.152 am /			Total - 6	
Feature to test login and UserProfile screen functionalities			Pass - 4	6
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	0.193 s
2	When user enters username and password	PASSED	0.312 s
3	And clicks on login button	PASSED	0.101 s
4	And user is on dashboard screen	PASSED	0.001 s
5	And user clicks on My profile	FAILED	10.138 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='text-left text-white text-xs font-light']"} (Session info: chrome=116.0.5845.189) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ae9fc7e016f47c8d1d09a18af3fcf57, findElement {using=xpath, value=//span[@class='text-left text-white text-xs font-light']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.189, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\MAHNOO~1.MOO\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51603/devtoo..., se:cdpVersion: 116.0.5845.189, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ae9fc7e016f47c8d1d09a18af3fcf57
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy22.click(Unknown Source)
	   at Pages.LoginPage.UserProfile(LoginPage.java:84)
	   at StepDefinitions.LoginSteps.user_clicks_on_my_profile(LoginSteps.java:127)
	   at ?.user clicks on My profile(file:///C:/Users/mahnoor.moosa/eclipse-workspace/LicenseRenewal_Framework/src/test/resources/Features/Login.feature:32)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
6	Then user is navigated to the User profile screen	SKIPPED	0.002 s

Feature to test Usermanagement screen functionalities

PASSED	DURATION - 11.781 s			Scenarios		Steps	
/ 1:38:00.237 am // 1:38:12.018 am /				Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 12 Pass - 12 Fail - 0 Skip - 0	12

Check Add and edit user functionality

PASSED	DURATION - 11.781 s		Steps	
/ 1:38:00.237 am // 1:38:12.018 am /			Total - 12 Pass - 12 Fail - 0 Skip - 0	12
Feature to test Usermanagement screen functionalities				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	0.194 s
2	When user enters username and password	PASSED	0.315 s
3	And clicks on login button	PASSED	0.101 s
4	Given User is on user management screen	PASSED	4.670 s
5	And Add user tab is clicked	PASSED	0.001 s
6	When user enters mandatory fields	PASSED	0.002 s
7	And user clicks on cancel button	PASSED	0.001 s
8	Then user should be naviagted to usermanagement screen	PASSED	0.001 s
9	Given user clicks on edit screen	PASSED	3.111 s
10	When user details are updated	PASSED	3.358 s
11	And user clicks on submit tab	PASSED	0.001 s
12	Then user should get updated	PASSED	0.001 s

Feature to vendor screen functionalities

PASSED	DURATION - 7.741 s	Scenarios		Steps	
/ 1:38:12.069 am // 1:38:19.810 am /		Total - 4		Total - 19	
		Pass - 4	4	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check Add vendor functionality

PASSED	DURATION - 2.018 s		Steps	
/ 1:38:12.070 am // 1:38:14.088 am /			Total - 5	
Feature to vendor screen functionalities			Pass - 5	5
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on vendor screen	PASSED	0.001 s
2	And edit vendor option is clicked	PASSED	1.990 s
3	When vendor is updated	PASSED	0.001 s
4	And submit is clicked	PASSED	0.000 s
5	Then vendor should get updated	PASSED	0.003 s

Check assign department functionality

PASSED	DURATION - 0.868 s		Steps	
/ 1:38:14.151 am // 1:38:15.019 am /			Total - 5	
Feature to vendor screen functionalities			Pass - 5	5
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on vendor screen	PASSED	0.003 s
2	And assign department option is clicked	PASSED	0.841 s
3	When department is assigned	PASSED	0.000 s
4	And submit is clicked	PASSED	0.001 s
5	Then vendor should be assigned to your selected department	PASSED	0.001 s

Check add additional information functionality

PASSED	DURATION - 1.294 s		Steps
/ 1:38:15.064 am // 1:38:16.358 am /			Total - 5
			Pass - 5
Feature to vendor screen functionalities			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on vendor screen	PASSED	0.001 s
2	And add additional information option is clicked	PASSED	1.267 s
3	When information is filled	PASSED	0.000 s
4	And submit is clicked	PASSED	0.002 s
5	Then information should be saved successfully	PASSED	0.001 s

Check add mapping fields and filters functionality

PASSED	DURATION - 3.426 s		Steps
/ 1:38:16.384 am // 1:38:19.810 am /			Total - 4
			Pass - 4
Feature to vendor screen functionalities			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on vendor screen	PASSED	3.416 s
2	When add mapping field option is clicked	PASSED	0.002 s
3	And submit is clicked	PASSED	0.000 s
4	Then mapping fields should be added successfully	PASSED	0.001 s

Feature to test upload customer data module

PASSED	DURATION - 2.394 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 1:38:19.840 am // 1:38:22.234 am /		Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Upload customer data file functioanlity

PASSED	DURATION - 2.394 s		Steps	
			Total - 4	
/ 1:38:19.840 am // 1:38:22.234 am /			Pass - 4	4
Feature to test upload customer data module			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on upload customer data screen	PASSED	2.378 s
2	When departments and assigned vendors are selected	PASSED	0.001 s
3	And customer data file is uploaded	PASSED	0.000 s
4	Then file should get uploaded successfully	PASSED	0.001 s

Feature to test work queue screen module

FAILED	DURATION - 21.903 s		Scenarios		Steps	
/ 1:38:22.272 am // 1:38:44.175 am /			Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 14 Pass - 0 Fail - 3 Skip - 11	14

To add a manual entry for your user

FAILED	DURATION - 1.641 s			Steps	
/ 1:38:22.272 am // 1:38:23.913 am /				Total - 4 Pass - 0 Fail - 1 Skip - 3	4
Feature to test work queue screen module					

#	Step / Hook Details	Status	Duration
1	Given user is on work queue screen	FAILED	1.623 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=116.0.5845.189) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ae9fc7e016f47c8d1d09a18af3fcf57, clickElement {id=3820D3545DDB23BBBA9AE0FB0AFA4653_element_2503}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.189, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\MAHNOO~1.MOO\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51603/devtoo..., se:cdpVersion: 116.0.5845.189, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9ae9fc7e016f47c8d1d09a18af3fcf57)] -> xpath: //a[@id='customer']] Session ID: 9ae9fc7e016f47c8d1d09a18af3fcf57
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor95.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy22.click(Unknown Source) at Pages.WorkqueueScreen.AddManual_entry(WorkqueueScreen.java:64) at StepDefinitions.WorkqueueSteps.user_is_on_work_queue_screen(WorkqueueSteps.java:31) at ?.user is on work queue screen(file:///C:/Users/mahnoor.moosa/eclipse-workspace/LicenseRenewal_Framework/src/test/resources/Features/yWorkQueue.feature:6) * Not displayable characters are replaced by '?'.		
2	When Manual entry tab is clicked	SKIPPED	0.002 s
3	And mandatory fields are filled	SKIPPED	0.000 s
4	Then entry should be added on submit button	SKIPPED	0.002 s

To verify edit work queue functionality

FAILED	DURATION - 10.131 s
/ 1:38:23.939 am // 1:38:34.070 am /	
Feature to test work queue screen module	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given user navigates to edit screen	FAILED	10.111 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9ae9fc7e016f47c8d1d09a18af3fcf57, actions {actions=[org.openqa.selenium.interactions.Sequence@5be4be74]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.189, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\MAHNOO~1.MOO\AppDa...}, fedcm:accounts: true, goog:chromeOptions:		

| #	Step / Hook Details	Status	Duration

	{debuggerAddress: localhost:51603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51603/devtoo..., se:cdpVersion: 116.0.5845.189, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ae9fc7e016f47c8d1d09a18af3fcf57
	   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415)
	   at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
	   at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200)
	   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
	   at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
	   at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218)
	   at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
	   at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
	   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)
	   at org.openqa.selenium.json.Json.toJson(Json.java:47)
	   at org.openqa.selenium.json.Json.toJson(Json.java:41)
	   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)
	   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)
	   at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)
	   at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)
	   at Pages.WorkqueueScreen.Editworkqueue_screen(WorkqueueScreen.java:84)
	   at StepDefinitions.WorkqueueSteps.user_navigates_to_edit_screen(WorkqueueSteps.java:55)
	   at ?.user navigates to edit screen(file:///C:/Users/mahnoor.moosa/eclipse-workspace/LicenseRenewal_Framework/src/test/resources/Features/yWorkQueue.feature:14)		

#	Step / Hook Details	Status	Duration

	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json. toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at Pages. WorkqueueScreen.Editworkqueue_screen(WorkqueueScreen.java:84) at StepDefinitions.WorkqueueSteps. user_navigates_to_edit_screen(WorkqueueSteps.java:55) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk. internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method. invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io. cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner. ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io. cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io. cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner. runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners. ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit. runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner. java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference. run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt. internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect. InvocationTargetException
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411)
	    at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)		
	at org.openqa.selenium.json.Json.toJson(Json.java:47)		
	at org.openqa.selenium.json.Json.toJson(Json.java:41)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)		
	at Pages.WorkqueueScreen.Editworkqueue_screen(WorkqueueScreen.java:84)		
	at StepDefinitions.WorkqueueSteps.user_navigates_to_edit_screen(WorkqueueSteps.java:55)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='table-grid-container w-full overflow-x-auto custom-table table table-hover mt-4']"} (Session info: chrome=116.0.5845.189) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ae9fc7e016f47c8d1d09a18af3fcf57, findElement {using=xpath, value=//div[@class='table-grid-container w-full overflow-x-auto custom-table table table-hover mt-4']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.189, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\MAHNOO~1.MOO\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration
	ws://localhost:51603/devtoo..., se:cdpVersion: 116.0.5845.189, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ae9fc7e016f47c8d1d09a18af3fcf57 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) 　　at jdk.proxy2/jdk.proxy2.$Proxy22.getWrappedElement(Unknown Source) 　　at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:275) 　　at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:224) 　　at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) 　　at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'.		
2	When fields are updated	SKIPPED	0.000 s
3	And User clicks on submit button	SKIPPED	0.000 s
4	Then data should get saved successfully	SKIPPED	0.000 s

To verify view additional information and filter functionality

FAILED	DURATION - 10.077 s

/ 1:38:34.098 am // 1:38:44.175 am /

Feature to test work queue screen module

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	Given user navigates to view additional information screen	FAILED	10.057 s

org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9ae9fc7e016f47c8d1d09a18af3fcf57, actions {actions=[org.openqa.selenium.interactions.Sequence@722787b5]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.189, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\MAHNOO~1.MOO\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51603/devtoo..., se:cdpVersion: 116.0.5845.189, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ae9fc7e016f47c8d1d09a18af3fcf57
   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415)
   at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178)
   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
   at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200)
   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
   at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200)
   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
   at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218)
   at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
   at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213)
   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)		
	at org.openqa.selenium.json.Json.toJson(Json.java:47)		
	at org.openqa.selenium.json.Json.toJson(Json.java:41)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)		
	at Pages.WorkqueueScreen.Viewadditional_screen(WorkqueueScreen.java:97)		
	at StepDefinitions.WorkqueueSteps.user_navigates_to_view_additional_information_screen(WorkqueueSteps.java:81)		
	at ?.user navigates to view additional information screen(file:///C:/Users/mahnoor.moosa/eclipse-workspace/LicenseRenewal_Framework/src/test/resources/Features/yWorkQueue.feature:22)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at Pages.WorkqueueScreen.Viewadditional_screen(WorkqueueScreen.java:97) at StepDefinitions.WorkqueueSteps.user_navigates_to_view_additional_information_screen(WorkqueueSteps.java:81) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at		

#	Step / Hook Details	Status	Duration

	io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit. runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org. junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber. java:235) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner. java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal. junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner. RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411)
	    at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178)
	    at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
	    at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200)
	    at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	    at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	    at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	    at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	    at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	    at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	    at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
	    at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200)
	    at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
	    at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218)
	    at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
	    at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213)
	    at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
	    at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332)
	    at org.openqa.selenium.json.Json.toJson(Json.java:47)
	    at org.openqa.selenium.json.Json.toJson(Json.java:41)
	    at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)
	    at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:574)		
	at Pages.WorkqueueScreen.Viewadditional_screen(WorkqueueScreen.java:97)		
	at StepDefinitions.WorkqueueSteps.user_navigates_to_view_additional_information_screen(WorkqueueSteps.java:81)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='table-grid-container w-full overflow-x-auto custom-table table table-hover mt-4']"} (Session info: chrome=116.0.5845.189) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ae9fc7e016f47c8d1d09a18af3fcf57, findElement {using=xpath, value=//div[@class='table-grid-container w-full overflow-x-auto custom-table table table-hover mt-4']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.189, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\MAHNOO~1.MOO\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51603/devtoo..., se:cdpVersion: 116.0.5845.189, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ae9fc7e016f47c8d1d09a18af3fcf57		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy22.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:275)		
	at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:224)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'.		
2	When information is verified	SKIPPED	0.001 s
3	And User filters the data	SKIPPED	0.000 s
4	And Export the customer data	SKIPPED	0.001 s
5	Then data should get exported	SKIPPED	0.000 s
6	And Data should get filtered correctly	SKIPPED	0.000 s

Feature to verify email threshold functionality

PASSED	DURATION - 2.022 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 1:38:44.201 am // 1:38:46.223 am /					

To set email threshold setting and send email

PASSED	DURATION - 2.022 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 1:38:44.201 am // 1:38:46.223 am /				
Feature to verify email threshold functionality				

#	Step / Hook Details	Status	Duration
1	Given User is on Email threshold screen	PASSED	2.010 s
2	When email notification settings are set	PASSED	0.001 s
3	Then Email notification details should be saved successfully	PASSED	0.000 s