

■ CORRECT CONSTRUCTION SPECIFICATIONS

Based on Sheet A100 — CD Sample Project | Project No: 20-514

Transforming Architecture | 7612 Browns Bridge Rd, Highland MD | 11/13/2020 | Rev A

Doc No:	SPEC-A100-20514-CORRECT	Date:	November 13, 2020
Project:	CD Sample Project — Residential Renovation	Sheet Ref:	A100
Prepared By:	Transforming Architecture	License:	Architect #13662 — Maryland
Scope:	1st Floor Reno + 234sqft Addition + 548sqft Garage + 326sqft Sunroom	Total GFA:	3,758 sqft

SECTION 09300 — ROOM FINISH SCHEDULE (A100 — Correct)

Room Name	Floor	Walls	Ceiling	Remarks
Bath Room 2	Ceramic Tile	Painted Gyp. Bd.	Painted Gyp. Bd.	
Bedroom 2	Carpet	Painted Gyp. Bd.	Painted Gyp. Bd.	
Bedroom 3	Carpet	Painted Gyp. Bd.	Painted Gyp. Bd.	
Entertainment Area	LVT	Painted Gyp. Bd.	Painted Gyp. Bd.	
Storage (Basement)	Unfinished	Unfinished	Unfinished	
Sump Closet	Concrete	Unfinished	Unfinished	
Master Bath	Ceramic Tile	Ceramic Tile	Painted Gyp. Bd.	
Master Bedroom	Carpet	Painted Gyp. Bd.	Painted Gyp. Bd.	
Living Room	LVT	Painted Gyp. Bd.	Painted Gyp. Bd.	
Dining Room	LVT	Painted Gyp. Bd.	Painted Gyp. Bd.	
Kitchen	LVT	Painted Gyp. Bd.	Painted Gyp. Bd.	Tile backsplash at counters
Craft Room	LVT	Painted Gyp. Bd.	Painted Gyp. Bd.	Quartz countertop
Pantry	LVT	Painted Gyp. Bd.	Painted Gyp. Bd.	
Laundry / Mudroom	Ceramic Tile	Painted Gyp. Bd.	Painted Gyp. Bd.	
Powder Room	Ceramic Tile	Painted Gyp. Bd.	Painted Gyp. Bd.	
Sunroom	LVT	Bead Board	Bead Board	6" white baseboard trim
Garage	Concrete	Painted Gyp. Bd.	Gyp. Bd.	5/8" fire-rated gypsum bd.
Garage Storage	Concrete	Unfinished	Unfinished	Conditioned space
Patio	Concrete Pavers	—	—	Exterior
Driveway/Sidewalk	Macadam/Concrete	—	—	Exterior

SECTION 08100 — DOOR SCHEDULE (A100 — Correct)

No.	Size	Int/Ext	Saddle	Remarks
101	3/0x6/8	EXT	YES	8-Lite Entry Door w/ Built-in Blinds & Storm Door
102	3/0x6/8	INT	NO	Single Door — 3 Panel U.N.O.
103	3/0x6/8	INT	NO	Single Door
104	2/8x6/8	INT	NO	Single Door
105	3/0x6/8	INT	NO	Single Door
106	2/6x6/8	INT	NO	Single Door
107	2/6x6/8	INT	NO	Single Door
108	2/0x6/8	INT	NO	Single Door
109	(2)2/6x6/8	INT	NO	Double Bifold Door
110	(2)4/0x6/8	INT	NO	Double Bifold Door
111	3/0x6/8	INT	YES	Pocket Door
112	(2)2/0x6/8	INT	NO	Double Barn Door
113	(2)3/0x6/8	INT	NO	Double Barn Door
114	(2)2/0x6/8	EXT	YES	Double Storm Door — w/ Sliding Screen
115	3/0x6/8	EXT	NO	Storm Door — w/ Sliding Screen
116	3/0x6/8	EXT	YES	Storm Door
117	(2)1/3x6/8	EXT	YES	Double Door
118	3/0x6/8	EXT	YES	15-Lite Entry Door
119	3/0x6/8	INT	NO	Single Door — Fire Rated 1HR
120	(2)2/3x6/8	INT	NO	Double Door
121	9/0x7/0	EXT	NO	Garage Door — Clopay Coachman CD13 (Insulated 18.3 R-value)
122	9/0x7/0	EXT	NO	Garage Door — Clopay Coachman CD13 (Insulated 18.3 R-value)
123	2/4x6/8	INT	NO	Single Door
124	2/6x6/8	INT	NO	Single Door
125	3/0x6/8	EXT	YES	Thermatru CCA260-SDL Classic Craft American
126	3/0x6/8	EXT	YES	8-Lite Double Entry Door
ATT	22.2x54	INT	NO	Aluminum Attic Ladder

SECTION 08500 — WINDOW SCHEDULE (A100 — Correct)

All windows: ProFinish 600 Series — Vinyl (NYL), White. Dual pane, Low-E & Argon gas filled. MAX. U = 0.31

Label	Mat.	Size	Operation	Remarks
A	NYL	3/0x5/0	Double Hung	Egress Window — ProFinish 600 Series
B	NYL	Varies	Double Hung	Egress Window — ProFinish 600 Series
C	NYL	(2)2/6x5/0	Casement	ProFinish 600 Series

D	NYL	2/0x3/0	Casement	ProFinish 600 Series
E	NYL	(3)2/0x3/0	Casement	ProFinish 600 Series
F	NYL	(2)2/0x4/6	Casement	ProFinish 600 Series
G	NYL	4/0x1/0	Transom	Fixed Transom
H	NYL	2/0x4/6	Casement	ProFinish 600 Series
J	NYL	2/0x1/0	Transom	Fixed Transom
K	EX.	Varies	Slider	Replace existing w/ Sliding Window w/ Screen
1/6x3/0	NYL	1/6x3/0	Fixed	Sidelight

SECTION 06100 — HEADER SCHEDULE U.N.O. (A100 — Correct)

Opening Size	Header Size	Material	Remarks
Openings up to 3'-0"	(2) 2x10	Dimensional Lumber	Standard lumber header
Openings > 3'-0" to 6'-0"	(2) 1.75x9.50 1.9E Microlam	Engineered LVL	Mid-span header
Openings > 6'-0" to 8'-0"	(2) 1.75x11.875 1.9E Microlam	Engineered LVL	Large span header

SECTION 05500 — STEEL LINTEL SCHEDULE U.N.O. (A100 — Correct)

Steel Angle Size	# Stories Above	# of 1/2" Rebars	Max Span
3 x 3 x 1/4	None	1	3'-6"
4 x 3 x 1/4	None	1	5'-0"
6 x 3-1/2 x 1/4	None	2	8'-0"
6 x 3-1/2 x 1/4	One	4	8'-0"
6 x 3-1/2 x 1/4	Two	4	8'-0"